



DYNA-ONE

Energy Absorber

DYNA-ONE Energy Absorber

ONE ABSORBER TO PROTECT THEM ALL!

- ▶ Largest rated weight range to protect a wider spectrum of workers
- ▶ Single class of energy absorber
- ▶ Eliminates the confusion of having multiple classes of energy absorber
- ▶ Peace of mind that the worker is using the correct product
- ▶ **DSI** certified weight range is 100-352lbs
- ▶ **CSA** certified to latest **CSA Z259.11-17**



CSA Z259.11-17

PERSONAL ENERGY ABSORBERS & LANYARDS

Standard Highlights

- ▶ Removing Class E4 and E6 terminology
- ▶ Standard is more focused on forces that the worker will feel in a fall event
- ▶ The standard addresses the lightweight worker ensuring that the products will perform at lower weights
- ▶ No set weight ranges so workers must read labels on the product to make sure they are within the proper weight range
- ▶ More details regarding energy absorber deployment distance to be provided in the manual

DYNA-ONE Web Lanyards



CERTIFIED BY CSA CANADA

This lanyard is specifically designed for general purposes with many hardware options and webbing types to best suit your specific application. It is very important for the user to calculate the fall clearance requirement when using a lanyard with an energy absorber.

PART NO.	MATERIAL	CONNECTOR HARNESS	CONNECTOR ANCHORAGE	LENGTH
SINGLE LEG LANYARD WITH ENERGY ABSORBER				
FP73311	POLYESTER	SMALL HOOK	SMALL HOOK	4-5-6 FT
FP73313	POLYESTER	SMALL HOOK	MEDIUM HOOK	4-5-6 FT
FP73314	POLYESTER	SMALL HOOK	LARGE HOOK	4-5-6 FT
FP733AA	POLYESTER	ALUM SMALL HOOK	ALUM SMALL HOOK	4-5-6 FT
FP733AC	POLYESTER	ALUM SMALL HOOK	ALUM LARGE HOOK	4-5-6 FT
SINGLE LEG ADJUSTABLE LANYARD WITH ENERGY ABSORBER				
FP73411	POLYESTER	SMALL HOOK	SMALL HOOK	6 FT
FP73413	POLYESTER	SMALL HOOK	MEDIUM HOOK	6 FT
FP73414	POLYESTER	SMALL HOOK	LARGE HOOK	6 FT
DOUBLE LEG Y-LANYARD WITH ENERGY ABSORBER				
FP736111	POLYESTER	SMALL HOOK	SMALL HOOK (2)	4-5-6 FT
FP736133	POLYESTER	SMALL HOOK	MEDIUM HOOK (2)	4-5-6 FT
FP736144	POLYESTER	SMALL HOOK	LARGE HOOK (2)	4-5-6 FT
FP736AAA	POLYESTER	ALUM SMALL HOOK	ALUM SMALL HOOK (2)	4-5-6 FT
FP736ACC	POLYESTER	ALUM SMALL HOOK	ALUM LARGE HOOK (2)	4-5-6 FT
DOUBLE LEG ADJUSTABLE Y-LANYARD WITH ENERGY ABSORBER				
FP737111	POLYESTER	SMALL HOOK	SMALL HOOK (2)	6 FT
FP737133	POLYESTER	SMALL HOOK	MEDIUM HOOK (2)	6 FT
FP737144	POLYESTER	SMALL HOOK	LARGE HOOK (2)	6 FT
FIXED & CONTINUOUS SINGLE LEG LANYARD WITH ENERGY ABSORBER				
FP74311	1.75" POLYESTER WEBBING	SMALL HOOK	SMALL HOOK	4-5-6 FT
FP74313	1.75" POLYESTER WEBBING	SMALL HOOK	MEDIUM HOOK	4-5-6 FT
FP74314	1.75" POLYESTER WEBBING	SMALL HOOK	LARGE HOOK	4-5-6 FT
FIXED & CONTINUOUS Y-LANYARD WITH ENERGY ABSORBER				
FP746111	1.75" POLYESTER WEBBING	SMALL HOOK	SMALL HOOK	4-5-6 FT
FP746133	1.75" POLYESTER WEBBING	SMALL HOOK	MEDIUM HOOK	4-5-6 FT
FP746144	1.75" POLYESTER WEBBING	SMALL HOOK	LARGE HOOK	4-5-6 FT



FP73311



FP733AC



FP73413



FP736111



FP736144



FP736ACC



FP74311



FP746144

DYNA-YARD Lanyards



CERTIFIED BY CSA CANADA

The DYNA-YARD lanyard is designed to reduce the impact load experienced during a fall to a maximum of 4kN (900lbs) or less. This lanyard meets and exceeds the ANSI and OSHA regulations and is CSA certified by CSA Canada.

PART NO.	MATERIAL	CONNECTOR HARNESS	CONNECTOR ANCHORAGE	LENGTH
DYNA-YARD LANYARD WITH INTEGRATED ENERGY ABSORBER				
FP75811	POLYESTER	SMALL HOOK	SMALL HOOK	6 FT
FP75813	POLYESTER	SMALL HOOK	MEDIUM HOOK	6 FT
FP75814	POLYESTER	SMALL HOOK	LARGE HOOK	6 FT
DYNA-YARD Y-LANYARD WITH INTEGRATED ENERGY ABSORBER				
FP759111	POLYESTER	SMALL HOOK	SMALL HOOK (2)	6 FT
FP759133	POLYESTER	SMALL HOOK	MEDIUM HOOK (2)	6 FT
FP759144	POLYESTER	SMALL HOOK	LARGE HOOK (2)	6 FT



FP75811



FP75814



FP759133



FP759111

DYNA-ONE Cable Lanyards



CERTIFIED BY CSA CANADA

Cable lanyards with PVC coatings provides additional durability to withstand harsh conditions making it more versatile in more applications. Flemish eyes termination on the cable provides additional safety to ensure that the product will perform when required.

PART NO.	MATERIAL	CONNECTOR HARNESS	CONNECTOR ANCHORAGE	LENGTH
SINGLE LANYARD WITH ENERGY ABSORBER				
FP76311	1/4" STEEL CABLE W/ PVC COATING	SMALL HOOK	SMALL HOOK	4-5-6 FT
FP76313	1/4" STEEL CABLE W/ PVC COATING	SMALL HOOK	MEDIUM HOOK	4-5-6 FT
FP76314	1/4" STEEL CABLE W/ PVC COATING	SMALL HOOK	LARGE HOOK	4-5-6 FT
FP763AA	1/4" STEEL CABLE W/ PVC COATING	ALUM SMALL HOOK	ALUM SMALL HOOK	4-5-6 FT
FP763AC	1/4" STEEL CABLE W/ PVC COATING	ALUM SMALL HOOK	ALUM LARGE HOOK	4-5-6 FT
DOUBLE LEG Y-LANYARD WITH ENERGY ABSORBER				
FP766111	1/4" STEEL CABLE W/ PVC COATING	SMALL HOOK	SMALL HOOK (2)	4-5-6 FT
FP766133	1/4" STEEL CABLE W/ PVC COATING	SMALL HOOK	MEDIUM HOOK (2)	4-5-6 FT
FP766144	1/4" STEEL CABLE W/ PVC COATING	SMALL HOOK	LARGE HOOK (2)	4-5-6 FT
FP766AAA	1/4" STEEL CABLE W/ PVC COATING	ALUM SMALL HOOK	ALUM SMALL HOOK (2)	4-5-6 FT
FP766ACC	1/4" STEEL CABLE W/ PVC COATING	ALUM SMALL HOOK	ALUM LARGE HOOK (2)	4-5-6 FT



FP76311



FP766144

DYNA-ONE Kevlar® Lanyards



CERTIFIED BY CSA CANADA

Meets and exceeds ASTM F887-13 Arc Flash. This lanyard is designed with a Kevlar material to resist high heat, weld splatter and arc flash hazards. Kevlar also provides extra durability against abrasive applications.

PART NO.	MATERIAL	CONNECTOR HARNESS	CONNECTOR ANCHORAGE	LENGTH
SINGLE LEG LANYARD WITH DYNA-PAK ENERGY ABSORBER				
FP78301	KEVLAR	SOFT LOOP	SMALL HOOK	4-5-6 FT
FP78303	KEVLAR	SOFT LOOP	MEDIUM HOOK	4-5-6 FT
FP78304	KEVLAR	SOFT LOOP	LARGE HOOK	4-5-6 FT
FP78311	KEVLAR	SMALL HOOK	SMALL HOOK	4-5-6 FT
FP78313	KEVLAR	SMALL HOOK	MEDIUM HOOK	4-5-6 FT
FP78314	KEVLAR	SMALL HOOK	LARGE HOOK	4-5-6 FT
DOUBLE LEG Y-LANYARD WITH DYNA-PAK ENERGY ABSORBER				
FP786111	KEVLAR	SMALL HOOK	SMALL HOOK (2)	4-5-6 FT
FP786133	KEVLAR	SMALL HOOK	MEDIUM HOOK (2)	4-5-6 FT
FP786144	KEVLAR	SMALL HOOK	LARGE HOOK (2)	4-5-6 FT



FP78313

FP786111

Leather Cover

PART NO.	DESCRIPTION
FPLANCOVER	LEATHER COVER TO PROTECT THE ENERGY ABSORBER

DYNA-ONE Coated Lanyards



CERTIFIED BY CSA CANADA

This lanyard is designed with a vinyl coating to make the product easy to clean and adds durability. This is ideal for very dirty applications or clean applications where you don't want to bring in contaminants into the work place. The coating also protects against abrasion and high heat applications.

PART NO.	MATERIAL	CONNECTOR HARNESS	CONNECTOR ANCHORAGE	LENGTH
SINGLE LEG LANYARD WITH DYNA-PAK ENERGY ABSORBER				
FPC74311	COATED POLYESTER	SMALL HOOK	SMALL HOOK	4-5-6 FT
FPC74313	COATED POLYESTER	SMALL HOOK	MEDIUM HOOK	4-5-6 FT
FPC74314	COATED POLYESTER	SMALL HOOK	LARGE HOOK	4-5-6 FT
FPC743AA	COATED POLYESTER	ALUM SMALL HOOK	ALUM SMALL HOOK	4-5-6 FT
FPC743AC	COATED POLYESTER	ALUM SMALL HOOK	ALUM LARGE HOOK	4-5-6 FT
DOUBLE LEG Y-LANYARD WITH DYNA-PAK ENERGY ABSORBER				
FPC746111	COATED POLYESTER	SMALL HOOK	SMALL HOOK (2)	4-5-6 FT
FPC746133	COATED POLYESTER	SMALL HOOK	MEDIUM HOOK (2)	4-5-6 FT
FPC746144	COATED POLYESTER	SMALL HOOK	LARGE HOOK (2)	4-5-6 FT
FPC746AAA	COATED POLYESTER	ALUM SMALL HOOK	ALUM SMALL HOOK (2)	4-5-6 FT
FPC746ACC	COATED POLYESTER	ALUM SMALL HOOK	ALUM LARGE HOOK (2)	4-5-6 FT



FPC74311



FPC746144

FOR MORE SPECIALTY LANYARDS
AVAILABILITY, PLEASE REFER TO
THE FALL PROTECTION CATALOGUE.

FOR OUR COMPLETE LINE
OF SAFETY PRODUCTS
GO TO WWW.PIPCANADA.CA



HEAD
PROTECTION



EYE AND FACE
PROTECTION



HEARING
PROTECTION



RESPIRATORY
PROTECTION



FALL
PROTECTION



FIRST AID
PRODUCTS



TRAFFIC AND HIGH
VISIBILITY PRODUCTS



WELDING
FACE SHIELD



SIGNAGE
PRODUCTS



HAND
PROTECTION



PIP Canada Ltd.

2477 Michelin St | Laval, Quebec H7L 5B9

450-687-7374 CUSTOMER SERVICE DIRECT | 877-446-3278 TOLL FREE

orders@pipcanada.ca | www.pipcanada.ca



6 20606 17657 4

MKTGFPOFEN

5/2020