



PIP

FOOD SAFETY PRODUCTS CATALOG

www.pipcanada.ca

A global provider of innovative safety products



Nearly 40 years ago, PIP® founders Joe Milot and Wellson Tao set out on a mission to bring the best of the world in Safety products.

FOUNDED IN
1984
IN LATHAM, NY USA

WORKFORCE OF OVER
1500+
EMPLOYEES

WITH OVER
10K+
PRODUCTS AVAILABLE

HEADQUARTERS FOR
CANADA
IN LAVAL, QC

MANUFACTURING LOCATIONS
10
IN NORTH AMERICA

DISTRIBUTION CENTERS
1.5M SQ
FT
GLOBALLY SITUATED

Today, PIP® is a leader in safety products.

BRANDS THAT EXTEND AROUND THE GLOBE.



Assurance®



MAIN PRODUCT CATEGORIES



HAND & ARM PROTECTION



PROTECTIVE GARMENTS



EYE & HEARING PROTECTION



FALL PROTECTION



HEAD PROTECTION



FIRST AID PRODUCTS



RESPIRATORY PROTECTION

Protecting Hands

Up to 30 percent of hand injuries are attributed to fit, wear or simply the wrong type of glove for the hazard. PIP® believes it can help eliminate hand injuries on the job. US Mesh® and Claw Cover® gloves, sleeves and clothing by PIP® are specifically designed for the demands of high-risk food processing environments.

Safety Products You Can Trust

Over the last 10 years, PIP® has grown its product offering in personal protective equipment to deliver head-to-toe protection. Today, in addition to knit gloves and sleeves, we manufacture hard hats, face shields, ear muffs, ear plugs, fall protection, first aid, and more.



KEY TO SAFETY IN FOOD

PPE is commonly used in food manufacturing, processing and handling applications where both worker safety and food safety are essential. Gloves and sleeves are used to help protect workers against cuts, heat or cold exposure, as well as liquid and chemical splash or immersion.

Items like bouffants, beard covers and single-use gloves are imperative in the important task of food safety, keeping the food product from being contaminated.

Other PPE products – including eye and hearing protection, boots, aprons and clothing – focus on worker safety, helping protect workers from dangerous noise and fluid splash or bone shards during the manufacturing process.



**EXTREME CUT PROTECTION
FOR FOOD PROCESSING**

US Mesh® is the only choice for serious users in Food Safety. This preferred line of steel mesh gloves, sleeves and clothing delivers maximum cut protection and significant protection against stabs and punctures for Food Processing operations.



**THE #1 TRUSTED BRAND
FOR HIGH-RISK FOOD
INDUSTRY WORKERS**

Made in the USA, Claw Cover® is designed to provide high-level cut protection while complying with both U.S. and Canadian standards for food contact. Claw Cover® products are launderable and can be used for operations where direct, indirect and incidental contact with food may occur.





HAND AND ARM PROTECTION FOOD SAFETY



US MESH®

PROTECT FOOD WORKERS
FROM EXTREME CUT HAZARDS

Butchering / Cleaning / Food Preparation / Knife Sharpening



21
CFR

GPUSM1105

- Original adjustable closure with sewn-on web strap and snap, side split for easy donning and doffing
- 4-ring joined to protect against knife stabs and punctures
- Ergonomically constructed for maximum wearer comfort and safety
- Compliant with FDA 21 CFR 1772800 and approved for direct food contact



21
CFR

GPUSM1147

- Metal spring is self-adjusting to the right fit
- All metal design features a fully-enclosed spring at the wrist for a secure, comfortable fit
- 4-ring joined to protect against knife stabs and punctures
- Ergonomically constructed for maximum wearer comfort and safety
- Compliant with FDA 21 CFR 1772800 and approved for direct food contact



21
CFR

GPUSM1180

- Steel prong for a fully adjustable, comfortable fit
- Premium 4-ring hook ups on all glove seams for the ultimate in strength and puncture resistance
- Compliant with FDA 21 CFR 1772800 and approved for direct food contact



21
CFR

GPUSM1305

- Original adjustable closure with two replaceable web straps with snap closure
- Premium 4-ring hook ups on all glove seams for the ultimate in strength and puncture resistance
- Mid-length cuff for extended coverage of the wrist
- Compliant with FDA 21 CFR 1772800 and approved for direct food contact



21
CFR

GPUSM1547

- Metal self-adjusting spring for the right fit, fully enclosed in mesh to avoid pinches
- Max-length cuff with an all metal design features a fully-enclosed spring at the wrist and forearm for a secure, comfortable fit
- Stiffeners in cuff to keep cuff in place on arm
- Compliant with FDA 21 CFR 1772800 and approved for direct food contact



21
CFR

GPUSM3105

- Wrist-to-shoulder sleeve includes an adjustable chest strap that provides a custom fit and keeps the sleeve in position for all-day wear
- Web cuff at the wrist includes adjustable snap closure
- Compliant with FDA 21 CFR 1772800 and approved for direct food contact

Hand Protection

STYLE NUMBER	21 CFR	MATERIAL	CLOSURE	LENGTH	SIZES
GPUSM1105	Yes	316L Surgical Grade Stainless Steel	Adjustable Snap Strap	Wrist	2XS-3XL
GPUSM1147	Yes	316L Surgical Grade Stainless Steel	Self-Adjusting Metal Spring	Wrist	XS-XL
GPUSM1180	Yes	316L Surgical Grade Stainless Steel	Metal Steel Prong	Wrist	XS-2XL
GPUSM1305	Yes	316L Surgical Grade Stainless Steel	Adjustable Snap Strap	Mid-Length	XS-XL
GPUSM1547	Yes	316L Surgical Grade Stainless Steel	Self-Adjusting Metal Spring	Max-Length	XS-XL
Arm Protection					
GPUSM3105	Yes	316L Surgical Grade Stainless Steel	Adjustable Snap Strap	-	S-2XL



Metal Mesh Garments

Aprons



GPUSM210020X34

- Stainless steel rings deliver the highest level of cut resistance available, plus significant protection against stabs and punctures
- Adjustable elastic straps help customize the fit
- Compliant with FDA 21 CFR 177.2800 and approved for direct food contact



GPUSM210720X34

- Stainless steel rings deliver the highest level of cut resistance available, plus significant protection against stabs and punctures
- All stainless steel front with 3-piece elastic strap set for customized fit
- Compliant with FDA 21 CFR 177.2800 and approved for direct food contact

Tunics



GPUSM4300L

- Full body tunic provides protection from shoulders to knees, front and back
- The lightweight stainless steel wire allows for greater comfort without sacrificing durability or safety
- Compliant with FDA 21 CFR 177.2800 and approved for direct food contact



GPUSM4352L

- Extended apron front and full back (24") provides full protection, with added belly guard for enhanced safety
- The lightweight stainless steel wire allows for greater comfort without sacrificing durability or safety
- Compliant with FDA 21 CFR 177.2800 and approved for direct food contact

Apron

STYLE NUMBER	21 CFR	MATERIAL	STRAPS	COVERAGE	SIZES
GPUSM210020X34	Yes	316L Surgical Grade Stainless Steel	Adjustable Elastic Straps	-	20" x 34"
GPUSM210720X34	Yes	316L Surgical Grade Stainless Steel	Adjustable Elastic Straps	-	20" x 34"
GPUSM2065	Yes	316L Surgical Grade Stainless Steel	Adjustable Elastic Straps	-	20" x 25"
GPUSM2200	Yes	316L Surgical Grade Stainless Steel	Adjustable Elastic Straps	-	26" x 34"
GPUSM9025	Yes	-	Replacement Elastic Strap	-	25"

Tunic

GPUSM4300L	Yes	316L Surgical Grade Stainless Steel	-	Upper Torso and Thighs	S-3XL
GPUSM4352L	Yes	316L Surgical Grade Stainless Steel	-	Upper Torso and Thighs, and Belly Guard	XS-2XL



Claw Cover®

AFFORDABLE PROTECTION
OPTIMIZED FOR FOOD APPLICATIONS

Cutting / Chopping / Trimming / Filleting



ANSI
A5

GP14ASP700

- PolyKor® engineered yarns offer exceptional cut and slash resistance
- Medium weight cut resistant glove ideal for food processing
- Complies with FDA food handling requirements 21 CFR, Part 177



ANSI
A7

GP22760

- Dyneema® blend enhances the glove's performance
- Excellent cut resistance protects against cuts and scrapes
- Antimicrobial fiber has been shown to inhibit the growth of microorganisms
- Unparalleled comfort, fit and coolness
- Complies with FDA food handling requirements 21 CFR, Part 177



ANSI
A7

GP22900

- Dyneema® blend enhances the glove's performance
- Excellent cut resistance protects against cuts and scrapes
- Secure grip in wet and dry environments
- UV stable, will not degrade over time
- Complies with FDA food handling requirements 21 CFR, Part 177



ANSI
A7

10CHVOCMX

- Highly durable 10-gauge cut resistant glove ideal for food processing
- Sta-COOL™ plating is cool against the skin

Available in gray:
10-C5GYCMX



ANSI
A7

13131

- Lightweight cut resistant glove with antimicrobial treatment
- Compliant with FDA 21 CFR 177.2800 and approved for direct food contact



ANSI
A6

13121

- Lightweight cut resistant glove with antimicrobial treatment
- Compliant with FDA 21 CFR 177.2800 and approved for direct food contact



ANSI
A8

10C6GY

- Highly durable 10-gauge cut resistant glove ideal for food processing
- Compliant with FDA 21 CFR 177.2800 and approved for direct food contact



ANSI
A6

10121

- Highly durable 10-gauge cut resistant glove ideal for food processing
- Compliant with FDA 21 CFR 177.2800 and approved for direct food contact

Available with extended cuff:
10C6YEC

Claw Cover® with PolyKor® Technology

STYLE NUMBER	ANSI CUT	21 CFR	MATERIAL	COLOR	CONSTRUCTION	GAUGE	WEIGHT	GRIP	SIZES
GP14ASP700	A5	Yes	Claw Cover® made with PolyKor®	Salt & Pepper	Seamless Knit	7	Heavyweight	Uncoated	S-XL

Claw Cover® with Dyneema® Technology

GP22760	A7	Yes	Claw Cover® made with Dyneema®	White	Seamless Knit	10	Medium Weight	Uncoated	XS-XL
GP22900	A7	Yes	Claw Cover® made with Dyneema®	Gray	Seamless Knit	7	Heavyweight	Uncoated	XS-XL

Claw Cover® with HPPE Technology

13131	C13	A7	Yes	HPPE/Steel Blend & Sta-COOL™ Plating	Gray	Seamless Knit	13	Lightweight	Uncoated	XS-2XL
10C6GY	C6	A8	Yes	HPPE/Steel Blend	Gray	Seamless Knit	10	Medium Weight	Uncoated	S-2XL
10C5HVOCMX	-	A7	Yes	HPPE/Steel Blend & Sta-COOL™ Plating	Hi-Vis Orange	Seamless Knit	10	Medium Weight	Uncoated	S-3XL
10121	C3	A6	Yes	HPPE/Steel Blend	Gray	Seamless Knit	10	Medium Weight	Uncoated	S-2XL
13121	C2	A6	Yes	HPPE/Steel Blend	Gray	Seamless Knit	13	Lightweight	Uncoated	XS-2XL
10131	-	A8	Yes	High-Tenacity Poly/Steel Blend	Gray	Seamless Knit	10	Medium Weight	Uncoated	XS-2XL



Claw Cover®

THE #1 TRUSTED BRAND FOR
HIGH-RISK FOOD INDUSTRY WORKERS

Cutting / Chopping / Trimming / Filleting



ANSI
A9

GPCS7LGYAC

- Protection against high cut hazards
- Antimicrobial properties will not wash out of the fiber and will last the life of the sleeve



ANSI
A6

72131

- Protection against high cut hazards
- Alligator clip securely keeps the sleeve up on the arm



ANSI
A6

MS2696

- Protection against medium cut hazards
- Antimicrobial properties will not wash out of the fiber and will last the life of the sleeve



ANSI
A6

MS109722AC

- Protection against medium cut hazards
- Antimicrobial properties will not wash out of the fiber and will last the life of the sleeve
- Alligator clip

Claw Cover® Made with HPPE Technology

STYLE NUMBER	ANSI CUT	21 CFR	MATERIAL	CONSTRUCTION	PLY	TOP CUFF	BOTTOM CUFF	COLOR	STANDARD LENGTH
GPCS7LGYAC	A9	Yes	Claw Cover® made with HPPE	Seamless Knit	1	Alligator Clip	Straight	Gray	22"
MS1097AC	A6	Yes	Claw Cover® made with HPPE	Seamless Knit	1	Alligator Clip	Straight	Blue	18" - 22"
MS109722	A6	Yes	Claw Cover® made with HPPE	Seamless Knit	1	Serged	Straight	Blue	22"
MS2696	A6	Yes	Claw Cover® made with HPPE	Seamless Knit	1	Serged	Straight	Gray	14"
72131	A6	Yes	Claw Cover® made with HPPE	Seamless Knit	1	Serged	Straight	White	21"

ENGINEERED PROTECTION FOR FOOD APPLICATIONS



Assurance®

Trusted Liquid Protection

Red Meat Processing / Fish Processing / Fruit and Vegetable Processing / Poultry Processing



EN 374
ABK

21
CFR

GP50N110G

- Lightweight to offer high dexterity and sensitivity
- Raised diamond pattern provides added grip on wet or dry surfaces



EN 374
AJK

21
CFR

GP50N160G

- Lightweight to offer high dexterity and sensitivity
- Raised diamond pattern provides added grip on wet or dry surfaces



EN 374
AKL

21
CFR

GP523665

- Provides superior protection from a wide range of chemicals such as acids, caustics, solvents and oils
- Raised diamond pattern for enhanced grip in wet or dry conditions

Assurance® Unsupported Chemical Resistant Gloves

STYLE NUMBER	EN 374	21 CFR	CFIA	POLYMER	COLOR	THICKNESS	CUFF	LENGTH	CONSTRUCTION	GRIP PATTERN	LINING	SIZES
GP50N110G	ABK	Yes	Yes	Nitrile	Green	11 mil	Straight	13"	Unsupported	Raised Diamond	Unlined	S-2XL
GP50N160G	AJK	Yes	Yes	Nitrile	Green	15 mil	Straight	13"	Unsupported	Raised Diamond	Flocked	XS-2XL
GP523665	AKL	Yes	-	Neoprene	Black	28 mil	Straight	12"	Unsupported	Raised Diamond	Flocked	S-XL

Grippaz®
Patented Non-Slip Gloves

Ambi-dex®

Extended Use & Single-Use Hand Protection

BUILT FOR LIQUID AND CONTACT PROTECTION

Food Processing / Food Service / Food Production



EXTENDED USE

GP67307



EXTENDED USE

GP67308

Grippaz®
Patented Non-Slip Gloves

- Globally patented internal and external fish scale grip pattern
- Engineered for handling animal fats and proteins
- Rip-stop design to lower risk of foreign material contamination
- GP67308 comes in a specific food safety resealable bag



RESEALABLE FLAP



Ambi-dex®

GP64346PF

- Have the look, fit and feel of latex without the concern of natural rubber latex proteins
- Stretch vinyl polymer provides excellent form-fitting comfort, grip and performance



Ambi-dex®

GP63532PF

- Textured provides a good grip in wet or dry environments
- Powder-Free for clean comfort and tactile sensitivity

Grippaz® Extended Use Disposable Gloves

STYLE NUMBER	21 CFR	CFIA	MATERIAL	THICKNESS	COLOR	GRIP PATTERN	POWDER	SIZES	BOX COUNT
GP67308	Yes	-	Nitrile	8 mil	Blue	Fish Scale	Powder-Free	M-3XL	48
GP67256	Yes	-	Nitrile	6 mil	Orange	Fish Scale	Powder-Free	S-2XL	50

Ambi-Dex® Single-Use Disposable Gloves

STYLE NUMBER	21 CFR	CFIA	MATERIAL	THICKNESS	COLOR	GRIP PATTERN	POWDER	SIZES	BOX COUNT
GP64346PF	Yes	No	Non-Latex Synthetic	4 mil	White	Smooth	Powder-Free	S-XL	100
GP63532PF	Yes	No	Nitrile	4 mil	Blue	Textured	Powder-Free	S-2XL	100



Hard Hats



COLORS AVAILABLE



Dynamic[®] Whistler[™] Hard Hat

HP241R

- Cap style hard hat with HDPE shell
- 4-point nylon suspension
- Wheel ratchet adjustment



COLORS AVAILABLE



Dynamic[®] Bump Cap

HP940

- Lightweight ventilated HDPE shell
- 4-point pin lock suspension

Hard hats

			STANDARDS MET					
STYLE NUMBER	CLASS	TYPE	ANSI Z89.1	CSA Z94.3-15	SHELL MATERIAL	SUSPENSION	SIZE ADJUSTMENT	BRIM
HP241R	Class E (NON-VENTED)	Type 1	•	•	HDPE	4-Point Nylon	Wheel Ratchet	Standard
HP940	-	-			HDPE	4-Point Nylon	Pin Lock	Standard

Eyewear



Curve[™] Frameless Safety Glasses with 4A Coating and Universal Bridge System

EP505C

- Popular low-profile design
- High 9 base curve for better coverage and wider field of view
- Made of lightweight non-conductive high impact polycarbonate
- Absorbs more than 99.9% of harmful UV light
- 4A Coating: anti-scratch, anti-UV, anti-static, and anti-fog
- CSA certified Z94.3-20 and meets and/or exceeds ANSI Z87.1 requirements



Curve[™] Frameless Safety Glasses with 3A Coating and Universal Bridge System

EP500C

- Popular low-profile design
- High 9 base curve for better coverage and wider field of view
- Made of lightweight non-conductive high impact polycarbonate
- Absorbs more than 99.9% of harmful UV light
- 3A Coating: anti-scratch, anti-UV, and anti-static
- CSA certified Z94.3-20 and meets and/or exceeds ANSI Z87.1 requirements



Mini-Tech[™] Rimless Safety Glasses with Clear Temple, Clear Lens and 4A Coating

EP855C

- Wraparound lightweight, frameless spectacles for women
- One piece lens with soft rubber temple ends
- Soft silicone nose piece for non-slip
- The lenses are protected with 4A Coating: Anti-Fog, Anti-Scratch, Anti-UV 99.9% and Anti-Static
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements

Eyewear

			STANDARDS MET						
STYLE NUMBER	LENS	COATING	FRAME	ANSI Z87.1+	CSA Z94.3	BASE CURVE	FIT	BRIDGE	TEMPLE
EP505C	Clear	4A	Clear	•	•	9	Universal	Molded	Spatula
EP500C	Clear	3A	Clear	•	•	9	Universal	Molded	Spatula
EP855C	Clear	4A	Clear	•	•	9	Women	Molded	Spatula
EP850C	Clear	4A	Clear	•	•	9	Universal	Molded	Spatula



Full Face Protection

**Dynamic® Bump Cap
(HP940)**

**Dynamic® Face Shield Bracket
(EPB940)**

**Dynamic® Clear PETG Splash Visor
(EP81540)**



Brackets



EPB101

- Compatible with cap style hard hats
- Accepts a wide range of faceshield styles and earmuffs
- Lightweight plastic, dielectric
- Swivel system to raise or lower faceshield



EPB940

- Compatible with Dynamic® bump caps
- Compatible with most visors in the market
- Lightweight plastic, dielectric
- Swivel system to raise and lower the visor with two parking positions

Brackets

STYLE NUMBER	COMPATIBLE WITH	HOLE PATTERN	MATERIAL	ENHANCEMENTS
EPB101	Cap Style Hard hats	Universal	Plastic	Swivel System
EPB940	Dynamic® Bump Caps	Universal	Plastic	Swivel System

Visors



EP81540

- PETG visors are suitable for liquid splash applications
- Universal hole pattern will fit most headgear and hard hat adapters in the market
- Ships with masking on both sides to prevent scratching



EP91940

- Made with virgin resin, which leads to better uniformity of the viewing area
- Universal hole pattern will fit most headgear and hard hat adapters in the market
- Ships with masking on both sides to prevent scratching

Visors

STYLE NUMBER	SIZE	MATERIAL	COLOR	THICKNESS
EP81540	8" x 15.5"	PETG	Clear	0.040 in / 1.0 mm
EP91940	9.5" x 20"	PETG	Clear	0.040 in / 1.0 mm

Hearing Protection

Headbands

25
NRR


PIP® Vseries™ V2
263V2HB

29
NRR


PIP® Vseries™ V3
263V3HB

- Dielectric, metal-free earmuffs suitable for use in workplace environments with exposure to electrical voltage
- Smooth telescopic size adjustment for precise and stable fit
- Slim stirrup design reduces the risk of snagging in confined areas
- Extra soft memory foam ear cushions and ultra low weight padded headband provide optimum comfort even when worn for extended periods
- Replacement hygiene kits available separately

25
NRR


JSP® Sonis® Compact
262AEB030HB

31
NRR


JSP® Sonis® 3
262AEB040HB

- Over-molded headband with built in comfort area with ventilation
- Headband force and the cushion surface area work together to provide optimum cushion pressure and comfort
- Adjustable headband allows wearer to tilt and adjust cup for optimum comfort

Headbands

STYLE NUMBER	NRR	TYPE	DIELECTRIC	SIZE ADJUSTMENT	COLOR
263V2HB	25	Banded	Yes	Slide	Black/Orange
263V3HB	29	Banded	Yes	Slide	Black/Red
262AEB030HB	25	Banded	No	Slide	Black/Orange
262AEB040HB	31	Banded	No	Slide	Black/Red



HEARING PROTECTION
FOOD SAFETY


Hearing Protection



MAXIMUM
HEARING
PROTECTION



Metal Detectable Ear Plugs


32
NRR

33
NRR

Tapered shape
for easy insertion

Mega Bullet™ and Food Pro Bullet™ Plus

- Regular size fits most ear canals
- Easy roll-down for quick and easy insertion
- PowerSoft™ Foam Technology features a proprietary polyurethane formulation that delivers optimal recovery time, easy insertion and maximum all-day comfort
- Shape conforms to most ear canals for maximum sound attenuation
- For use in the food industry

30
NRR

Hybrid foam plug and unique stem
enable easy insertion

EZ-Twist™ NP267HPF610D

- No need to roll down before fitting, ideal for use with dirty hands
- PowerSoft™ Foam Technology features a proprietary polyurethane formulation that delivers optimal recovery time, easy insertion and maximum all-day comfort
- Shape conforms to most ear canals for maximum sound attenuation
- For use in the food industry

27
NRR

Push-to-fit style reduces
the risk of contamination

4-Flange Reusable NP267HPR410D

- Self-sealing 4 flange TPR (thermoplastic rubber) for all-day use and secure sound attenuation
- Metal detectable version offers metal infused ear plugs and cord for more detectability
- Metal detectable cord is NOT removable

**BIO-BASED
METAL
DETECTABLE
HEARING
PROTECTION**

BioSoft™
SUSTAINABLE BIO-BASED TECHNOLOGY

MEGA

BULLET™ BIOSOFT™

32
NRR


BSF-D

- Soft, smooth, low pressure for excellent comfort
- Bio-based materials made in North America
- All parts—the earplug, the cord (BSF-30 only), the stem, even the bag—are bio-based
- Traceable metal detectable for use in the food industry

PINCH FIT™ BIOSOFT™

32
NRR


PF-D

- Revolutionary design requires no rolling and provides an easier, more hygienic fit
- Bio-based materials made in North America
- All parts—the earplug, the cord (PF-30 only), the stem, even the bag—are bio-based
- Soft, smooth, low pressure for excellent comfort
- Traceable metal detectable for use in the food industry

Ear Plugs

STYLE NUMBER	NRR	USE	CORDING	MATERIAL	SIZE	SHAPE	COLOR	DETECTABLE	PAIR / PACK
NP267HPF210D	32	Single	Blue Metal Detectable Cord	PowerSoft™ Polyurethane Foam	Standard	Bullet	Blue	Yes	100 / Box
NP267HPF610D	30	Single	Blue Metal Detectable Cord	PowerSoft™ Polyurethane Foam	Standard	Cylinder Push-In	Blue	Yes	100 / Box
NP267HPR410D	27	Reusable	Blue Metal Detectable Cord	TPR (thermoplastic rubber)	Standard	4-flange	Blue	Yes	100 / Box
NP267HPF810D	33	Single	Blue Metal Detectable Cord	PowerSoft™ Polyurethane Foam	Standard	Bullet	Blue	Yes	100 / Box
NP267HPF910D	32	Single	Blue Metal Detectable Cord	PowerSoft™ Polyurethane Foam	Standard	Contoured	Blue	Yes	100 / Box
BSF-D	32	-	-	BioSoft™ Foam	-	Bullet	-	-	-
PF-D	32	-	-	BioSoft™ Foam	-	Bullet	-	-	-



Bisley

FREEZER WEAR

Jackets



PC343M6450X S-5XL

- Waterproof polyester ripstop 300D with PU coating
- 20.26oz of multi-layer insulation, including 10.62oz Sorona® Aura insulation for extra warmth in extreme cold conditions
- Detachable insulated hood
- Reflective "X" taped pattern with extra back hem tape and biomotion taping on sleeves
- Back elastic waist to help prevent cold draft from entering
- Twin waist patch pockets with flap closures
- Twin chest pockets with flap closures
- Ribbed sleeve cuff
- Sleeve pen pocket



REFLECTIVE
"X" BACK
PATTERN



DETACHABLE
INSULATED HOOD

EXTREME COLD JACKETS

STYLE NUMBER	COLOR	FEATURE	ANSI 107	CSA Z96	FABRIC	CLOSURE	REFLECTIVE	SIZES
PC343M6450XLY	Hi-Vis Yellow / Navy	Waterproof, Sorona® Aura Insulation, Detachable Hood	Type R Class 3	Class 2, Level 2	Outer - 220 gsm Polyester Ripstop with PU Coating Insulation - 20.26oz multi-layer insulation including 10.62oz Sorona® Aura	Zipper with Storm Flap	2" Silver	S-5XL
PC343M6450XOR	Hi-Vis Orange / Navy	Waterproof, Sorona® Aura Insulation, Detachable Hood	Type R Class 3	Class 2, Level 2	Outer - 220 gsm Polyester Ripstop with PU Coating Insulation - 20.26oz multi-layer insulation including 10.62oz Sorona® Aura	Zipper with Storm Flap	2" Silver	S-5XL



Bisley

FREEZER WEAR

Bibs



PC318M6452T

S-5XL

- Waterproof polyester ripstop 300D with PU coating
- 20.26oz of multi-layer insulation, including 10.62oz Sorona® Aura insulation for extra warmth in extreme cold conditions
- Heavy-duty adjustable elastic shoulder strap with buckle closure
- Double-layered knees for added durability
- Long side leg vent with zipper and press snap closure
- Twin chest zip pockets
- Two front angled pockets
- Reflective double hoop taping on lower leg



DOUBLE-LAYERED KNEES



LONG
SIDE LEG
VENT



ADJUSTABLE
ELASTIC
SHOULDER
STRAP

EXTREME COLD BIBS

STYLE NUMBER	COLOR	FEATURE	ANSI 107	CSA 296	FABRIC	STRAPS	REFLECTIVE	SIZES
PC318M6452TLY	Hi-Vis Yellow / Navy	Waterproof, Sorona® Aura Insulation, Side Leg Vent	Class E	-	Outer - 220 gsm Polyester Ripstop with PU Coating Insulation - 20.26oz multi-layer insulation including 10.62oz Sorona® Aura	Adjustable	-	S-5XL
PC318M6452TOR	Hi-Vis Orange / Navy	Waterproof, Sorona® Aura Insulation, Side Leg Vent	Class E	-	Outer - 220 gsm Polyester Ripstop with PU Coating Insulation - 20.26oz multi-layer insulation including 10.62oz Sorona® Aura	Adjustable	-	S-5XL



Fall Protection

INCREASED
SUPPORT
AND COMFORT

Dyna-I™ Coated Harness



Resistance to abrasion, grease and dirt

Vest Style Coated Harness

FPC2001BD

- Vest Style Harness
- Adjustable shoulder straps
- 1 large back D-Ring
- Grommeted leg straps
- Made of TPU coated webbing

Coated Lanyards



Coated Polyester Lanyards for fall arrest purposes

Single-Leg Fixed Lanyard with Energy Absorber and Two Snap Hook Connectors 1.75"

FPC743116

- 1 3/4 in (45 mm) coated polyester web lanyard with "DYNA-PAK" energy absorber
- 2 double locking ergonomic snap hooks model FP6650HS at each end
- Fixed length of 6'

Double-Leg Fixed Y-Lanyard with Energy Absorber, Snap Hook and Two Rebar Hook Connectors - 1.75"

FPC7461446

- 1 3/4 in (45 mm) coated polyester web lanyard with "DYNA-PAK" energy absorber
- 1 double locking ergonomic snap hook model FP6650HS at one end and 2 double locking scaffold hook model FP5395HS at the other ends
- Fixed length of 6'



PVC Boots



**FULL SAFETY
STEEL TOE
& MIDSOLE**

Enhanced durability, protection
and comfort

16" PVC Full Safety Steel Toe and Midsole Boot

PC383820

- Flexible steel puncture resistant midsole reduces risks from sharp objects and meets ASTM F2413 PR
- Energy absorbing tread adds all-day comfort
- Less toe spring allows for more surface contact for improved channeling of water for better traction, slip resistance and comfort
- Tough outsole for good abrasion resistance
- Flexible upper material stays supple in cold temperatures to make walking easier
- Midsole is designed to utilize additional material in the standard area of the shank providing increased support and comfort
- Lower profile "kick off" ledge on back of boots for ease of removal
- Meets ASTM F2413-18 M/I/C Impact and Compression
- CSA Certified
- Sizes 6-14

Foot Protection

STYLE NUMBER	MATERIAL	TYPE	COLOR	COMPLIANT TO	TREAD PATTERN	SIZES
PC383820	PVC	16"	Black	CSA	Cleated	6-14

First Aid Kit



Scan it

Preparedness on the worksite

PIP Dynamic® First Aid Kits

ASSORTED*

- Compact, easily identifiable, and containing the supplies you need to treat workplace injuries and potential emergencies
- Kits exist for many situations and can be personalized, please refer to your province's guidelines in order to determine the correct kit for your needs

*Refer to our First Aid Kit product page for our complete assortment

Thorzt™ Hydration Supplement




Rapid rehydration on the worksite

THORZT™ Sugar Free Solo Shots

SSSFCA

- Great tasting mix of vitamins, minerals and amino acids
- Formulated for rapid rehydration and faster recovery
- Caffeine, gluten and sugar free
- Available flavors: Orange, Blue Lemonade and Tropical



FOR OUR COMPLETE LINE
OF SAFETY PRODUCTS
GO TO WWW.PIPCANADA.CA



HAND & ARM
PROTECTION



PROTECTIVE
GARMENTS



EYE & HEARING
PROTECTION



FOOT
PROTECTION



HEAD
PROTECTION



RESPIRATORY
PROTECTION



FALL
PROTECTION



FIRST AID
PRODUCTS



IDENTIFICATION
PRODUCTS



PIP Canada Ltd.
450-687-7374 | 877-446-3278
orders@pipcanada.ca | www.pipcanada.ca