

MAXIMUM CUT PROTECTION AND DURABILITY



www.pipcanada.ca

OWKel

EN 388 16-

T 4X42



# DESIGNED FOR HIGH CUT HAZARDS & INCISION RISK

### CUT RISK HAZARD MATRIX

High cut hazard applications



Glass Handling Glass and window manufacturing and installing



Metal Handling Cutting, stamping and metal manufacturing



Sharp Parts Assembly Handling sharp parts and tools



Construction Tile, glass work and handling large sharp parts LIGHT to MEDIUM CUT HAZARDS

APPLIED FORCE

j

HIGH CUT HAZARDS ТΜ



 Medium gauge, thicker liner to absorb pressing edge and allow yarn to roll
Spun or high strength filament yarns

**MEDIUM to HIGH** cut hazards



LIGHT CUT HAZARDS

EDGE SHARPNESS

# The latest in engineered yarn development.

#### What is X7<sup>™</sup> Technology?

PIP's G-Tek<sup>\*</sup> PolyKor<sup>\*</sup> with X7<sup>™</sup> Technology represents the latest in engineered yarn development. This super light-weight and thin, 18 gauge reinforced yarn provides very high cut resistance and durability by way of proprietary fibers.

## The result is exceptional cut resistance in a thin liner configuration.



## GP16377

- Super durable cut resistant fiber
- Good grip on dry, wet or oily surfaces
- Tactile and flexible
- Touchscreen compatible
- Comfortable and flexible
- Black coloring hides the dirt better than lighter colored gloves

ANSI	$\sqrt{10}$
A7	

#### APPLICATIONS: Glass Cutting, Metal Handling, Sharp Parts Assembly, Construction

Polv**Kor** 

X7 TECHNOLOGY

STYLE NUMBER	ANSI	EN 388	COATING	COATING Coverage	COATING Color	LINER Material	LINER COLOR	GAUGE	SIZES
GP16377	A7	4X42F	NeoFoam*	Palm & Fingertips	Black	G-Tek° PolyKor° X7™ Technology	Black	18	S - XXL



PIP Canada Ltd. 2477 Michelin St | Laval, Quebec H7L 5B9 450-687-7374 customer service Direct | 877-446-3278 toll free orders@pipcanada.ca | www.pipcanada.ca



