



*PROTECTIVE INDUSTRIAL PRODUCTS*

# FOOD SAFETY PRODUCTS CATALOG

[www.pipcanada.ca](http://www.pipcanada.ca)

# A global provider of innovative safety products



Over 30 years ago, PIP® founders Joe Milot and Wellson Tao set out on a mission to bring the best of the world in Safety products.

FOUNDED IN  
**1984**  
IN LATHAM, NY USA

HEADQUARTERS FOR  
**CANADA**  
IN LAVAL, QC

WORKFORCE OF OVER  
**1500+**  
EMPLOYEES

MANUFACTURING LOCATIONS  
**10**  
IN NORTH AMERICA

WITH OVER  
**10K+**  
PRODUCTS AVAILABLE

DISTRIBUTION CENTERS  
**1.5M** SQ  
FT  
GLOBALLY SITUATED

## Today, PIP® is a leader in safety products.

### BRANDS THAT EXTEND AROUND THE GLOBE.



## MAIN PRODUCT CATEGORIES



HAND & ARM PROTECTION



PROTECTIVE GARMENTS



EYE & HEARING PROTECTION



FALL PROTECTION



HEAD PROTECTION



FIRST AID PRODUCTS



RESPIRATORY PROTECTION

## Protecting Hands

Up to 30 percent of hand injuries are attributed to fit, wear or simply the wrong type of glove for the hazard. PIP® believes it can help eliminate hand injuries on the job. US Mesh® and Claw Cover® gloves, sleeves and clothing by PIP® are specifically designed for the demands of high-risk food processing environments.

## Safety Products You Can Trust

Over the last 10 years, PIP® has grown its product offering in personal protective equipment to deliver head-to-toe protection. Today, in addition to knit gloves and sleeves, we manufacture hard hats, face shields, ear muffs, ear plugs, fall protection, first aid, and more.





Food  
Safety

# KEY TO SAFETY IN FOOD

PPE is commonly used in food manufacturing, processing and handling applications where both worker safety and food safety are essential. Gloves and sleeves are used to help protect workers against cuts, heat or cold exposure, as well as liquid and chemical splash or immersion.

Items like bouffants, beard covers and single-use gloves are imperative in the important task of food safety, keeping the food product from being contaminated.

Other PPE products – including eye and hearing protection, boots, aprons and clothing – focus on worker safety, helping protect workers from dangerous noise and fluid splash or bone shards during the manufacturing process.




EXTREME CUT PROTECTION  
FOR FOOD PROCESSING

US Mesh® is the only choice for serious users in Food Safety. This preferred line of steel mesh gloves, sleeves and clothing delivers maximum cut protection and significant protection against stabs and punctures for Food Processing operations.



THE #1 TRUSTED BRAND  
FOR HIGH-RISK FOOD  
INDUSTRY WORKERS

Made in the USA, Claw Cover® is designed to provide high-level cut protection while complying with both U.S. and Canadian standards for food contact. Claw Cover® products are launderable and can be used for operations where direct, indirect and incidental contact with food may occur.





# US MESH®

PROTECT FOOD WORKERS  
FROM EXTREME CUT HAZARDS

Butchering / Cleaning / Food Preparation / Knife Sharpening



**21**  
CFR

## GPUSM1105

- Original adjustable closure with sewn-on web strap and snap, side split for easy donning and doffing
- 4-ring joined to protect against knife stabs and punctures
- Ergonomically constructed for maximum wearer comfort and safety
- Compliant with FDA 21 CFR 1772800 and approved for direct food contact



**21**  
CFR

## GPUSM1147

- Metal spring is self-adjusting to the right fit
- All metal design features a fully-enclosed spring at the wrist for a secure, comfortable fit
- 4-ring joined to protect against knife stabs and punctures
- Ergonomically constructed for maximum wearer comfort and safety
- Compliant with FDA 21 CFR 1772800 and approved for direct food contact



**21**  
CFR

## GPUSM1180

- Steel prong for a fully adjustable, comfortable fit
- Premium 4-ring hook ups on all glove seams for the ultimate in strength and puncture resistance
- Compliant with FDA 21 CFR 1772800 and approved for direct food contact



**21**  
CFR

## GPUSM1305

- Original adjustable closure with two replaceable web straps with snap closure
- Premium 4-ring hook ups on all glove seams for the ultimate in strength and puncture resistance
- Mid-length cuff for extended coverage of the wrist
- Compliant with FDA 21 CFR 1772800 and approved for direct food contact



**21**  
CFR

## GPUSM1547

- Metal self-adjusting, spring for the right fit, fully enclosed in mesh to avoid pinches
- Max-length cuff with an all metal design features a fully-enclosed spring at the wrist and forearm for a secure, comfortable fit
- Stiffeners in cuff to keep cuff in place on arm
- Compliant with FDA 21 CFR 1772800 and approved for direct food contact



**21**  
CFR

## GPUSM3105

- Wrist-to-shoulder sleeve includes an adjustable chest strap that provides a custom fit and keeps the sleeve in position for all-day wear
- Web cuff at the wrist includes adjustable snap closure
- Compliant with FDA 21 CFR 1772800 and approved for direct food contact

### Hand Protection

STYLE NUMBER	21 CFR	MATERIAL	CLOSURE	LENGTH	SIZES
GPUSM1105	Yes	316L Surgical Grade Stainless Steel	Adjustable Snap Strap	Wrist	2XS-3XL
GPUSM1147	Yes	316L Surgical Grade Stainless Steel	Self-Adjusting Metal Spring	Wrist	XS-XL
GPUSM1180	Yes	316L Surgical Grade Stainless Steel	Metal Steel Prong	Wrist	XS-2XL
GPUSM1305	Yes	316L Surgical Grade Stainless Steel	Adjustable Snap Strap	Mid-Length	XS-XL
GPUSM1547	Yes	316L Surgical Grade Stainless Steel	Self-Adjusting Metal Spring	Max-Length	XS-XL

### Arm Protection

GPUSM3105	Yes	316L Surgical Grade Stainless Steel	Adjustable Snap Strap	-	S-2XL
-----------	-----	-------------------------------------	-----------------------	---	-------



# Metal Mesh Garments

## Aprons



### GPUSM210020X34

- Stainless steel rings deliver the highest level of cut resistance available, plus significant protection against stabs and punctures
- Adjustable elastic straps help customize the fit
- Compliant with FDA 21 CFR 177.2800 and approved for direct food contact



### GPUSM210720X34

- Stainless steel rings deliver the highest level of cut resistance available, plus significant protection against stabs and punctures
- All stainless steel front with 3-piece elastic strap set for customized fit
- Compliant with FDA 21 CFR 177.2800 and approved for direct food contact

## Tunics



### GPUSM4300L

- Full body tunic provides protection from shoulders to knees, front and back
- The lightweight stainless steel wire allows for greater comfort without sacrificing durability or safety
- Compliant with FDA 21 CFR 177.2800 and approved for direct food contact



### GPUSM4352L

- Extended apron front and full back (24") provides full protection, with added belly guard for enhanced safety
- The lightweight stainless steel wire allows for greater comfort without sacrificing durability or safety
- Compliant with FDA 21 CFR 177.2800 and approved for direct food contact

### Apron

STYLE NUMBER	21 CFR	MATERIAL	STRAPS	COVERAGE	SIZES
GPUSM210020X34	Yes	316L Surgical Grade Stainless Steel	Adjustable Elastic Straps	-	20" x 34"
GPUSM210720X34	Yes	316L Surgical Grade Stainless Steel	Adjustable Elastic Straps	-	20" x 34"
GPUSM2065	Yes	316L Surgical Grade Stainless Steel	Adjustable Elastic Straps	-	20" x 25"
GPUSM2200	Yes	316L Surgical Grade Stainless Steel	Adjustable Elastic Straps	-	26" x 34"
GPUSM9025	Yes	-	Replacement Elastic Strap	-	25"
Tunic					
GPUSM4300L	Yes	316L Surgical Grade Stainless Steel	-	Upper Torso and Thighs	S-3XL
GPUSM4352L	Yes	316L Surgical Grade Stainless Steel	-	Upper Torso and Thighs, and Belly Guard	XS-2XL





# Claw Cover®

AFFORDABLE PROTECTION  
OPTIMIZED FOR FOOD APPLICATIONS

Cutting / Chopping / Trimming / Filleting



ANSI  
**A5**

## GP14ASP700

- PolyKor® engineered yarns offer exceptional cut and slash resistance
- Medium weight cut resistant glove ideal for food processing
- Complies with FDA food handling requirements 21 CFR, Part 177



ANSI  
**A7**

## GP22760

- Dyneema® blend enhances the glove's performance
- Excellent cut resistance protects against cuts and scrapes
- Antimicrobial fiber has been shown to inhibit the growth of microorganisms
- Unparalleled comfort, fit and coolness
- Complies with FDA food handling requirements 21 CFR, Part 177



ANSI  
**A7**

## GP22900

- Dyneema® blend enhances the glove's performance
- Excellent cut resistance protects against cuts and scrapes
- Secure grip in wet and dry environments
- UV stable, will not degrade over time
- Complies with FDA food handling requirements 21 CFR, Part 177

### Claw Cover® with PolyKor® Technology

STYLE NUMBER	ANSI CUT	21 CFR	MATERIAL	COLOR	CONSTRUCTION	GAUGE	WEIGHT	GRIP	SIZES
GP14ASP700	A5	Yes	Claw Cover® made with PolyKor®	Salt & Pepper	Seamless Knit	7	Heavyweight	Uncoated	S-XL
<b>Claw Cover® with Dyneema® Technology</b>									
GP22760	A7	Yes	Claw Cover® made with Dyneema®	White	Seamless Knit	10	Medium Weight	Uncoated	XS-XL
GP22900	A7	Yes	Claw Cover® made with Dyneema®	Gray	Seamless Knit	7	Heavyweight	Uncoated	XS-XL



# Claw Cover®

THE #1 TRUSTED BRAND FOR  
HIGH-RISK FOOD INDUSTRY WORKERS

Cutting / Chopping / Trimming / Filleting



ANSI  
**A7**

## GPCS7LGYAC

- Protection against high cut hazards
- Antimicrobial properties will not wash out of the fiber and will last the life of the sleeve

### Claw Cover® Made with HPPE Technology

STYLE NUMBER	ANSI CUT	21 CFR	MATERIAL	CONSTRUCTION	PLY	TOP CUFF	BOTTOM CUFF	COLOR	STANDARD LENGTH
GPCS7LGYAC	A7	Yes	Claw Cover® made with HPPE	Seamless Knit	1	Alligator Clip	Straight	Gray	22"

# ENGINEERED PROTECTION FOR FOOD APPLICATIONS



## Trusted Liquid Protection

Red Meat Processing / Fish Processing / Fruit and Vegetable Processing / Poultry Processing



EN 374  
ABK  
**21**  
CFR

### GP50N110G

- Lightweight to offer high dexterity and sensitivity
- Raised diamond pattern provides added grip on wet or dry surfaces



EN 374  
AJK  
**21**  
CFR

### GP50N160G

- Lightweight to offer high dexterity and sensitivity
- Raised diamond pattern provides added grip on wet or dry surfaces



EN 374  
AKL  
**21**  
CFR

### GP523665

- Provides superior protection from a wide range of chemicals such as acids, caustics, solvents and oils
- Raised diamond pattern for enhanced grip in wet or dry conditions

#### Assurance® Unsupported Chemical Resistant Gloves

STYLE NUMBER	EN 374	21 CFR	CFIA	POLYMER	COLOR	THICKNESS	CUFF	LENGTH	CONSTRUCTION	GRIP PATTERN	LINING	SIZES
GP50N110G	ABK	Yes	Yes	Nitrile	Green	11 mil	Straight	13"	Unsupported	Raised Diamond	Unlined	S-2XL
GP50N160G	AJK	Yes	Yes	Nitrile	Green	15 mil	Straight	13"	Unsupported	Raised Diamond	Flocked	XS-2XL
GP523665	AKL	Yes	-	Neoprene	Black	28 mil	Straight	12"	Unsupported	Raised Diamond	Flocked	S-XL

Grippaz®  
Patented Nondrip Gloves

**Ambi-dex**

## Extended Use & Single-Use Hand Protection

BUILT FOR LIQUID AND CONTACT PROTECTION

Food Processing / Food Service / Food Production



Grippaz®  
Patented Nondrip Gloves

### GP67308

- Globally patented internal and external fish scale grip pattern
- Engineered for handling animal fats and proteins
- Rip-stop design to lower risk of foreign material contamination

RESEALABLE FLAP



**Ambi-dex**

### GP64346PF

- Have the look, fit and feel of latex without the concern of natural rubber latex proteins
- Stretch vinyl polymer provides excellent form-fitting comfort, grip and performance



**Ambi-dex**

### GP2910

- Textured provides a good grip in wet or dry environments
- Powder-Free for clean comfort and tactile sensitivity

#### Grippaz® Extended Use Disposable Gloves

STYLE NUMBER	21 CFR	CFIA	MATERIAL	THICKNESS	COLOR	GRIP PATTERN	POWDER	SIZES	BOX COUNT
GP67308	Yes	-	Nitrile	8 mil	Blue	Fish Scale	Powder-Free	M-3XL	48
GP67256	Yes	-	Nitrile	6 mil	Orange	Fish Scale	Powder-Free	S-2XL	50

#### Ambi-Dex® Single-Use Disposable Gloves

STYLE NUMBER	21 CFR	CFIA	MATERIAL	THICKNESS	COLOR	GRIP PATTERN	POWDER	SIZES	BOX COUNT
GP64346PF	Yes	No	Non-Latex Synthetic	4 mil	White	Smooth	Powder-Free	S-XL	100
GP2910	Yes	No	Nitrile	4 mil	Blue	Textured	Powder-Free	S-2XL	100



## Hard Hats



### COLORS AVAILABLE



### Dynamic® Whistler™ Hard Hat

#### HP241R

- Cap style hard hat with HDPE shell
- 4-point nylon suspension
- Wheel ratchet adjustment



### COLORS AVAILABLE



### Dynamic® Bump Cap

#### HP940

- Lightweight ventilated HDPE shell
- 4-point pin lock suspension

### Hard hats

STYLE NUMBER	CLASS	TYPE	STANDARDS MET		SHELL MATERIAL	SUSPENSION	SIZE ADJUSTMENT	BRIM
			ANSI Z89.1	CSA Z94.3-15				
HP241R	Class E (NON-VENTED)	Type 1	•	•	HDPE	4-Point Nylon	Wheel Ratchet	Standard
HP940	-	-	-	-	HDPE	4-Point Nylon	Pin Lock	Standard

## Eyewear



### Curve™ Frameless Safety Glasses with 4A Coating and Universal Bridge System

#### EP505C

- Popular low-profile design
- High 9 base curve for better coverage and wider field of view
- Made of lightweight non-conductive high impact polycarbonate
- Absorbs more than 99.9% of harmful UV light
- 4A Coating: anti-scratch, anti-UV, anti-static, and anti-fog
- CSA certified Z94.3-20 and meets and/or exceeds ANSI Z87.1 requirements



### Curve™ Frameless Safety Glasses with 3A Coating and Universal Bridge System

#### EP500C

- Popular low-profile design
- High 9 base curve for better coverage and wider field of view
- Made of lightweight non-conductive high impact polycarbonate
- Absorbs more than 99.9% of harmful UV light
- 3A Coating: anti-scratch, anti-UV, and anti-static
- CSA certified Z94.3-20 and meets and/or exceeds ANSI Z87.1 requirements



### Ladies Mini™ Frameless Safety Glasses with 3A Coating and Universal Bridge System

#### EP325PC

- Women's specific spectacle, designed for narrower and smaller faces
- Contemporary frames are available in three vivid colors
- 3A Coating: anti-scratch, anti-UV, and anti-static
- CSA certified Z94.3-20 and meets and/or exceeds ANSI Z87.1 requirements

### Eyewear

STYLE NUMBER	LENS	COATING	FRAME	STANDARDS MET		BASE CURVE	FIT	BRIDGE	TEMPLE
				ANSI Z87.1+	CSA Z94.3				
EP505C	Clear	4A	Clear	•	•	9	Universal	Molded	Spatula
EP500C	Clear	3A	Clear	•	•	9	Universal	Molded	Spatula
EP325PC	Clear	3A	Pink	•	•	-	Universal	Molded	Spatula
EP325GC	Clear	3A	Green	•	•	-	Universal	Molded	Spatula
EP325OC	Clear	3A	Orange	•	•	-	Universal	Molded	Spatula





# Full Face Protection

**Dynamic® Bump Cap  
(HP940)**

**Dynamic® Face Shield Bracket  
(EPB940)**

**Dynamic® Clear PETG Splash Visor  
(EP815)**



## Brackets



**EPB101**

- Compatible with cap style hard hats
- Accepts a wide range of faceshield styles and earmuffs
- Lightweight plastic, dielectric
- Swivel system to raise or lower faceshield



**EPB940**

- Compatible with Dynamic® bump caps
- Compatible with most visors in the market
- Lightweight plastic, dielectric
- Swivel system to raise and lower the visor with two parking positions

### Brackets

STYLE NUMBER	COMPATIBLE WITH	HOLE PATTERN	MATERIAL	ENHANCEMENTS
<b>EPB101</b>	Cap Style Hard hats	Universal	Plastic	Swivel System
<b>EPB940</b>	Dynamic® Bump Caps	Universal	Plastic	Swivel System

## Visors



**EP81540**

- PETG visors are suitable for liquid splash applications
- Universal hole pattern will fit most headgear and hard hat adapters in the market
- Ships with masking on both sides to prevent scratching



**FA81520**

- PETG visors are suitable for liquid splash applications
- Lightweight and compatible with Dynamic® bump caps

### Visors

STYLE NUMBER	SIZE	MATERIAL	COLOR	THICKNESS
<b>EP81540</b>	8" x 15.5"	PETG	Clear	0.040 in / 1.0 mm
<b>FA81520</b>	8" x 15.5"	PETG	Clear	0.020 in / 0.5 mm



# Hearing Protection



## Headband

**24**  
NRR



**Dynamic<sup>®</sup> Spitfire™**  
NP111

- Dielectric headband reduces electrical hazards
- Smooth telescopic height adjustment for optimized comfort and seal
- Protection for moderate noise exposure (NRR 24)

**27**  
NRR



**Dynamic<sup>®</sup> Hercules™**  
NP113

- Dielectric headband reduces electrical hazards
- Smooth telescopic height adjustment for optimized comfort and seal
- Protection for high noise exposure (NRR 27)


### Headbands

STYLE NUMBER	NRR	TYPE	DIELECTRIC	SIZE ADJUSTMENT	COLOR
NP111	24	Banded	Yes	Slide	Black/Blue
NP113	27	Banded	Yes	Slide	Black/Green

MAXIMUM HEARING PROTECTION



## Metal Detectable Ear Plugs



Tapered shape  
for easy insertion

### Mega Bullet™ and Food Pro Bullet™ Plus

- Regular size fits most ear canals
- Easy roll-down for quick and easy insertion
- PowerSoft™ Foam Technology features a proprietary polyurethane formulation that delivers optimal recovery time, easy insertion and maximum all-day comfort
- Shape conforms to most ear canals for maximum sound attenuation
- For use in the food industry

**30**  
NRR



Hybrid foam plug and  
unique stem enable  
easy insertion

### EZ-Twist™ NP267HPF610D

- No need to roll down before fitting, ideal for use with dirty hands
- PowerSoft™ Foam Technology features a proprietary polyurethane formulation that delivers optimal recovery time, easy insertion and maximum all-day comfort
- Shape conforms to most ear canals for maximum sound attenuation
- For use in the food industry

**27**  
NRR



Push-to-fit style reduces  
the risk of contamination

### 4-Flange Reusable NP267HPR410D

- Self-sealing 4 flange TPR (thermoplastic rubber) for all-day use and secure sound attenuation
- Metal detectable version offers metal infused ear plugs and cord for more detectability
- Metal detectable cord is NOT removable

#### Ear Plugs

STYLE NUMBER	NRR	USE	CORDING	MATERIAL	SIZE	SHAPE	COLOR	DETECTABLE	PAIR / PACK
NP267HPF210D	32	Single	Blue Metal Detectable Cord	PowerSoft™ Polyurethane Foam	Standard	Bullet	Blue	Yes	100 / Box
NP267HPF610D	30	Single	Blue Metal Detectable Cord	PowerSoft™ Polyurethane Foam	Standard	Cylinder Push-In	Blue	Yes	100 / Box
NP267HPR410D	27	Reusable	Blue Metal Detectable Cord	TPR (thermoplastic rubber)	Standard	4-flange	Blue	Yes	100 / Box
NP267HPF810D	33	Single	Blue Metal Detectable Cord	PowerSoft™ Polyurethane Foam	Standard	Bullet	Blue	Yes	100 / Box
NP267HPF910D	32	Single	Blue Metal Detectable Cord	PowerSoft™ Polyurethane Foam	Standard	Contoured	Blue	Yes	100 / Box





# PVC Boots



FULL SAFETY  
STEEL TOE  
& MIDSOLE

Enhanced durability, protection  
and comfort

## 16" PVC Full Safety Steel Toe and Midsole Boot

PC383820

- Flexible steel puncture resistant midsole reduces risks from sharp objects and meets ASTM F2413 PR
- Energy absorbing tread adds all-day comfort
- Less toe spring allows for more surface contact for improved channeling of water for better traction, slip resistance and comfort
- Tough outsole for good abrasion resistance
- Flexible upper material stays supple in cold temperatures to make walking easier
- Midsole is designed to utilize additional material in the standard area of the shank providing increased support and comfort
- Lower profile "kick off" ledge on back of boots for ease of removal
- Meets ASTM F2413-18 M/I/C Impact and Compression
- CSA Certified
- Sizes 6-14

### Foot Protection

STYLE NUMBER	MATERIAL	TYPE	COLOR	COMPLIANT TO	TREAD PATTERN	SIZES
PC383820	PVC	16"	Black	CSA	Cleated	6-14

INCREASED  
SUPPORT  
AND COMFORT



Preparedness on the worksite

## PIP Dynamic® First Aid Kits

ASSORTED\*

- Compact, easily identifiable, and containing the supplies you need to treat workplace injuries and potential emergencies
- Kits exist for many situations and can be personalized, please refer to your province's guidelines in order to determine the correct kit for your needs

\*Refer to our First Aid Kit product page for our complete assortment



Scan it



FOR OUR COMPLETE LINE  
OF SAFETY PRODUCTS  
GO TO [WWW.PIPCANADA.CA](http://WWW.PIPCANADA.CA)



HAND & ARM  
PROTECTION



PROTECTIVE  
GARMENTS



EYE & HEARING  
PROTECTION



FOOT  
PROTECTION



HEAD  
PROTECTION



RESPIRATORY  
PROTECTION



FALL  
PROTECTION



FIRST AID  
PRODUCTS



IDENTIFICATION  
PRODUCTS



Food  
Safety

**PIP Canada Ltd.**

2477 Michelin St | Laval, Quebec H7L 5B9

450-687-7374 | 877-446-3278

orders@pipcanada.ca | www.pipcanada.ca



MKTGFSBREN072022