



PROTECTIVE INDUSTRIAL PRODUCTS

WELDING SAFETY PRODUCTS CATALOG

www.pipcanada.ca



KEY TO SAFETY IN WELDING

Welding is inherently dangerous. Gas, flames, sparks, blinding light – nothing can be left to chance. The key to injury reduction is not just product, it's understanding applications so that the right safety product is used. Caiman® and Ironcat® welding protection is specifically designed for professional heat shielding, dexterity, tactility and protection demands of all welding and metal fabrication applications.

THE RIGHT PROTECTION IS ESSENTIAL TO NOT ONLY MINIMIZING SAFETY RISKS BUT MAXIMIZING WORKER PRODUCTIVITY AND THE QUALITY OF THE WELD.

STICK

Maximum Heat Protection and Durability

MIG

Enhanced Dexterity and Comfort

TIG


Extreme Precision and Durability

Premium brand quality



Patented 3D design with KONTOUR™ fit

Kontour™ – 3-dimensional form-fitting patterns that vastly improve fit, comfort and dexterity – all things missing from traditional welding and work gloves.



Reinforced protection

Reinforcement patches that are strategically shaped and positioned on the palm to ensure comfort while providing enhanced durability.



High-performance materials

Made with premium materials, Caiman® welding gloves stand up to the toughest of jobs while remaining flexible, comfortable and durable.

& patented innovation

EXCLUSIVE FEATURES



3-dimensional pattern for ergonomic fit and maximum comfort.



Patented Kontour Wrist™ design to enhance comfort and safety.



Superior insulation that's naturally antimicrobial with moisture-wicking properties.



Lock-stitching for flame-resistant, high-strength seam integrity.



PREMIUM

Stick / MIG Welding Gloves

The Revolution® Series offers a 3-dimensional, form-fitting design never before applied to welding gloves. The Revolution® Series has become known as the top-of-the-line, most premium welding gloves in the world.

From material selection to the attention to design details, Revolution® delivers unprecedented comfort, style and safety.

Revolution®, as the name suggests, is a complete departure from traditional welding gloves with minimal comfort, finger dexterity, or aesthetic value. Caiman® Revolution® gloves instantly set the bar higher and became the new standard for others to follow.

Industrial Fabrication / Infrastructure Construction / Shipbuilding / Railroads / Heavy-Duty Industrial



1507
COW SPLIT PARA-ARAMID
LINED CUT RESISTANT WELDING
GLOVES

- Kontour™ form-fitting design
- Reinforced palm and thumb for added durability
- Para-Aramid blend lining provides added cut and heat resistance



1877
21" DEERSKIN PARA-ARAMID
LINED STICK WELDING GLOVES

- Genuine leather heat shield patch, reinforced palm, cuff and lean-on patch
- Exclusive 3-dimensional, pre-curved fingers and form-fitting design for ultimate fit, comfort and dexterity



1878
21" DEERSKIN FR INSULATED
WELDING GLOVES

- Kontour™ form-fitting design
- Leather heat shield patch, reinforced palm, cuff and lean-on patch
- Sock-lined FR cotton fleece insulated



1832
GRAIN LEATHER FR FLEECE
LINED WELDING GLOVES

- Kontour™ form-fitting design
- Wraparound index trigger patch, palm and lean-on patch
- Full-sock insulation with FR fleece and padded palm



1816
DEERSKIN FR FOAM FLEECE
LINED WELDING GLOVES

- Kontour™ form-fitting design
- Patented double stitched palm padding and wear-patch
- Full-sock insulation with FR foam/fleece

Premium Revolution® Series

STYLE NUMBER	HIDE	GRADE	STITCHING	COLOR	LINING	CUFF	SIZES
1507	Split Cowhide	Premium	Kevlar®	Blue / Black	Para-Aramid	Gauntlet	One Size
1877	Deerskin	Premium	Kevlar®	Gold / Black	FR Para-Aramid Blend	Scalloped	One Size
1816	Split Deerskin	Premium	Kevlar®	Green / Gold	FR Foam Fleece	Gauntlet	M-XL
1832	Top Grain Goatskin	Premium	Kevlar®	Gold / Black	FR Fleece	Gauntlet	L-XL
1878	Deerskin / Split Cowhide	Premium	Kevlar®	Gold / Black	FR Cotton Fleece	Scalloped	L-XL (Left Hand)



Premium Revolution® Series



1504

SPLIT COWHIDE FR COTTON LINED WELDING GLOVES

- Kontour™ form-fitting design
- Thumb strap for added durability
- Sock-lined with fleece for thermal protection



1812

GRAIN PIGSKIN FR COTTON FLEECE LINED WELDING GLOVES

- Kontour™ form-fitting design
- Double layered protection features lean-on and heat shield reinforcements on the left hand
- Sock-lined FR cotton fleece insulated



1508

18" SPLIT COWHIDE FLEECE LINED WELDING GLOVES

- Kontour™ form-fitting design
- Reinforced palm and index area for added durability
- Sock-lined with fleece for thermal protection



1512

SPLIT COWHIDE WOOL INSULATED BACK WELDING GLOVES


- Kontour™ form-fitting design
- Kontour Wrist™ design to enhance comfort and safety
- Wool lined for advanced thermal protection



1520

GRAIN GOATSKIN WOOL INSULATED BACK WELDING GLOVES

- Kontour™ form-fitting design
- Kontour Wrist™ design to enhance comfort and safety
- Wool lined for advanced thermal protection



1810

GRAIN COWHIDE UNLINED PALM WITH 2-LAYER INSULATED BACK WELDING GLOVES

- Kontour™ form-fitting design
- Unlined, padded and reinforced palm for added protection and comfort
- Two-layer insulated back for protection against radiant heat



1524

SPLIT COWHIDE ALUMINIZED BACK WELDING GLOVES

- Kontour™ form-fitting design
- Aluminized rayon back for radiant heat protection
- Wool lined for advanced thermal protection



1485

ELKSKIN UNLINED PALM WITH WOOL INSULATED BACK WELDING GLOVES

- Kontour™ form-fitting design
- Thumb reinforcement strap, pulse protector
- Wool lined for advanced thermal protection

Premium Revolution® Series

STYLE NUMBER	HIDE	GRADE	STITCHING	COLOR	LINING	CUFF	SIZES
1504	Split Cowhide	Premium	Kevlar®	Gray / Black	Fleece	Gauntlet	One Size
1508	Split Cowhide	Premium	Kevlar®	Blue / Black	Fleece	Gauntlet	One Size
1512	Split Cowhide	Premium	Kevlar®	Blue / Gold	Wool	Gauntlet	One Size
1520	Goatskin	Premium	Kevlar®	Blue / Black	Wool	Gauntlet	One Size
1810	Top Grain Cowhide	Premium	Kevlar®	Natural / Gold	Unlined Palm with Foam Fleece Back	Gauntlet	M-2XL
1812	Grain Pigskin	Premium	Kevlar®	Natural / Gold	FR Cotton Fleece	Gauntlet	L-XL

Industrial Grade

STYLE NUMBER	HIDE	GRADE	STITCHING	COLOR	LINING	CUFF	SIZES
1485	Grain Elkskin	Premium	Kevlar®	Gold / Gray	Wool	Gauntlet	M-XL
1524	Split Cowhide / Aluminized Back	Premium	Kevlar®	Blue / Black	Wool	Straight	One Size



MIG / TIG Welding Gloves

Aerospace / Automotive / Component Manufacturing /
Equipment Repair / Pipeline and Refinery





MIG / TIG



1541
GOATSKIN PARA-ARAMID LINED
CUT RESISTANT WELDING GLOVES

- Kontour™ form-fitting design
- Padded palm & index for comfort
- Para-Aramid blend lining provides added cut and heat resistance



1871
GRAIN GOATSKIN WOOL INSULATED
BACK WELDING GLOVES

- Kontour™ form-fitting design
- Boarhide™ palm patch for extended wear and protection
- Unlined and padded palm with wool insulated back



1828
GRAIN COWHIDE UNLINED PADDED
PALM WELDING GLOVES

- Kontour™ form-fitting design
- Patented double stitched palm padding and wear patch
- Unlined padded palm and thumb for added protection and comfort



1864
SPLIT DEERSKIN UNLINED
WELDING GLOVES WITH
LEAN-ON PATCH

- Kontour™ form-fitting design
- Large lean-on patch for extended protection and durability
- Unlined for maximum dexterity



1600
GRAIN GOATSKIN UNLINED
WELDING GLOVES

- Kontour™ form fitting design
- Resilient and durable goatskin leather



1868
GRAIN GOATSKIN FR INSULATED
BACK WELDING GLOVES

- Kontour™ form-fitting design
- Unlined, padded and reinforced palm and thumb saddle for added protection and comfort
- Flame resistant insulated back goatskin leather

General Work

Farm and Agriculture / Construction / Shipyards / Demolition



1302
TOP GRAIN COWHIDE LEATHER
DRIVERS GLOVES

- Kontour™ form-fitting design
- Reinforced palm and index area for added durability
- Snap button closure to limit debris entry



1304
WATER-REPELLENT TOP GRAIN COWHIDE
LEATHER DRIVERS GLOVES

- Kontour™ form-fitting design
- Reinforced palm and index area for added durability
- Snap button closure to limit debris entry



1242
UNLINED LONG CUFF UTILITY /
IRON WORKERS GLOVES

- Kontour™ form-fitting design
- Water-repellent full-grain Tuff-Steer palm and back
- Hi-Vis for maximum visibility

MIG / TIG

STYLE NUMBER	HIDE	GRADE	STITCHING	COLOR	LINING	CUFF	SIZES
1541	Grain Goatskin	Premium	Kevlar®	Natural / Gold	Para-Aramid with padded palm and FR Cotton back	Gauntlet	L-XL
1871	Grain Goatskin	Premium	Kevlar®	White / Gold	Unlined with padded palm and wool back	Scalloped	S-XL
1828	Grain Cowhide	Premium	Kevlar®	Natural / Gold	Unlined with padded palm and fleece back	Hook and Loop	M-XL
1864	Split Deerskin	Premium	Kevlar®	Gray / Black	Unlined	Gauntlet	S-XL
1600	Grain Goatskin	Premium	Kevlar®	Natural / Gold	Unlined	Gauntlet	S-XL
1868	Grain Goatskin	Premium	Kevlar®	Natural / Gold	Unlined with padded palm and FR Cotton back	Extended Gauntlet	S-XL

General Work

STYLE NUMBER	HIDE	GRADE	STITCHING	COLOR	LINING	CUFF	SIZES
1302	Top Grain Cowhide Palm / Split Leather Back	Premium	Nylon	White / Blue	Unlined with reinforced palm	Slip-On with pull-strap & elastic	S-2XL
1304	Top Grain Cowhide - Water Repellent	Premium	Nylon	Gold	Unlined with reinforced palm	Slip-On with pull-strap & elastic	S-XL
1242	Top Grain Cowhide	Premium	Kevlar®	Hi-Vis	Unlined with reinforced palm	Slip-On with hi-vis tape	M-XL
1243	Cold Weather Top Grain Cowhide	Premium	Kevlar®	Hi-Vis	Heatrac Insulated	Slip-On with hi-vis tape	One Size



Engineered
Performance
and Value





Stick Welding

MAXIMUM HEAT PROTECTION
AND DURABILITY

Farm and Agriculture / Structural / Heavy Industrial
Mining / Industrial Fabrication



9060
PREMIUM ELKSKIN STICK
WELDING GLOVES
- Premium top grain elk
- Reinforced straight
thumb
- Foam and cotton lining



9061
PREMIUM ELKSKIN STICK
WELDING GLOVES
- Premium top grain elk
- Reinforced straight
thumb
- Foam and cotton lining



9051
PREMIUM COWHIDE
STICK WELDING GLOVES
- Premium split cowhide
- Double reinforced wing
thumb
- Foam and cotton lining



945
- Premium split cowhide
- Reinforced wing thumb
- Cotton lining



73-888
- Standard shoulder split
cowhide
- Wing thumb
- Cotton lining



73-7018
- Standard split cowhide
- Wing thumb
- Cotton lining

Premium Leather

STYLE	HIDE	GRADE	STITCHING	COATING COLOR	LINER	CUFF	REINFORCED THUMB	SIZES
9060	Elkskin	Premium	Kevlar®	Yellow	Unlined	Split Cowhide Gauntlet	Yes	S-XL
9061	Elkskin	Premium	Kevlar®	Gray	Unlined	Split Cowhide Gauntlet	Yes	S-XL
9051	Split Cowhide	Premium	Kevlar®	Blue	Cotton Foam	Straight	Yes	M-XL (Left Hand)

Standard Leather

STYLE	HIDE	GRADE	STITCHING	COATING COLOR	LINER	CUFF	REINFORCED THUMB	SIZES
945	Split Cowhide	Premium	Kevlar®	Blue	Cotton	Straight	Yes	L-XL (Left Hand)

Engineered Value

STYLE	HIDE	GRADE	STITCHING	COATING COLOR	LINER	CUFF	REINFORCED THUMB	SIZES
73-888	Split Cowhide	Shoulder	Nylon	Gray	Cotton	Straight	No	L
73-7018	Split Cowhide	Shoulder	Kevlar®	Blue	Cotton	Straight	No	L



MIG Welding

ENHANCED DEXTERITY
AND COMFORT

Tack Welding / Automotive / Industrial Repair
Structural / Heavy-Duty Repair



6143 PREMIUM GOATSKIN/COWHIDE MIG WELDING GLOVES

- Premium grain goatskin palm
- Reinforced straight thumb
- Fleece lined



6010 PREMIUM COWHIDE MIG WELDING GLOVES

- Premium top grain cowhide
- Wing thumb
- 4" cuff



6000 STANDARD COWHIDE MIG WELDING GLOVES

- Standard top grain cowhide
- Wing thumb
- 4" cuff

DuPont™
Kevlar®

Sewn with
Kevlar® Thread

DESIGNED FOR HEAT SHIELDING,
DEXTERITY AND PROTECTION

Premium Leather

STYLE	HIDE	GRADE	STITCHING	COATING COLOR	LINER	CUFF	REINFORCED THUMB	SIZES
6143	Top Grain Goatskin	Premium	Kevlar®	Golden Brown	Fleece	Split Cowhide Gauntlet	Yes	M-XL
6010	Top Grain Cowhide	Premium	Kevlar®	Natural	Unlined	Split Cowhide Gauntlet	No	S-XL

Standard Leather

STYLE	HIDE	GRADE	STITCHING	COATING COLOR	LINER	CUFF	REINFORCED THUMB	SIZES
6000	Top Grain Cowhide	Standard	Kevlar®	Beige	Unlined	Split Cowhide Gauntlet	No	S-XL



TIG Welding

EXTREME PRECISION
AND DURABILITY

Aerospace / Automotive / Art / Component Manufacturing
Food Processing Equipment / Pipeline and Refinery



ANSI

A4



6144

PREMIUM TOP GRAIN
KIDSKIN GLOVES

- Premium top grain goatskin
- Kevlar® liner
- ANSI puncture 3
- ARC Rating: ATPV 36 cal/cm²



ANSI

A4



6244

PREMIUM GOATSKIN TIG
WELDING GLOVES

- Premium top grain goatskin
- Cut resistant para-aramid liner
- High heat impact protection
- ARC Rating: ATPV 37 cal/cm²
- Heat resistant up to 300°C (572° F)



6141

PREMIUM KIDSKIN TIG
WELDING GLOVES

- Premium top grain kidskin
- Straight thumb
- 4" cuff

Premium Leather

STYLE	HIDE	GRADE	STITCHING	COATING COLOR	LINER	CUFF	REINFORCED THUMB	SIZES
6144	Top Grain Kidskin	Premium	Kevlar®	White	Kevlar®	Split Cowhide Gauntlet	No	M-2XL
6244	Top Grain Goatskin	Premium	Kevlar®	Black	Para-Aramid	Split Cowhide Gauntlet	No	S-3XL
6141	Top Grain Kidskin	Premium	Kevlar®	White	Unlined	Split Cowhide Gauntlet	No	S-XL



PERFORMANCE AND
ENDURANCE

Farm and Agriculture / Construction
Shipyards / Demolition



ANSI

A3



86552

- Heavy-duty top grain goatskin
- 4-way stretch spandex back
- 360° Kevlar® lining



9414

- Top grain cowhide palm
- Split cowhide back of hand
- Keystone thumb



ANSI

A5



09-LC533AR

- Top grain goatskin
- Para-Aramid liner provides excellent cut resistance
- ARC rating: ATPV 44 cal/cm²

Premium Leather

STYLE	HIDE	BACK	LINER	ANSI CUT	CUFF	COATING COLOR	SIZES
86552	Goatskin Leather	Spandex	Kevlar®	A3	Slip-On with Hook & Loop	Black/White	S-3XL
9414	Grain Cowhide Leather	Split Cowhide Leather	Unlined	---	Slip-On	Brown/White	S-3XL

Specialty Leather

STYLE	ANSI CUT	EN388	ANSI/ISEA 138	HIDE	GRADE	STITCHING	COLOR	LINING	CUFF	SIZES
09-LC533AR	A5	2X32E	---	Grain Goatskin Leather	Premium	Kevlar®	Natural	Para-Aramid	Slip-On	S-3XL



Leather Apparel

Protective clothing is made of premium quality split pigskin leather. Boarhide® is 15 to 25% lighter, stays cleaner, more breathable and offers better cut, abrasion and heat resistant values than split cowhide leather of equal thickness. Also, unlike split cowhide leather, Boarhide® is naturally elastic which provides enhanced mobility.

Jackets



3030

30" GOLD BOARHIDE® JACKET

- Offers greater mobility than cowhide
- Satin lined shoulders and sleeves for enhanced comfort
- Vented back and underarms for increased breathability



3029

30" BLACK BOARHIDE® JACKET

- Offers greater mobility than cowhide
- Satin lined shoulders and sleeves for enhanced comfort
- Vented back and underarms for increased breathability

Jackets

STYLE NUMBER	FABRIC	STITCHING	GRADE	CUFF	COLORS	LENGTH	SIZES
3029	Pigskin Leather	Kevlar®	Premium	-	Black	30"	S-3XL
3030	Pigskin Leather	Kevlar®	Premium	-	Gold	30"	S-5XL




Above-the-Neck Protection

ULTIMATE COMFORT
AND PERFORMANCE



FACE SHIELDS



DYNAMIC® VISOR

EP815P40


- Universal hole pattern will fit most headgear and hard hat adapters



DYNAMIC® FORMED VISOR

EP815PF40

- Curved faceshield designs provide improved optical clarity and peripheral vision



DYNAMIC® IR SHADE MOLDED VISOR

EP815PMG360

- IR shading protects your eyes from UV rays and infrared flash burns

HEADGEAR & BRACKETS



DYNAMIC® HEADGEAR

WITH SPARKGUARD

EPHG400R

- Noryl material provides resistance to sparks and heat
- Equipped with our proprietary ratchet adjustment for a quick and perfect fit



DYNAMIC® CAP STYLE

BRACKET

EPB201

- Lightweight aluminum offers exceptional resistance against heat, radiation and impacts
- To be used with cap style hard hats

Face Shields

STYLE	MATERIAL	APPLICATION	LENS	THICKNESS	SIZE	SHAPE
EP815P40	Polycarbonate	High Heat / Grinding	Clear	0.040"	8" x 15.5"	Flat
EP815P60	Polycarbonate	High Heat / Grinding	Clear	0.060"	8" x 15.5"	Flat
EP815PF40	Polycarbonate	High Heat / Grinding	Clear	0.040"	8" x 15.5"	Curved
EP815PMG360	Polycarbonate	High Heat / Grinding	IR Filter 3.0	0.060"	8" x 15"	Curved
EP815PMG560	Polycarbonate	High Heat / Grinding	IR Filter 5.0	0.060"	8" x 15"	Curved
EP816PF60	Polycarbonate	High Heat / Grinding	Clear	0.060"	8" x 16.5"	Curved
EP919PF60	Polycarbonate	High Heat / Grinding	Clear	0.060"	9.5" x 20"	Curved
EP919MG560	PETG	Grinding / Liquid Splash	IR Filter 5.0	0.060"	9.5" x 20"	Curved

Headgear & Brackets

STYLE	MATERIAL	SUSPENSION	COMPATIBILITY	HOLE PATTERN	CROWN
EPHG400R	Noryl	Ratchet Adjustment	---	Universal	4"
EPHG700R	Noryl	Ratchet Adjustment	---	Universal	7"
EPB201	Aluminum	---	Cap Style Hard Hat	Universal	---
EPB101	Nylon	---	Cap Style Hard Hat	Universal	---



Dynamic® Head Protection



ELEVATED HEAT
APPLICATIONS



Dynamic® Vesuvio™ HP851

- Ambient heat protection up to 400°F (200°C)
- Wheel ratchet size adjustment
- ANSI/CSA Type 1; Class E

POPULAR COLORS



Dynamic® Stromboli™ HP841

- ABS/Polycarbonate matte finished shell
- Wheel or swing ratchet adjustment
- ANSI/CSA Type 1 or 2; Class E

POPULAR COLORS



Head Protection

STANDARDS MET

STYLE NUMBER	CLASS	TYPE	ANSI Z89.1	CSA Z94.1-15	SHELL MATERIAL	SUSPENSION	SIZE ADJUSTMENT	BRIM	FEATURES	AVAILABLE COLORS
Dynamic® Vesuvio™										
HP851	Class E	Type 1	•	•	Nylon Resin	4-Point Nylon	Wheel Ratchet	Standard	Ambient heat protection up to 400° F (200° C)	Gray, Dark Gray, Black, Steel Blue
Dynamic® Stromboli™										
HP841R	Class E (NON-VENTED)	Type 1	•	•	ABS/ Polycarbonate	4-Point Nylon	Wheel Ratchet	Standard	High Strength Outer Shell with Matte Finish	White, Yellow, Orange, Gray, Red, Steel Blue
HP841SR	Class E (NON-VENTED)	Type 1	•	•	ABS/ Polycarbonate	4-Point Nylon	Swing Wheel Ratchet	Standard	High Strength Outer Shell with Matte Finish	White, Yellow, Orange, Gray, Red, Steel Blue
HP842R	Class E (NON-VENTED)	Type 2	•	•	ABS/ Polycarbonate	4-Point Nylon	Wheel Ratchet	Standard	High Strength Outer Shell with Matte Finish	White, Yellow, Orange, Gray, Red, Steel Blue



◀ **EPHC01**
to accommodate narrow welding helmets if used with extensions

EPHC02 ▶
standard size



Dynamic® Cap Lock Blades EPHC

- To attach welding helmets, headgears or brackets to a hard hat

Dynamic® Welding Helmets



EP101

SUPERTUFF® WELDING HELMET, FIXED FRONT

- Polycarbonate shade 10 filter
- Ratchet headgear suspension included



EP4106

SUPERTUFF® THERMOPLASTIC WELDING HELMET, LIFT FRONT

- Polycarbonate shade 10 filter
- Includes (1) EPHC01 "Cap Lock" kit complete with blades for slotted hard hats



Welding Helmets

STYLE	COLOR	SUSPENSION	LENS TYPE	LENS SIZE	LENS SHADE
EP101	Black	Ratchet	Fixed	2" x 4.25"	Shade #10
EP106	Black	Ratchet	Lift	2" x 4.25"	Shade #10
EP4101	Black	Not included	Fixed	2" x 4.25"	Shade #10
EP4106	Black	Not included	Lift	2" x 4.25"	Shade #10



Dynamic® Hearing Protection



NP120

EAR MUFF

Mirage™ Neck Band


- Non-slip customizable strap adjustment
- Lightweight, low profile ear cups
- Protection for moderate noise exposure

STYLE	NRR	TYPE	DIELECTRIC	SIZE ADJUSTMENT	COLOR
NP120	24	Neck Band	No	Adjustable Strap with Velcro	Black/Yellow

24
NRR



NP267HPF810



NP267HPF810C

Mega Bullet™ Plus

- Regular size fits most ear canals
- Easy roll-down for quick and easy insertion
- PowerSoft™ Foam Technology features a proprietary polyurethane formulation that delivers optimal recovery time, easy insertion and maximum all-day comfort
- Shape conforms to most ear canals for maximum sound attenuation

33
NRR



NP267HPF910



NP267HPF910C

Mega Flare™ Plus

- Design resists backing out of ear
- Non-irritating smooth outer surface
- PowerSoft™ Foam Technology features a proprietary polyurethane formulation that delivers optimal recovery time, easy insertion and maximum all-day comfort
- Shape conforms to most ear canals for maximum sound attenuation

33
NRR



NP267HPR410



NP267HPR410C

4-Flange Reusable

- Self-sealing 4-flange TPR (thermoplastic rubber) for all-day use and secure sound attenuation
- Corded version offers removable cord

27
NRR

STYLE NUMBER	NRR	USE	CORDING	MATERIAL	SIZE	SHAPE	COLOR	DETECTABLE	PAIR / PACK
Mega Bullet™ Plus									
NP267HPF810	33	Single	Uncorded	PowerSoft™ Polyurethane Foam	Standard	Bullet	Orange	No	200 / Box
NP267HPF810C	33	Single	Black PVC Cord	PowerSoft™ Polyurethane Foam	Standard	Bullet	Orange	No	100 / Box
Mega Flare™ Plus									
NP267HPF910	33	Single	Uncorded	PowerSoft™ Polyurethane Foam	Standard	Contoured	Red	No	200 / Box
NP267HPF910C	33	Single	Black PVC Cord	PowerSoft™ Polyurethane Foam	Standard	Contoured	Red	No	100 / Box
4-Flange Reusable									
NP267HPR410	27	Reusable	Uncorded	TPR (thermoplastic rubber)	Standard	4-flange	Orange	No	200 / Box
NP267HPR410C	27	Reusable	Textile Cord	TPR (thermoplastic rubber)	Standard	4-flange	Orange	No	100 / Box

Dynamic® Respiratory Protection

STANDARD N95FR



N95 Disposable Respirator

RPD714N950AO

- Exhalation valve increases comfort and worker productivity
- FR material ideal for welders



STANDARD P95



P95 Disposable Respirator

RPD814P950A

- Oil-proof P95 protection, and offers the flexibility to be used with Organic Vapor, Acid Gas and Ozone nuisance levels

Respirators

STYLE	EXHALATION VALVE	NOSE PIECE	HEAD STRAP	STRAP ATTACHMENT	FLAME RESISTANT	APPROVALS
RPD714N950AO	Yes	Adjustable Aluminum	Latex-Free Woven	Ultrasonically Welded	Yes	NIOSH Certified
RPD814P950A	Yes	Adjustable Aluminum	Latex-Free Woven	Ultrasonically Welded	No	NIOSH Certified



Dynamic® Welding Lanyards



Dyna-One™ Kevlar® FP7861

- Kevlar® webbing to provide exceptional protection against cuts and abrasions, as well as high heat resistance to sparks and flames
- ASTM F887 Arc Flash and is CSA Certified
- Meets and exceeds ANSI and OSHA regulations
- Weight rating of 45 kg (100 lbs) to 140 kg (310 lbs)



Dyna-One™ PVC Coated FP7631

- PVC coating provides additional durability to withstand a wide array of applications.
- Meets and exceeds ANSI and OSHA regulations
- Weight rating of 45 kg (100 lbs) to 140 kg (310 lbs)

Kevlar® Lanyards with Dyna-One™ Energy Absorber

STYLE	LANYARD MATERIAL	HARNESS CONNECTOR	ANCHORAGE CONNECTOR	LENGTH
SINGLE LEG LANYARD WITH ENERGY ABSORBER				
FP78301	KEVLAR®	SOFT LOOP	SMALL HOOK	4-5-6 FT
FP78303	KEVLAR®	SOFT LOOP	MEDIUM HOOK	4-5-6 FT
FP78304	KEVLAR®	SOFT LOOP	LARGE HOOK	4-5-6 FT
FP7830H	KEVLAR®	SOFT LOOP	X LARGE HOOK	4-5-6 FT
FP78311	KEVLAR®	SMALL HOOK	SMALL HOOK	4-5-6 FT
FP78313	KEVLAR®	SMALL HOOK	MEDIUM HOOK	4-5-6 FT
FP78314	KEVLAR®	SMALL HOOK	LARGE HOOK	4-5-6 FT
FP7831H	KEVLAR®	SMALL HOOK	X LARGE HOOK	4-5-6 FT
DOUBLE LEG Y-LANYARD WITH ENERGY ABSORBER				
FP786111	KEVLAR®	SMALL HOOK	SMALL HOOK (2)	4-5-6 FT
FP786133	KEVLAR®	SMALL HOOK	MEDIUM HOOK (2)	4-5-6 FT
FP786144	KEVLAR®	SMALL HOOK	LARGE HOOK (2)	4-5-6 FT
FP7881HH	KEVLAR®	SMALL HOOK	X LARGE HOOK (2)	4-5-6 FT

Leather Cover Replacement

PART NO	DESCRIPTION
FPLANCOVER	LEATHER COVER TO PROTECT THE ENERGY ABSORBER

Lanyards Fixed Length with Dyna-One™ Energy Absorber

STYLE	LANYARD MATERIAL WITH PVC COATING	HARNESS CONNECTOR	ANCHORAGE CONNECTOR	LENGTH
SINGLE LEG LANYARD WITH ENERGY ABSORBER				
FP76311	.25 IN STEEL CABLE	SMALL HOOK	SMALL HOOK	4-5-6 FT
FP76313	.25 IN STEEL CABLE	SMALL HOOK	MEDIUM HOOK	4-5-6 FT
FP76314	.25 IN STEEL CABLE	SMALL HOOK	LARGE HOOK	4-5-6 FT
FP7631H	.25 IN STEEL CABLE	SMALL HOOK	X LARGE HOOK	4-5-6 FT
FP763AA	.25 IN STEEL CABLE	ALUM SMALL HOOK	ALUM SMALL HOOK	4-5-6 FT
FP763AC	.25 IN STEEL CABLE	ALUM SMALL HOOK	ALUM LARGE HOOK	4-5-6 FT
DOUBLE LEG Y-LANYARD WITH ENERGY ABSORBER				
FP766111	.25 IN STEEL CABLE	SMALL HOOK	SMALL HOOK (2)	4-5-6 FT
FP766133	.25 IN STEEL CABLE	SMALL HOOK	MEDIUM HOOK (2)	4-5-6 FT
FP766144	.25 IN STEEL CABLE	SMALL HOOK	LARGE HOOK (2)	4-5-6 FT
FP7661HH	.25 IN STEEL CABLE	SMALL HOOK	X LARGE HOOK (2)	4-5-6 FT
FP766AAA	.25 IN STEEL CABLE	ALUM SMALL HOOK	ALUM SMALL HOOK (2)	4-5-6 FT
FP766ACC	.25 IN STEEL CABLE	ALUM SMALL HOOK	ALUM LARGE HOOK (2)	4-5-6 FT



Dynamic® Welding Harnesses



Kevlar® FR FPK2001BD

- Kevlar® webbing to provide exceptional protection against cuts and abrasions, as well as high heat resistance to sparks and flames
- ASTM F887 Arc Flash and is CSA Certified
- Meets and exceeds ANSI and OSHA regulations

ELEVATED HEAT
APPLICATIONS



Fall Arrest Harness for Welder

STYLE	CLASS	D-RING	LEG STRAP CONNECTORS
FPK2001BD	A	B	BAYONET



TPU Coated FPC2001BD

- TPU coating provides resistance to abrasions, weld splatter, chemicals, paint, grease and dirt
- Harness can be wiped clean
- Meets and exceeds ANSI and OSHA regulations

Fall Arrest Harness for Welder

STYLE	CLASS	D-RING	LEG STRAP CONNECTORS
FPC2001BD	A	B	BAYONET

Dynamic® Welders & Burns First Aid Kits



FAKWELDBP


- Burn First Aid Kit for Welders

FAKWELDXBP

- "Deluxe" Burn First Aid Kit for Welders

PART NO	CONTENTS	FAKWELDBP	FAKWELDXBP
FAFM001	First aid manual	1	1
FAPEG065	PEG ointment 65 g	1	1
FAEW004	Isotonic solution 118 ml / 4 oz	—	4
FAPSIX3	Plastic strips 1" x 3" sterile	24	25
FAGP2X2	Gauze pad 2" x 2" sterile	6	4
FAGP4X4	Gauze pad 4" x 4" sterile	—	4
FAAT055	Adhesive tape ½" x 5 yds	1	2

PART NO	CONTENTS	FAKWELDBP	FAKWELDXBP
FACB004	Compress bandage 4"	—	2
FATB001	Triangular bandage	—	2
FASC001	Scissors	1	1
FAEW001	Eye wash 1 oz sterile	2	2
FAEP01	Eye pad oval sterile	2	—
FAPSEPSW	Double adhesive strips	2	—
FATW001	Tweezers	1	—



FOR OUR COMPLETE LINE
OF SAFETY PRODUCTS
GO TO WWW.PIPCANADA.CA



HAND & ARM
PROTECTION



PROTECTIVE
GARMENTS



EYE & HEARING
PROTECTION



FOOT
PROTECTION



HEAD
PROTECTION



RESPIRATORY
PROTECTION



FALL
PROTECTION



FIRST AID
PRODUCTS



IDENTIFICATION
PRODUCTS





Welding
Safety

PIP Canada Ltd.

2477 Michelin St | Laval, Quebec H7L 5B9

450-687-7374 | 877-446-3278

orders@pipcanada.ca | www.pipcanada.ca



MKTGWELBREN122021