



*PROTECTIVE INDUSTRIAL PRODUCTS*

# BUILDING CONSTRUCTION SAFETY PRODUCTS

**QUICK REFERENCE GUIDE**

[www.pipcanada.ca](http://www.pipcanada.ca)

# A global provider of innovative safety products



Over 30 years ago, PIP® founders Joe Milot and Wellson Tao set out on a mission to bring the best of the world in Safety products.

FOUNDED IN  
**1984**  
IN LATHAM, NY USA

WORKFORCE OF OVER  
**1500+**  
EMPLOYEES

WITH OVER  
**10K+**  
PRODUCTS AVAILABLE

HEADQUARTERS FOR  
**CANADA**  
IN LAVAL, QC

MANUFACTURING LOCATIONS  
**10**  
IN NORTH AMERICA

DISTRIBUTION CENTERS  
**1.5M** SQ  
FT  
GLOBALLY SITUATED

## Today, PIP® is a leader in safety products.

### BRANDS THAT EXTEND AROUND THE GLOBE.



## MAIN PRODUCT CATEGORIES



HAND & ARM PROTECTION



PROTECTIVE GARMENTS



EYE & HEARING PROTECTION



FALL PROTECTION



HEAD PROTECTION



FIRST AID PRODUCTS



RESPIRATORY PROTECTION

## Protecting Hands

Up to 30 percent of hand injuries are attributed to fit, wear or simply the wrong type of glove for the hazard. Through innovation and proper training, PIP® believes it can help eliminate hand injuries on the job. G-Tek® cut resistant gloves offer the right protection, fit and feel so workers are comfortable, secure and more productive.

## Safety Products You Can Trust

Over the last 10 years, PIP® has grown its product offering in personal protective equipment to deliver head-to-toe protection. Today, in addition to knit gloves and sleeves, we manufacture hard hats, face shields, ear muffs, ear plugs, fall protection, first aid, and more.





Construction  
Safety

# KEY TO SAFETY IN BUILDING CONSTRUCTION

## CONSTRUCTION IS ONE OF THE HIGHEST RISK INDUSTRIES TO WORK IN

According to OSHA, roughly one in five worker deaths are in the construction industry. Each job site is filled with numerous hazards that threaten construction site safety and can result in injuries and fatalities. Using the correct PPE can greatly reduce these risks. PIP® offers a full line of personal protective equipment to protect building construction workers from the hazards and elements they face daily.

### EMPLOYMENT

- Over 1.4 million workers
- Approximately 7.5 per cent of Canada's GDP

### INJURIES

#### THE FATAL FOUR:



**38.7%**  
Electrical Hazards



**9.4%**  
Fall Hazards



**8.3%**  
Struck by object



**7.3%**  
Caught in  
or between

### Hand Protection

Protection against cut/laceration, impact/crushing, cold, chemical exposure and repetitive use.

### Hearing Protection

Protection against prolonged exposure to the noise of machinery, tools and job sites.

### Safety Glasses

Protection against dirt, concrete dust, glass shards, metal filings and other debris.

### Hard Hats

Protection from falling objects, struck-by hazards and other unplanned events.

### Protective Garments

Protection from work-zone fatalities and accidents caused by poor visibility.

### Footwear

Protection from harmful liquids, puncture, impact and other harmful debris.

### First Aid

Promotes preparedness against minor injuries on the job site.

### Fall Protection

Prevents workers falling and objects being dropped from heights.



# Excavation and Site Prep

# Concrete Foundation and Structure

## APPLICATIONS



HARNESSING  
& FASTENING



HEAVY-DUTY WORK



SIGNALING

## USER NEEDS

ABRASION RESISTANCE

WET AND DRY GRIP

IMPACT RESISTANCE

LOW MEDIUM HIGH



### GP120MP2415

**BOSS® SYNTHETIC LEATHER  
PALM WITH SILICONE & PVC  
PATCH GRIP, M-3XL**

- ▶ Excellent grip in dry and slightly oily conditions
- ▶ Excellent impact resistance
- ▶ Pre-curved fingers for all-day comfort

## APPLICATIONS



HARNESSING  
& FASTENING



HEAVY-DUTY WORK



SIGNALING

## USER NEEDS

ABRASION RESISTANCE

WET AND DRY GRIP

THERMAL PROTECTION

LOW MEDIUM HIGH



### GP1205150

**MAXIMUM SAFETY®  
TUFFMAX5™, S-2XL**

- ▶ Excellent dry and wet grip
- ▶ Excellent dexterity, tactile sensitivity and cut resistance
- ▶ Heavy-duty impact protection



### GP87811

**R2® SYNTHETIC LEATHER  
DOUBLE PALM WITH SILICONE  
GRIP, FABRIC BACK, S-3XL**

- ▶ Excellent grip in dry and slightly oily conditions
- ▶ TPR impact protection
- ▶ Reinforced thumb crotch, palm and fingers



### GP1205130

**MAXIMUM SAFETY®  
TUFFMAX3™, S-2XL**

- ▶ Excellent dry and wet grip
- ▶ Excellent dexterity, tactile sensitivity and cut resistance
- ▶ Heavy-duty impact protection



### GPKS993KOAB

**BOSS® XTREME GOATSKIN  
LEATHER DRIVER WITH IMPACT  
PROTECTION AND OIL ARMOR™  
TECHNOLOGY, S-3XL**

- ▶ Durable yet supple goatskin leather with medium cut and impact protection
- ▶ Oil and water-resistant
- ▶ High abrasion resistance



### GPKS993KOAB

**BOSS® XTREME GOATSKIN  
LEATHER DRIVER WITH IMPACT  
PROTECTION AND OIL ARMOR™  
TECHNOLOGY, S-3XL**

- ▶ Durable yet supple goatskin leather with medium cut and impact protection
- ▶ Oil and water-resistant
- ▶ High abrasion resistance



# Outer Structure

# Electrical

## APPLICATIONS



HARNESSING  
& FASTENING




HEAVY-DUTY WORK



SIGNALING

## USER NEEDS



### GP120MP2415

#### BOSS® SYNTHETIC LEATHER PALM WITH SILICONE & PVC PATCH GRIP, M-3XL

- ▶ Excellent grip in dry and slightly oily conditions
- ▶ Excellent impact resistance
- ▶ Pre-curved fingers for all-day comfort



### GP87811

#### R2® SYNTHETIC LEATHER DOUBLE PALM WITH SILICONE GRIP, FABRIC BACK, S-3XL

- ▶ Excellent grip in dry and slightly oily conditions
- ▶ TPR impact protection
- ▶ Reinforced thumb crotch, palm and fingers



### GP09LC533AR

#### BOSS® XTREME GOATSKIN DRIVER, M-3XL

- ▶ Durable yet supple goatskin leather with medium cut protection
- ▶ Para-Aramid liner is heat resistant
- ▶ High abrasion resistance

## APPLICATIONS



INSTALLING  
CONDUIT




PULLING WIRE  
AND CABLE



INSTALLING  
CABLE TRAY

## USER NEEDS



### GP997KB

#### COWHIDE DRIVER WITH IMPACT RESISTANCE, XS-3XL

- ▶ Excellent dexterity and durability
- ▶ Enhanced fit and comfort
- ▶ Dorsal impact protection



### GP16815

#### G-TEK® POLYKOR® GLOVE WITH DOUBLE-DIPPED LATEX PALM, S-2XL

- ▶ Good wet and dry grip
- ▶ Excellent abrasion resistance
- ▶ Excellent comfort and breathability



### GP34315

#### G-TEK® SEAMLESS KNIT POLYESTER GLOVE WITH NITRILE PALM AND FINGERS, XS-2XL

- ▶ Good wet and dry grip
- ▶ Excellent abrasion resistance
- ▶ Some resistance to chemicals



# HVAC

# Mechanical

## APPLICATIONS



HARNESSING  
& FASTENING




SHEET METAL  
WORK



INSTALLATION

## USER NEEDS



### GP556

#### G-TEK® POLYKOR® GLOVE WITH POLYURETHANE PALM AND FINGERS, XS-2XL

- ▶ Unmatched dexterity and tactile sensitivity
- ▶ Excellent cut resistance
- ▶ Good grip in dry/slightly oily conditions



### GP555

#### G-TEK® POLYKOR® GLOVE WITH NITRILE PALM AND FINGERS, S-2XL

- ▶ Unmatched dexterity and tactile sensitivity
- ▶ Excellent cut resistance
- ▶ Good grip in dry/oily conditions



### GP16377

#### G-TEK® POLYKOR® X7™ GLOVE WITH NEOFOAM COATED PALM, XS-2XL

- ▶ High cut resistance and durability
- ▶ Outstanding wet and dry grip
- ▶ High abrasion resistance

## APPLICATIONS



HARNESSING  
& FASTENING




PIPE CUTTING  
& THREADING



INSTALLATION

## USER NEEDS



### GP16645LG

#### G-TEK® POLYKOR® GLOVE WITH POLYURETHANE PALM, XS-2XL

- ▶ Excellent dexterity, tactile sensitivity and cut resistance
- ▶ Secure grip in dry and slightly wet/oily conditions
- ▶ Excellent abrasion resistance



### GP16854

#### G-TEK® POLYKOR® GLOVE WITH NITRILE FOAM PALM, XS-2XL

- ▶ Provides excellent dexterity and tactile sensitivity
- ▶ Nitrile channels fluid from surface for improved grip
- ▶ Secure grip in dry conditions



### GP443745

#### MAXICUT® ULTRA™ CUT RESISTANT GLOVE WITH MICROFOAM NITRILE PALM, XS-3XL

- ▶ 360° breathability
- ▶ Great grip in dry and light oil applications
- ▶ Excellent dexterity, tactile sensitivity and cut resistance



# Interior Finishing

## APPLICATIONS



DRYWALL




MASONRY



TILING

## USER NEEDS



ANSI CUT  
A3

### GP16530

#### G-TEK® POLYKOR® GLOVE WITH POLYURETHANE PALM, S-2XL

- ▶ Good dexterity and breathability
- ▶ Excellent tactile sensitivity
- ▶ Optimal cut resistance



ANSI CUT  
A3

### GP443745

#### MAXICUT® ULTRA™ CUT RESISTANT GLOVE WITH MICROFOAM NITRILE PALM, XS-3XL

- ▶ 360° breathability
- ▶ Great grip in dry and light oil applications
- ▶ Excellent dexterity, tactile sensitivity and cut resistance



ANSI CUT  
A5

### GP16354

#### G-TEK® POLYKOR® GLOVE WITH NITRILE COATING, S-2XL

- ▶ High cut resistance and durability
- ▶ Outstanding wet and dry grip
- ▶ High abrasion resistance

# Cold Weather Gloves



ANSI CUT  
A2

### GP411400

#### POWERGRAB™ THERMO, S-2XL

- ▶ Latex MicroFinish coating provides a superior grip in dry and wet, non-oily conditions
- ▶ Moisture-wicking material helps keep hands dry
- ▶ Fully coated thumb increases protection
- ▶ Stays flexible in cold weather



ANSI CUT  
A3

### GP411415

#### G-TEK® POLYKOR® SEAMLESS KNIT GLOVE WITH DOUBLE-DIPPED NITRILE COATING, S-2XL

- ▶ Excellent dexterity, tactile sensitivity and cut resistance
- ▶ Fully coated flat nitrile helps keep hands dry in wet applications
- ▶ Nitrile foam coating provides superior grip in dry, wet and oily applications
- ▶ Excellent thermal insulation



ANSI CUT  
A4

### GP411417

#### G-TEK® POLYKOR® SEAMLESS KNIT GLOVE WITH DOUBLE-DIPPED NITRILE FULL HAND COATING, S-2XL

- ▶ Excellent dexterity, tactile sensitivity and cut resistance
- ▶ Fully coated flat nitrile helps keep hands dry in wet applications
- ▶ Nitrile foam coating provides superior grip in dry, wet and oily applications
- ▶ Excellent thermal insulation



ANSI CUT  
A6

### GP418156

#### G-TEK® POLYKOR® SEAMLESS KNIT GLOVE WITH FOAM NITRILE COATING, S-2XL

- ▶ Excellent dexterity, tactile sensitivity and cut resistance
- ▶ Superior grip in dry and wet conditions
- ▶ Single-layer construction provides excellent thermal insulation and improved dexterity



# Hard hats and hearing

**STAY SAFE ON THE JOB**



HP241R



HP641R



HP142R

## Hard Hats

### HP241R

#### WHISTLER™

- ▶ Sleek and lightweight design
- ▶ Accessory slots & chin strap attachments
- ▶ Sure-Lock ratchet adjustment suspension

### HP641R

#### KILIMANJARO™

- ▶ Full brim offers added sun protection to ears and neck from harmful UV rays
- ▶ Accessory slots & chin strap attachments
- ▶ Sure-Lock ratchet adjustment suspension
- ▶ Comfortable 4-point nylon webbing suspension

### HP142R

#### ROCKY™

- ▶ Ultra-lightweight shell made with Polycarbonate / ABS material provides superior protection
- ▶ High density foam impact liner helps absorb the forces of front, side, or rear impacts
- ▶ Sure-Lock ratchet adjustment suspension
- ▶ Meets CSA Z94.1-15 Type 2, Class E requirements



HP946

## Bump Cap

### HP946

#### DYNAMIC® GRAND SLAM™

- ▶ Ideal for low hazard areas for protection against bumps and lacerations
- ▶ Interior shell with crown padding for comfort and fit
- ▶ Lightweight and well ventilated
- ▶ Adjustable sizing to fit most head sizes





# protection



NP111



NP119



NP118

## Ear Muffs

### NP111

#### SPITFIRE™ PASSIVE EAR MUFF

- ▶ NRR 24 dB
- ▶ Dielectric
- ▶ Lightweight
- ▶ Adjustable height

### NP119

#### BUFFALO™ WIRE CAPMOUNTED EAR MUFF

- ▶ NRR 26 dB
- ▶ Specially designed for wide-brim hats
- ▶ Adjustable Height
- ▶ Meets ANSI S3.19-1974 regulations & CSA Class A standards

### NP118

#### B52™ CAP MOUNTED EAR MUFF

- ▶ NRR 25 dB
- ▶ Crown Parking Position
- ▶ Adjustable Height
- ▶ Meets ANSI S3.19-1974 regulations & CSA Class A standards

## Ear Plugs



### NP267HPF210C

#### BULLET SHAPED POLYURETHANE EAR PLUG

- ▶ NR 32 dB
- ▶ Bullet-shaped for comfort
- ▶ Corded
- ▶ Meets ANSI S3.19-1974 regulations & CSA Class A standards





 CERTIFIED Z94.3-20 | MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS



EPD6S17



EP100BC



EP850C



EPMK01C

## Eyewear

### EPD6S17

#### DYNAMIC® OPTI-SEAL™

- ▶ Cushioned foam sealing gasket for increased protection and comfort
- ▶ Adjustable nosepiece accommodates all facial types and provides a perfect fit
- ▶ Soft TPR on nose bridge and temples arms for increased stability and optimal comfort
- ▶ 4A coating: Anti-scratch, anti-UV, anti-static and anti-fog

### EP100BC

#### DYNAMIC® WARRIOR™

- ▶ Adjustable swivel nose pads provide incomparable fit on all faces
- ▶ Modern ergonomic design with comfortable curved temple ends for maximum comfort
- ▶ Frame made of Elasto LT, a chemical resistant material
- ▶ 4A coating: Anti-scratch, anti-UV, anti-static and anti-fog

### EP850C

#### DYNAMIC® TECHNO™

- ▶ Wraparound lightweight, frameless spectacles
- ▶ One piece lens with soft rubber temple ends
- ▶ Soft non-slip silicone nose piece
- ▶ 4A coating: Anti-scratch, anti-UV, anti-static and anti-fog

### EPMK01C

#### DYNAMIC® PHANTOM OTG™

- ▶ Wide one-piece OTG polycarbonate lens can be used over prescription eyewear
- ▶ Hidden indirect ventilation holes for protection against chemical splashes
- ▶ Soft TPR shroud in a nylon outer frame for maximum comfort
- ▶ Fabric strap made of FR material
- ▶ 4A coating: Anti-scratch, anti-UV, anti-static and anti-fog



### RPD513N95

#### STANDARD N95 DISPOSABLE

- ▶ Curved nose clip
- ▶ Ultrasonically welded straps
- ▶ Open foam nose pad



### RPD714N95

#### N95 RESPIRATOR W/ VALVE

- ▶ Deluxe butterfly valve
- ▶ Ultrasonically welded straps
- ▶ Closed-cell nose pad



### RPD713N95

#### DELUXE N95 RESPIRATOR

- ▶ Closed-cell nose cushion
- ▶ Adjustable knob on each strap
- ▶ Ultrasonically welded straps

## Respirators



# Hi-Vis Vests

POCKETS

3



PC3020210LY



## PC3020210LY

### CSA Z96 CLASS 2 LEVEL 2 X-BACK BREAKAWAY MESH VEST, S-3XL

- ▶ Breathable polyester mesh
- ▶ Hook & loop closure
- ▶ 2" (50 mm) silver reflective tape for added visibility and safety
- ▶ 3 pocket design

POCKETS

4



PC3020211OR



PC3020211LY

## PC3020211LY & PC3020211OG

### CSA Z96 CLASS 2 LEVEL 2 TWO-TONE X-BACK BREAKAWAY MESH VEST, S-3XL

- ▶ Breathable yellow (PC3020211LY) or orange (PC3020211OG) polyester mesh
- ▶ 2" (50 mm) two-tone reflective tape for optimum visibility
- ▶ Hook & loop closure
- ▶ 4 pocket design

POCKETS

4



TSV20G18



TSV2YG19

## TSV20G18 & TSV2YG19

### CSA Z96 CLASS 2 LEVEL 2 TWO-TONE X-BACK BREAKAWAY VEST, S-5XL

- ▶ CSA compliant orange (TSV20G18) or yellow (TSV2YG19) durable polyester material
- ▶ 2" (50 mm) two-tone reflective tape for optimum visibility
- ▶ Hook & loop closure
- ▶ D-ring hole on back
- ▶ 4 pocket design
- ▶ Also available in polyester mesh: orange (TSV20G23) or yellow (TSV2YG24)



# Hi-Vis Vests & Sash Belts

POCKETS

4



## TSV20G18U

### CSA Z96 CLASS 2 LEVEL 2 TWO-TONE X-BACK BREAKAWAY VEST, UNIVERSAL SIZE

- ▶ CSA compliant hi-vis orange polyester material
- ▶ 2" (50 mm) two-tone reflective tape for optimum visibility
- ▶ Belt with hook & loop adjustment for the possibility to enlarge up to 12 inches
- ▶ D-ring hole on back
- ▶ 4 pocket design

TSV20G18U

POCKETS

7



## TSSVOG27

### CSA Z96 CLASS 2 LEVEL 2 SURVEYOR'S VEST, S-5XL

- ▶ Solid polyester fabric
- ▶ 2" (50 mm) two-tone reflective tape for optimum visibility
- ▶ Snap closure
- ▶ 7 pocket design

TSSVOG27



## TSHG32 & TSHG33

### DAYTIME HI-VIS SASH BELT

- ▶ Hi-vis yellow (TSHG32) or hi-vis orange (TSHG33) elasticized material
- ▶ 2" (50 mm) wide elastic belt with 0.78" (20 mm) wide reflective tape
- ▶ 360° horizontal around torso, 2 vertical on front and X back
- ▶ Adjustable buckles

TSHG32

TSHG33

# Hi-Vis Coats

POCKETS

8



**PC3311745XBK**

**CSA Z96 CLASS 1 LEVEL 2 COAT,  
S-4XL**

- ▶ 2" (50 mm) two-tone reflective tape for superior visibility
- ▶ 300 D. black polyester Shell
- ▶ Zipper closure
- ▶ 8 pocket design (including 1 ID pocket)

POCKETS

8



**PC3331747XLY**

**CSA Z96 CLASS 2 LEVEL 2 COAT,  
S-4XL**

- ▶ 2" (50 mm) two-tone reflective tape for superior visibility
- ▶ 300 D. hi-vis yellow polyester Shell, black bottom
- ▶ Zipper closure
- ▶ 8 pocket design (including 1 ID pocket)

POCKETS

8



**PC3331747XOR**

**CSA Z96 CLASS 2 LEVEL 2 COAT,  
S-4XL**

- ▶ 2" (50 mm) two-tone reflective tape for superior visibility
- ▶ 300 D. hi-vis orange polyester Shell, black bottom
- ▶ Zipper closure
- ▶ 8 pocket design (including 1 ID pocket)



# Heat Stress Management

## Cooling Towels and Sweat Bands



**HP396602**

**EZ-COOL®**

**EVAPORATIVE COOLING TOWEL**

- ▶ Material absorbs, stores and releases cooling water vapor within a PVA fabric
- ▶ Designed to be used over and over again; when it begins to dry out, simply rinse again



**HP396E900**

**EZ-COOL®**

**MAX COOLING TOWEL**

- ▶ Microfiber Cooling Towel - Container with clip included
- ▶ Naturally absorbs sweat and provides UV protection



**HPSB470**

**DYNAMIC®**

**TERRY CLOTH SWEAT BAND**

- ▶ Soft and effective terry cloth fabric helps to absorb sweat on forehead
- ▶ Securely attaches to hard hat suspension with hook & loop closure

## Neck Shades



**HP396405BLU**

**EZ-COOL®**

**EVAPORATIVE COOLING HARD HAT PAD WITH NECK SHADE**

- ▶ Polyester and cotton blend fabric with cooling crystals at crown
- ▶ Conveniently attaches to hard hat with hook and loop tabs
- ▶ Combines cooling comfort with neck protection from the sun



**HP396700FRYEL**

**FR TREATED HI-VIS NECK SHADE**

- ▶ FR treated up to 25 washes
- ▶ Elastic at back for secure fit
- ▶ Fits most cap style and full brim hard hats



**HP396801FRYEL**

**FR TREATED HI-VIS VISOR**

- ▶ FR treated up to 25 washes
- ▶ Fits most cap style and full brim hard hats

# Head-to-Toe PPE

## PVC Boots



**FULL SAFETY  
STEEL TOE  
& MIDSOLE**

Enhanced durability, protection  
and comfort

### 16" PVC Full Safety Steel Toe and Midsole Boot

PC383820

- Flexible steel puncture resistant midsole reduces risks from sharp objects and meets ASTM F2413 PR
- Energy absorbing tread adds all-day comfort
- Less toe spring allows for more surface contact for improved channeling of water for better traction, slip resistance and comfort
- Tough outsole for good abrasion resistance
- Flexible upper material stays supple in cold temperatures to make walking easier
- Midsole is designed to utilize additional material in the standard area of the shank providing increased support and comfort
- Lower profile "kick off" ledge on back of boots for ease of removal
- Meets ASTM F2413-18 M/I/C Impact and Compression
- CSA Certified
- Sizes 6-14

#### Foot Protection

STYLE NUMBER	MATERIAL	TYPE	COLOR	COMPLIANT TO	TREAD PATTERN	SIZES
PC383820	PVC	16"	Black	CSA	Cleated	6-14

INCREASED  
SUPPORT  
AND COMFORT

## First Aid Kits



Preparedness on the worksite

### PIP Dynamic® First Aid Kits

ASSORTED\*

- Compact, easily identifiable, and containing the supplies you need to treat workplace injuries and potential emergencies
- Kits exist for many situations and can be personalized, please refer to your province's guidelines in order to determine the correct kit for your needs

\*Refer to our First Aid Kit product page for our complete assortment



Scan it



# Tool Tethering

HOLD GRAVITY ACCOUNTABLE.  
Prevent dropped objects from heights



## Tool Lanyards



### Lanyards with barrel-lock carabiner

- ▶ Snag-resistant D frame carabiner with angled gate opening includes a lanyard captive pin for extra security
- ▶ Shock cording inside nylon protective webbing
- ▶ Lock pin on carabiner end for extra security

STYLE NUMBER	MAXIMUM LOAD LIMIT	LEG	CARABINER	GATE OPENING	FASTENER
<b>FP533100011</b>	10 lb / 4.5kg	Single	Barrel-lock	1" / 2.5cm	Draw string
<b>FP533100701</b>	22 lb / 9.9kg	Single	Barrel-lock	1" / 2.5cm	Nylon webbing
<b>FP533100012</b>	10 lb / 4.5kg	Double	Barrel-lock	1.5" / 3.8cm	Draw string
<b>FP533900101</b>	Tool Tethering Kit, includes FP533100011, FP533100352, FP533700101				

### Stretch tool lanyard

- ▶ Made of 0.55 inches wide tubular webbing
- ▶ Convenient stretch-lanyard for tool holding
- ▶ Provided with a light-weight carabiner for attachment to the user's belt
- ▶ Max load limit : 22 lb / 9.9kg
- ▶ Relaxed length : 2.8ft / 0.9m
- ▶ Expanded length : 4.4ft / 1.3m

STYLE NUMBER	MAXIMUM LOAD LIMIT	LEG	CARABINER	GATE OPENING	FASTENER
<b>FPTOOLTETHER</b>	22 lb / 9.9kg	Single	Single action	1" / 2.5cm	Draw string


# Tool Connector Attachment Points



## WEBBING TOOL CONNECTOR

- Premium nylon webbing
- Fully enclosed D-ring for secure attachment
- Swivel head for ease of use with small tools
- Used with tool tape as retrofit tether point for tools/equipment
- Max load limit 3 lb / 1.4Kg


**FP533100352 - 4,5"**  
**FP533100353 - 5,5"**



## WIRE SLING LOOP

- Loop end to tether tools with small captive holes
- Premium coated stainless steel cable wire
- Max load limit 2 lb / 0.9kg

**FP533100801**



## WIRE SLING WITH SCREW GATE

- Screw gate end to tether tools with small captive holes
- Premium coated stainless steel cable wire
- Max load limit 3 lb / 1.4kg

**FP533100802**



## TOOL BINDING TAPE

- Premium self-adhering tape
- 12 foot roll
- Used with webbing tool connectors as retrofit tether point for tools/equipment
- Max load limit 15 lb / 6.8kg

**FP533700101**



## ELASTICATED CORD TOOL CONNECTOR

- Provides retrofit attachment point to tools/equipment
- Elastic shock cording with barrel lock to attach to tool/equipment
- Swivel head for ease of use

**FP533100151**

# Accessories



## HARD HAT LANYARD

- High-stretch elastic material
- Easy-to-attach clamp for fabric
- Tethering loop securely connects to hard hat
- Max load limit 2 lb / 0.9kg

**FP533300101**



## MEASURING TAPE POUCH

- Premium nylon for strength and durability
- Fully enclosed D-ring for secure attachment
- Used to secure most standard tape measures
- Max load limit 2 lb / 0.9kg

**FP533300301**



## WRISTBAND TOOL HOLDER

- Premium nylon and elastic webbing
- Fully enclosed D-ring for secure attachment
- Shock cording for maximum strength & durability
- Swivel head for easy of use with small tools
- Max load limit 2 lb / 0.9kg

**FP533300401**



## UTILITY POUCH

- Premium nylon and elastic webbing
- Fully enclosed D-Ring for secure attachment
- Used to secure radios, cell phones and other small hand tools
- Modular buckle design connects to fall protection and tool belts
- Max load limit 5 lb / 2.3kg

**FP533300201**



# ABCDs of Fall Protection

**A** - Anchorage connectors provide a secure attachment to structures.



**FP373175**

**DYNAMIC®  
CONCRETE ANCHOR**

- ▶ Temporary and removable
- ▶ 3/4" diameter
- ▶ Rated for 22kN (5,000 lb)



**FP173**

**DYNAMIC®  
3 FT ANCHOR SLING**

- ▶ Disposable without protective sleeve
- ▶ Sewn loops on each end
- ▶ Rated for 22kN (5,000 lb)

**B** - Body wear worn by the user, which includes harnesses and belts.



**FP1001DGXL**

**DYNA-PRO™ HARNESS**

- ▶ Integrated breathable comfort pad
- ▶ 5 points of adjustment
- ▶ Grommet leg connectors
- ▶ CSA Certified, rated for 400 lb



**FP2601DGU**

**DYNA-LITE™ HARNESS**

- ▶ 5 points of adjustment
- ▶ Grommet leg connectors
- ▶ CSA Certified, rated for 400 lb

**C** - Connecting devices that link the body wear to the anchorage connectors.



**FP1101W**

**DYNAMIC®  
WEBBING CLASS SRL**

- ▶ Clear housing for easy inspection
- ▶ Lightweight UHMWPE/ Polyester webbing
- ▶ CSA certified, rated for 310 lb
- ▶ Dual web available: FP1101DW



**FP74311**

**DYNAMIC® DYNA-ONE™  
LANYARD**

- ▶ Polyester 1.75 in (45mm) webbing
- ▶ Energy absorber with two snap hooks
- ▶ CSA certified, rated for 310 lb
- ▶ Y-lanyard available: FP746144

**D** - Descent and rescue products that form a key component of any rescue plan.



**FPTRAUST**

**DYNAMIC® TRAUMA STRAPS**

- ▶ Convenient carrying case



**FP13130**

**DYNAMIC®  
AUTOMATIC ROPE GRAB**

- ▶ With panic and orientation lock
- ▶ Energy absorber with hook
- ▶ CSA certified, rated for 310 lb



**FP16EPS**

**DYNAMIC®  
ROPE LIFELINE**

- ▶ 3-strand polyester rope
- ▶ With carabiner
- ▶ CSA certified with rope grab





FOR OUR COMPLETE LINE  
OF SAFETY PRODUCTS  
GO TO [WWW.PIPCANADA.CA](http://WWW.PIPCANADA.CA)



HAND & ARM  
PROTECTION



PROTECTIVE  
GARMENTS



EYE & HEARING  
PROTECTION



FOOT  
PROTECTION



HEAD  
PROTECTION



RESPIRATORY  
PROTECTION



FALL  
PROTECTION



FIRST AID  
PRODUCTS



IDENTIFICATION  
PRODUCTS





Construction  
Safety

**PIP Canada Ltd.**

2477 Michelin St | Laval, Quebec H7L 5B9

450-687-7374 | 877-446-3278

orders@pipcanada.ca | www.pipcanada.ca



MKTGCBREFEN102022