



PROTECTIVE INDUSTRIAL PRODUCTS

BUILDING CONSTRUCTION SAFETY PRODUCTS

QUICK REFERENCE GUIDE

www.pipcanada.ca

A global provider of innovative safety products



FOUNDED IN
1984
IN LATHAM, NY USA

WORKFORCE OF OVER
1500+
EMPLOYEES

WITH OVER
10K+
PRODUCTS AVAILABLE

Over 30 years ago, PIP® founders Joe Milot and Wellson Tao set out on a mission to bring the best of the world in Safety products.

HEADQUARTERS FOR
CANADA
IN LAVAL, QC

MANUFACTURING LOCATIONS
10
IN NORTH AMERICA

DISTRIBUTION CENTERS
1.5M SQ
FT
GLOBALLY SITUATED

Today, PIP® is a leader in safety products.

BRANDS THAT EXTEND AROUND THE GLOBE.



MAIN PRODUCT CATEGORIES



HAND & ARM PROTECTION



PROTECTIVE GARMENTS



EYE & HEARING PROTECTION



FALL PROTECTION



HEAD PROTECTION



FIRST AID PRODUCTS



RESPIRATORY PROTECTION

Protecting Hands

Up to 30 percent of hand injuries are attributed to fit, wear or simply the wrong type of glove for the hazard. Through innovation and proper training, PIP® believes it can help eliminate hand injuries on the job. G-Tek® cut resistant gloves offer the right protection, fit and feel so workers are comfortable, secure and more productive.

Safety Products You Can Trust

Over the last 10 years, PIP® has grown its product offering in personal protective equipment to deliver head-to-toe protection. Today, in addition to knit gloves and sleeves, we manufacture hard hats, face shields, ear muffs, ear plugs, fall protection, first aid, and more.



Construction
Safety

KEY TO SAFETY IN BUILDING CONSTRUCTION

CONSTRUCTION IS ONE OF THE HIGHEST RISK INDUSTRIES TO WORK IN

According to OSHA, roughly one in five worker deaths are in the construction industry. Each job site is filled with numerous hazards that threaten construction site safety and can result in injuries and fatalities. Using the correct PPE can greatly reduce these risks. PIP® offers a full line of personal protective equipment to protect building construction workers from the hazards and elements they face daily.

EMPLOYMENT

- Over 1.4 million workers
- Approximately 7.5 per cent of Canada's GDP

INJURIES

THE FATAL FOUR:



38.7%
Electrical Hazards



9.4%
Fall Hazards



8.3%
Struck by Object



7.3%
Caught in
or Between

Hand Protection

Protection against cut/laceration, impact/crushing, cold, chemical exposure and repetitive use.

Hearing Protection

Protection against prolonged exposure to the noise of machinery, tools and job sites.

Safety Glasses

Protection against dirt, concrete dust, glass shards, metal filings and other debris.

Hard Hats

Protection from falling objects, struck-by hazards and other unplanned events.

Protective Garments

Protection from work-zone fatalities and accidents caused by poor visibility.

Footwear

Protection from harmful liquids, puncture, impact and other harmful debris.

First Aid

Promotes preparedness against minor injuries on the job site.

Fall Protection

Prevents workers falling and objects being dropped from heights.



Excavation and Site Prep

Concrete Foundation and Structure

APPLICATIONS



HARNESSING & FASTENING




HEAVY-DUTY WORK



SIGNALING

USER NEEDS



GP120MP2415

BOSS® SYNTHETIC LEATHER PALM WITH SILICONE & PVC PATCH GRIP, M-3XL

- ▶ Excellent grip in dry and slightly oily conditions
- ▶ Excellent impact resistance
- ▶ Pre-curved fingers for all-day comfort



APPLICATIONS



HARNESSING & FASTENING




HEAVY-DUTY WORK



SIGNALING

USER NEEDS



GP1205150

MAXIMUM SAFETY® TUFFMAX™, S-2XL

- ▶ Excellent dry and wet grip
- ▶ Excellent dexterity, tactile sensitivity and cut resistance
- ▶ Heavy-duty impact protection



GP87811

R2® SYNTHETIC LEATHER DOUBLE PALM WITH SILICONE GRIP, FABRIC BACK, S-3XL

- ▶ Excellent grip in dry and slightly oily conditions
- ▶ TPR impact protection
- ▶ Reinforced thumb crotch, palm and fingers



GP56426

MAXIDRY® ULTRA LIGHTWEIGHT SEAMLESS GLOVE WITH MICROFOAM GRIP, XS-2XL

- ▶ Fully coated with gauntlet for extended protection
- ▶ Nitrile coatings are compatible with light oils
- ▶ High abrasion resistance



GP16560

G-TEK® POLYKOR® SEAMLESS GLOVE WITH POLYURETHANE GRIP, XXS-2XL

- ▶ Good dexterity and breathability
- ▶ Excellent abrasion resistance
- ▶ Optimal cut resistance



GP563152

ARMORTUFF® SMOOTH FULL HAND NITRILE DIPPED WITH JERSEY LINER, S-XL

- ▶ Unique combination of low-coating deposit weight and high abrasion resistance
- ▶ Nitrile coatings are compatible with light oils
- ▶ Excellent dexterity and grip

Outer Structure

Electrical

APPLICATIONS



HARNESSING & FASTENING




HEAVY-DUTY WORK



SIGNALING

USER NEEDS



GP120MP2415
BOSS® SYNTHETIC LEATHER PALM WITH SILICONE & PVC PATCH GRIP, M-3XL
 ▶ Excellent grip in dry and slightly oily conditions
 ▶ Excellent impact resistance
 ▶ Pre-curved fingers for all-day comfort



APPLICATIONS



INSTALLING CONDUIT




PULLING WIRE AND CABLE



INSTALLING CABLE TRAY

USER NEEDS



GP997KB
COWHIDE DRIVER WITH IMPACT RESISTANCE, XS-3XL
 ▶ Excellent dexterity and durability
 ▶ Enhanced fit and comfort
 ▶ Dorsal impact protection



GP09LC533AR
BOSS® XTREME GOATSKIN DRIVER, M-3XL
 ▶ Durable yet supple goatskin leather with medium cut protection
 ▶ Para-Aramid liner is heat resistant
 ▶ High abrasion resistance



GP16368
G-TEK® POLYKOR® X7™ SEAMLESS GLOVE WITH NEOFOAM® PALM, XS-2XL
 ▶ Super lightweight and thin 18 gauge design
 ▶ Incredibly secure grip in dry conditions
 ▶ Optimal cut resistance



GP827563
PIP® SUPERIOR GRADE COWHIDE LEATHER PALM GLOVE, S-XL
 ▶ Constructed of "A/B" grade shoulder split cowhide
 ▶ Cotton lined palm for extra comfort
 ▶ Leather knuckle strap and finger tips for extra protection



GP34315
G-TEK® SEAMLESS KNIT POLYESTER GLOVE WITH NITRILE PALM AND FINGERS, XS-2XL
 ▶ Good wet and dry grip
 ▶ Excellent abrasion resistance
 ▶ Some resistance to chemicals



HVAC

Mechanical

APPLICATIONS



HARNESSING & FASTENING




SHEET METAL WORK



INSTALLATION

USER NEEDS



APPLICATIONS



HARNESSING & FASTENING




PIPE CUTTING & THREADING



INSTALLATION

USER NEEDS



GP556 G-TEK® POLYKOR® GLOVE WITH POLYURETHANE PALM AND FINGERS, XS-2XL

- ▶ Unmatched dexterity and tactile sensitivity
- ▶ Excellent cut resistance
- ▶ Good grip in dry/slightly oily conditions



GP16645LG G-TEK® POLYKOR® GLOVE WITH POLYURETHANE PALM, XS-2XL

- ▶ Excellent dexterity, tactile sensitivity and cut resistance
- ▶ Secure grip in dry and slightly wet/oily conditions
- ▶ Excellent abrasion resistance



GP555 G-TEK® POLYKOR® GLOVE WITH NITRILE PALM AND FINGERS, S-2XL

- ▶ Unmatched dexterity and tactile sensitivity
- ▶ Excellent cut resistance
- ▶ Good grip in dry/oily conditions



GP16854 G-TEK® POLYKOR® GLOVE WITH NITRILE FOAM PALM, XS-2XL

- ▶ Provides excellent dexterity and tactile sensitivity
- ▶ Nitrile channels fluid from surface for improved grip
- ▶ Secure grip in dry conditions



GP16377 G-TEK® POLYKOR® X7™ GLOVE WITH NEOFOAM COATED PALM, XS-2XL

- ▶ High cut resistance and durability
- ▶ Outstanding wet and dry grip
- ▶ High abrasion resistance



GP443745 MAXICUT® ULTRA™ CUT RESISTANT GLOVE WITH MICROFOAM NITRILE PALM, XS-3XL

- ▶ 360° breathability
- ▶ Great grip in dry and light oil applications
- ▶ Excellent dexterity, tactile sensitivity and cut resistance



Interior Finishing

APPLICATIONS



DRYWALL




MASONRY



TILING

USER NEEDS



ANSI CUT
A3

GP16530 G-TEK® POLYKOR® GLOVE WITH POLYURETHANE PALM, S-2XL

- ▶ Good dexterity and breathability
- ▶ Excellent tactile sensitivity
- ▶ Optimal cut resistance



ANSI CUT
A2

GP348743 MAXIFLEX® CUT™ SEAMLESS GLOVE WITH MICROFOAM NITRILE PALM, XS-3XL

- ▶ World standard for precision handling in dry environments
- ▶ Cut protection with high levels of sensitivity
- ▶ Nitrile coating on palm



ANSI CUT
A2

GP348753 MAXIFLEX® CUT™ SEAMLESS GLOVE WITH MICROFOAM NITRILE 3/4 COATING, XS-3XL

- ▶ World standard for precision handling in dry environments
- ▶ Cut protection with high levels of sensitivity
- ▶ Nitrile coating on palm, fingers, and knuckles

Cold Weather Gloves



GP771364

CAIMAN® PREMIUM GRADE COWHIDE LEATHER WITH 3M™ C100 INSULATION, M-XL

- ▶ Genuine cowhide provides excellent heavy-duty durability
- ▶ 3M™ Thinsulate™ C100 insulation for ultimate warmth and comfort
- ▶ Keystone thumb design, with self-hemmed cuff
- ▶ Stays flexible in cold weather



ANSI CUT
A3

GP411415

G-TEK® POLYKOR® SEAMLESS KNIT GLOVE WITH DOUBLE- DIPPED NITRILE COATING, S-2XL

- ▶ Excellent dexterity, tactile sensitivity and cut resistance
- ▶ Fully coated flat nitrile helps keep hands dry in wet applications
- ▶ Nitrile foam coating provides superior grip in dry, wet and oily applications
- ▶ Excellent thermal insulation



ANSI CUT
A6

GP418156

G-TEK® POLYKOR® SEAMLESS KNIT GLOVE WITH FOAM NITRILE COATING, S-2XL

- ▶ Excellent dexterity, tactile sensitivity and cut resistance
- ▶ Superior grip in dry and wet conditions
- ▶ Single-layer construction provides excellent thermal insulation and improved dexterity



GP77469

PIP® PREMIUM TOP GRAIN PIGSKIN LEATHER WITH 3M™ C40 INSULATION, S-2XL

- ▶ Pigskin leather construction provides great breathability
- ▶ 3M™ Thinsulate™ C40 + 3mm foam lining provides excellent insulation
- ▶ Keystone thumb design

Hard hats and hearing protection

STAY SAFE ON THE JOB

Head Protection



HP241R

DYNAMIC® WHISTLER™

- ▶ Best-selling lightweight design
- ▶ Accessory slots & chin strap attachments
- ▶ Sure-Lock ratchet adjustment suspension
- ▶ Meets CSA Z94.1-15 Type 1, Class E requirements



HP641R

DYNAMIC® KILIMANJARO™

- ▶ Full brim offers added sun protection to ears and neck from harmful UV rays
- ▶ Accessory slots & chin strap attachments
- ▶ Comfortable 4-point nylon webbing suspension with Sure-Lock ratchet adjustment
- ▶ Meets CSA Z94.1-15 Type 1, Class E requirements



HP142R

DYNAMIC® ROCKY™

- ▶ Climbing style helmet featuring an ultra-lightweight polycarbonate / ABS shell that provides superior protection
- ▶ High density foam impact liner helps absorb the forces of front, side, or rear impacts
- ▶ Sure-Lock ratchet adjustment suspension
- ▶ Meets CSA Z94.1-15 Type 2, Class E requirements, CSA Type 1 also available



HP542R

DYNAMIC® MONT-BLANC™

- ▶ Sleek and lightweight design
- ▶ High density foam impact liner helps absorb the forces of front, side, or rear impacts
- ▶ Accessory slots & chin strap attachments
- ▶ Sure-Lock ratchet adjustment suspension
- ▶ Meets CSA Z94.1-15 Type 2, Class E requirements



HP841R

DYNAMIC® STROMBOLI™

- ▶ Smooth dome design popular in construction
- ▶ Lightweight polycarbonate shell offering exceptional protection against heat, radiation and impacts
- ▶ Accessory slots & chin strap attachments
- ▶ Sure-Lock ratchet adjustment suspension
- ▶ Meets CSA Z94.1-15 Type 1, Class E requirements



HP946

DYNAMIC® GRAND SLAM™ BUMP CAP

- ▶ Ideal for low hazard areas for protection against bumps and lacerations
- ▶ Interior shell with crown padding for comfort and fit
- ▶ Lightweight and well ventilated
- ▶ Adjustable sizing to fit most head sizes



Hearing Protection



NP111

DYNAMIC® SPITFIRE™ PASSIVE EAR MUFF

- ▶ NRR 24 dB
- ▶ Dielectric
- ▶ Adjustable height
- ▶ Meets ANSI S3.19-1974 regulations & CSA Class A standards



NP119

DYNAMIC® BUFFALO™ WIRE CAPMOUNTED EAR MUFF

- ▶ NRR 26 dB
- ▶ Specially designed for wide-brim hats
- ▶ Adjustable height
- ▶ Meets ANSI S3.19-1974 regulations & CSA Class A standards



NP267HPF510C

T-SHAPED POLYURETHANE EAR PLUG

- ▶ NRR 32 dB
- ▶ Innovative "T-Shape" makes removal simple
- ▶ Corded (available non-corded)
- ▶ Meets ANSI S3.19-1974 regulations & CSA Class A standards



NP120

DYNAMIC® MIRAGE™ NECK MOUNTED EAR MUFF

- ▶ NRR 24 dB
- ▶ Ideal for use with bump caps or head-mounted face protection
- ▶ Adjustable height
- ▶ Meets ANSI S3.19-1974 regulations & CSA Class A standards



NP116

DYNAMIC® MIRAGE™ CAP MOUNTED EAR MUFF

- ▶ NRR 23 dB
- ▶ Crown parking position
- ▶ Adjustable height
- ▶ Meets ANSI S3.19-1974 regulations & CSA Class A standards



NP267HPF210C

BULLET SHAPED POLYURETHANE EAR PLUG

- ▶ NRR 32 dB
- ▶ Bullet-shaped for comfort
- ▶ Corded (available non-corded)
- ▶ Meets ANSI S3.19-1974 regulations & CSA Class A standards

Eye & Face Protection

SUPERIOR SAFETY AND ENHANCED FEATURES



DYNAMIC

SP CERTIFIED Z94.3-20 | MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS



EP850



EP100B



EPD6S17



EP675G



EPMK01

Eyewear

EP850

DYNAMIC® TECHNO™

- ▶ Wraparound lightweight, frameless spectacles
- ▶ One piece lens with soft rubber temple ends
- ▶ Soft non-slip silicone nose piece
- ▶ 4A coating: Anti-scratch, anti-UV, anti-static and anti-fog

EP100B

DYNAMIC® WARRIOR™

- ▶ Adjustable swivel nose pads provide incomparable fit on all faces
- ▶ Modern ergonomic design with comfortable curved temple ends for maximum comfort
- ▶ Frame made of Elasto LT, a chemical resistant material
- ▶ 4A coating: Anti-scratch, anti-UV, anti-static and anti-fog

EPD6S17

DYNAMIC® OPTI-SEAL™

- ▶ Cushioned foam sealing gasket for increased protection and comfort
- ▶ Adjustable nosepiece accommodates all facial types and provides a perfect fit
- ▶ Soft TPR on nose bridge and temples arms for increased stability and optimal comfort
- ▶ 4A coating: Anti-scratch, anti-UV, anti-static and anti-fog

EP675G

DYNAMIC® VOLCANO PLUS™

- ▶ Removable foam padding for better protection against dust and debris
- ▶ Dual injection, wide temple arms for better protection and comfort
- ▶ A contemporary, single lens design with a wide field of vision
- ▶ 4A coating: Anti-scratch, anti-UV, anti-static and anti-fog

EPMK01

DYNAMIC® PHANTOM OTG™

- ▶ Wide one-piece OTG polycarbonate lens can be used over prescription eyewear
- ▶ Hidden indirect ventilation holes for protection against chemical splashes
- ▶ Soft TPR shroud in a nylon outer frame for maximum comfort
- ▶ Fabric strap made of FR material
- ▶ 4A coating: Anti-scratch, anti-UV, anti-static and anti-fog

Face Protection



EPB101

HIGH-PERFORMANCE PLASTIC BRACKET

- ▶ Dielectric design
- ▶ Compatible with slotted hard hats
- ▶ Universal attachment system accepts a wide range of visors and face-shields
- ▶ Swivel system, can be raised or lowered



EPB101VD

HIGH-PERFORMANCE PLASTIC BRACKET WITH RUBBER GASKET

- ▶ Dielectric design, including a debris control rubber gasket
- ▶ Compatible with slotted hard hats
- ▶ Universal attachment system accepts a wide range of visors and face-shields
- ▶ Swivel system, can be raised or lowered



EP81540

HIGH-PERFORMANCE DIE-CUT VISOR

- ▶ Multi-fit attachment pattern (universal fit) compatible with a variety of headgear and brackets
- ▶ PETG material is suitable for general grinding and liquid splash applications
- ▶ Thickness of 0.040 in / 1.0 mm

Respirators



RPD513N95

STANDARD N95 DISPOSABLE

- ▶ Curved nose clip
- ▶ Ultrasonically welded straps
- ▶ Open foam nose pad



RPD714N95

N95 RESPIRATOR WITH VALVE

- ▶ Deluxe butterfly valve
- ▶ Ultrasonically welded straps
- ▶ Closed-cell nose pad



RPD713N95

DELUXE N95 RESPIRATOR

- ▶ Closed-cell nose cushion
- ▶ Adjustable knob on each strap
- ▶ Ultrasonically welded straps

Hi-Vis Vests

POCKETS

4



TSV2OG18 & TSV2YG19

CSA Z96 CLASS 2 LEVEL 2 TWO-TONE X-BACK BREAKAWAY VEST, S-5XL

- ▶ CSA compliant orange (TSV2OG18) or yellow (TSV2YG19) durable polyester material
- ▶ 2" (50 mm) two-tone reflective tape for optimum visibility
- ▶ Hook & loop closure
- ▶ D-ring hole on back
- ▶ 4 pocket design
- ▶ Also available in polyester mesh: orange (TSV2OG23) or yellow (TSV2YG24)

POCKETS

4



TSV2OG18U

CSA Z96 CLASS 2 LEVEL 2 TWO-TONE X-BACK BREAKAWAY VEST, UNIVERSAL SIZE

- ▶ CSA compliant hi-vis orange polyester material
- ▶ 2" (50 mm) two-tone reflective tape for optimum visibility
- ▶ Belt with hook & loop adjustment for the possibility to enlarge up to 12 inches
- ▶ D-ring hole on back
- ▶ 4 pocket design

POCKETS

7



TSSVOG27

CSA Z96 CLASS 2 LEVEL 2 SURVEYOR'S VEST, S-5XL

- ▶ Solid polyester fabric
- ▶ 2" (50 mm) two-tone reflective tape for optimum visibility
- ▶ Snap closure
- ▶ 7 pocket design

POCKETS

3



PC3020210LY

POCKETS

4



PC3020211LY

PC3020211OG

PC3020210LY

CSA Z96 CLASS 2 LEVEL 2 X-BACK BREAKAWAY MESH VEST, S-3XL

- ▶ Breathable polyester mesh
- ▶ Hook & loop closure
- ▶ 2" (50 mm) silver reflective tape for added visibility and safety
- ▶ 3 pocket design

PC3020211LY & PC3020211OR

CSA Z96 CLASS 2 LEVEL 2 TWO-TONE X-BACK BREAKAWAY MESH VEST, S-3XL

- ▶ Breathable yellow (PC3020211LY) or orange (PC3020211OR) polyester mesh
- ▶ 2" (50 mm) two-tone reflective tape for optimum visibility
- ▶ Hook & loop closure
- ▶ 4 pocket design

Hi-Vis Coats & Sash Belts

POCKETS

8



PC3311745XBK

CSA Z96 CLASS 1 LEVEL 2 COAT, S-4XL

- ▶ 2" (50 mm) two-tone reflective tape for superior visibility
- ▶ 300 D. black polyester shell
- ▶ Zipper closure
- ▶ 8 pocket design (including 1 ID pocket)

POCKETS

8



PC3331747XLY & PC3331747XOR

CSA Z96 CLASS 2 LEVEL 2 COAT, S-4XL

- ▶ 2" (50 mm) two-tone reflective tape for superior visibility
- ▶ Hi-vis yellow (PC3331747XLY) or orange (PC3331747XOR) 300 D. polyester shell, with black bottom
- ▶ Zipper closure
- ▶ 8 pocket design (including 1 ID pocket)

PC3331747XOR

PC3331747XLY



TSHG32



TSHG33

TSHG32 & TSHG33

DAYTIME HI-VIS SASH BELT

- ▶ Hi-vis yellow (TSHG32) or hi-vis orange (TSHG33) elasticized material
- ▶ 2" (50 mm) wide elastic belt with 0.78" (20 mm) wide reflective tape
- ▶ 360° horizontal around torso, 2 vertical on front and X back
- ▶ Adjustable buckles

Temperature Management

Cooling Towels and Sweat Bands



HP396602

**EZ-COOL®
EVAPORATIVE COOLING TOWEL**


- ▶ Material absorbs, stores and releases cooling water vapor within a PVA fabric
- ▶ Designed to be reused, when it begins to dry out, simply rinse again



HP396E900

**EZ-COOL®
MAX COOLING TOWEL**

- ▶ Microfiber Cooling Towel - Container with clip included
- ▶ Naturally absorbs sweat and provides UV protection



HPSB470

**DYNAMIC®
TERRY CLOTH SWEAT BAND**

- ▶ Soft and effective terry cloth fabric helps to absorb sweat on forehead
- ▶ Securely attaches to hard hat suspension with hook & loop closure

Neck Shades



HP396405BLU

**EZ-COOL®
EVAPORATIVE COOLING HARD HAT PAD
WITH NECK SHADE**

- ▶ Polyester and cotton blend fabric with cooling crystals at crown
- ▶ Conveniently attaches to hard hat with hook and loop tabs



HP396700FRYEL

FR TREATED HI-VIS NECK SHADE

- ▶ FR treated up to 25 washes
- ▶ Elastic at back for secure fit
- ▶ Fits most cap style and full brim hard hats



HP396801FRYEL

FR TREATED HI-VIS VISOR

- ▶ FR treated up to 25 washes
- ▶ Fits most cap style and full brim hard hats

Heating Technology

PC300HV100U

BOSS® THERM™ HEATED VEST

- ▶ Designed to be worn as a base layer
- ▶ Utilizes innovative flexible heating panels built into the chest and back
- ▶ Three individual temperature settings, adjustable via remote control
- ▶ Powerful 5-volt rechargeable battery



Head-to-Toe PPE

PVC Boots



**FULL SAFETY
STEEL TOE
& MIDSOLE**

Enhanced durability, protection and comfort

16" PVC Full Safety Steel Toe and Midsole Boot

PC383820

- Flexible steel puncture resistant midsole reduces risks from sharp objects and meets ASTM F2413 PR
- Energy absorbing tread adds all-day comfort
- Less toe spring allows for more surface contact for improved channeling of water for better traction, slip resistance and comfort
- Tough outsole for good abrasion resistance
- Flexible upper material stays supple in cold temperatures to make walking easier
- Midsole is designed to utilize additional material in the standard area of the shank providing increased support and comfort
- Lower profile "kick off" ledge on back of boots for ease of removal
- Meets ASTM F2413-18 M/IC Impact and Compression
- CSA Certified
- Sizes 6-14

Foot Protection

STYLE NUMBER	MATERIAL	TYPE	COLOR	COMPLIANT TO	TREAD PATTERN	SIZES
PC383820	PVC	16"	Black	CSA	Cleated	6-14

INCREASED
SUPPORT
AND COMFORT

First Aid Kits



Preparedness on the worksite

PIP Dynamic® First Aid Kits

ASSORTED

- Compact, easily identifiable, and containing the supplies you need to treat workplace injuries and potential emergencies
- Kits exist for many situations and can be personalized, please refer to your province's guidelines in order to determine the correct kit for your needs

Refer to our First Aid Kit product page for our complete assortment, including the below CSA Z1220-17 standard kits:

TYPE	METAL BOX	NYLON POUCH	PLASTIC BOX	REFILL
1: PERSONAL	FAKCSAT1BM	FAKCSAT1BN	FAKCSAT1BP	FAKCSAT1BR
2: SMALL	FAKCSAT2SBM	FAKCSAT2SBN	FAKCSAT2SBP	FAKCSAT2SBR
2: MEDIUM	FAKCSAT2MBM	FAKCSAT2MBN	FAKCSAT2MBP	FAKCSAT2MBR
2: LARGE	FAKCSAT2LBM	FAKCSAT2LBN	FAKCSAT2LBP	FAKCSAT2LBR
3: SMALL	FAKCSAT3SBM	FAKCSAT3SBN	FAKCSAT3SBP	FAKCSAT3SBR
3: MEDIUM	FAKCSAT3MBM	FAKCSAT3MBN	FAKCSAT3MBP	FAKCSAT3MBR
3: LARGE	FAKCSAT3LBM	FAKCSAT3LBN	FAKCSAT3LBP	FAKCSAT3LBR



Scan it

Tool Tethering

PREVENT DROPPED OBJECTS FROM HEIGHTS



Tool Lanyards



Lanyards with barrel-lock carabiner

- ▶ Snag-resistant D frame carabiner with angled gate opening includes a lanyard captive pin for extra security
- ▶ Shock cording inside nylon protective webbing
- ▶ Lock pin on carabiner end for extra security

STYLE NUMBER	MAXIMUM LOAD LIMIT	LEG	CARABINER	GATE OPENING	FASTENER
FP533100011	10 lb / 4.5kg	Single	Barrel-lock	1" / 2.5cm	Draw string
FP533100701	22 lb / 9.9kg	Single	Barrel-lock	1" / 2.5cm	Nylon webbing
FP533100012	10 lb / 4.5kg	Double	Barrel-lock	1.5" / 3.8cm	Draw string
FP533900101	Tool Tethering Kit, includes FP533100011, FP533100352, FP533700101				

Stretch tool lanyard

- ▶ Made of 0.55 inches wide tubular webbing
- ▶ Convenient stretch-lanyard for tool holding
- ▶ Provided with a light-weight carabiner for attachment to the user's belt
- ▶ Max load limit : 22 lb / 9.9kg
- ▶ Relaxed length : 2.8ft / 0.9m
- ▶ Expanded length : 4.4ft / 1.3m

STYLE NUMBER	MAXIMUM LOAD LIMIT	LEG	CARABINER	GATE OPENING	FASTENER
FPTOOLTETHER	22 lb / 9.9kg	Single	Single action	1" / 2.5cm	Draw string

Tool Connector Attachment Points




Maximum Load Limit
3lb
1.4 kg

WEBBING TOOL CONNECTOR

- Premium nylon webbing
- Fully enclosed D-ring for secure attachment
- Swivel head for ease of use with small tools
- Used with tool tape as retrofit tether point for tools/equipment
- Max load limit 3 lb / 1.4Kg

FP533100352 - 4,5"
FP533100353 - 5,5"



Maximum Load Limit
2lb
0.9 kg

WIRE SLING LOOP

- Loop end to tether tools with small captive holes
- Premium coated stainless steel cable wire
- Max load limit 2 lb / 0.9kg

FP533100801



Maximum Load Limit
3lb
1.4 kg

WIRE SLING WITH SCREW GATE

- Screw gate end to tether tools with small captive holes
- Premium coated stainless steel cable wire
- Max load limit 3 lb / 1.4kg

FP533100802



Maximum Load Limit
15lb
6.8 kg

TOOL BINDING TAPE

- Premium self-adhering tape
- 12 foot roll
- Used with webbing tool connectors as retrofit tether point for tools/equipment
- Max load limit 15 lb / 6.8kg

FP533700101



Maximum Load Limit
15lb
6.8 kg

ELASTICATED CORD TOOL CONNECTOR

- Provides retrofit attachment point to tools/equipment
- Elastic shock cording with barrel lock to attach to tool/equipment
- Swivel head for ease of use

FP533100151

Accessories



Maximum Load Limit
2lb
0.9 kg

HARD HAT LANYARD

- High-stretch elastic material
- Easy-to-attach clamp for fabric
- Tethering loop securely connects to hard hat
- Max load limit 2 lb / 0.9kg

FP533300101



Maximum Load Limit
2lb
0.9 kg

MEASURING TAPE POUCH

- Premium nylon for strength and durability
- Fully enclosed D-ring for secure attachment
- Used to secure most standard tape measures
- Max load limit 2 lb / 0.9kg

FP533300301



Maximum Load Limit
2lb
0.9 kg

WRISTBAND TOOL HOLDER

- Premium nylon and elastic webbing
- Fully enclosed D-ring for secure attachment
- Shock cording for maximum strength & durability
- Swivel head for easy of use with small tools
- Max load limit 2 lb / 0.9kg

FP533300401



Maximum Load Limit
5lb
2.3 kg

UTILITY POUCH

- Premium nylon and elastic webbing
- Fully enclosed D-Ring for secure attachment
- Used to secure radios, cell phones and other small hand tools
- Modular buckle design connects to fall protection and tool belts
- Max load limit 5 lb / 2.3kg

FP533300201

ABCDs of Fall Protection

A - Anchorage connectors provide a secure attachment to structures.



FP373175
DYNAMIC®
CONCRETE ANCHOR
▶ Temporary and removable
▶ 3/4" diameter
▶ Rated for 22kN (5,000 lb)



FP173
DYNAMIC®
3 FT ANCHOR SLING
▶ Disposable anchor sling without protective sleeve
▶ Sewn loops on each end
▶ Rated for 22kN (5,000 lb)



FP10
DYNAMIC®
CABLE SLING
▶ Galvanized steel cable with swaged eyes at each end
▶ PVC coated against corrosion
▶ Rated for 22kN (5,000 lb)



FP960
DYNAMIC®
DOOR/WINDOW ANCHOR
▶ Non-intrusive anchor point
▶ Easily installed inside a door or window frame
▶ Adjustable from 23.62" to 49.12" (59.05 cm to 123.02 cm)
▶ Storage bag included

B - Body wear worn by the user, which includes harnesses and belts.



FPMX1G1D0DR
CONSTRUCTION-PRO™
HI-VIS HARNESS
▶ Reinforced and designed to support the additional weight of heavy-duty tools
▶ Low-light 0.5" reflective stripe
▶ Break-away tool belt
▶ 5 points of adjustment
▶ Grommet leg connectors
▶ CSA Certified, rated for 400 lb



FPM5G1D0DC
CONSTRUCTION-ECO™
HARNESS
▶ Reinforced and designed to support the additional weight of heavy-duty tools
▶ 5 points of adjustment
▶ Grommet leg connectors
▶ CSA Certified, rated for 400 lb



FP1001DG
DYNA-PRO™
HARNESS
▶ Professional vest-style harness with integrated breathable comfort padding
▶ 5 points of adjustment
▶ Grommet leg connectors
▶ CSA Certified, rated for 400 lb



FP2601DGU
DYNA-LITE™
HARNESS
▶ 5 points of adjustment
▶ Grommet leg connectors
▶ CSA Certified, rated for 400 lb

C - Connecting devices that link the body wear to the anchorage connectors.



- FP1101W**
DYNAMIC®
WEBBING CLASS SRL
- ▶ Clear housing for easy inspection
 - ▶ Lightweight UHMWPE/ polyester webbing
 - ▶ CSA certified, rated for 310 lb
 - ▶ Dual web available: FP1101DW



- FP746144**
DYNAMIC®
DYNA-ONE™ Y-LANYARD
- ▶ Polyester 1.75" (45 mm) webbing
 - ▶ Energy absorber with 1 small snap hook and 2 large hooks
 - ▶ CSA certified, rated for 310 lb
 - ▶ Available lengths: 4-5-6 FT
 - ▶ Single lanyard available: FP74314



- FP13130**
DYNAMIC®
AUTOMATIC ROPE GRAB
- ▶ With panic and orientation lock
 - ▶ Energy absorber with hook
 - ▶ CSA certified, rated for 310 lb



- FP16EPS**
DYNAMIC®
ROPE LIFELINE
- ▶ 3-strand polyester rope
 - ▶ With carabiner
 - ▶ CSA certified with rope grab

D - Descent and rescue products that form a key component of any rescue plan.



- FPTRAUST**
DYNAMIC® TRAUMA STRAPS
- ▶ Convenient carrying case

Roofer's Kit



- FPRK099Y50**
DYNAMIC® ROOFER'S KIT
- ▶ 3-point adjustable harness with mating buckles, 1 back D-ring, and 2 tear away lanyard keepers
 - ▶ Rope grab with 30" energy absorbing lanyard
 - ▶ 50ft polyester vertical lifeline with snap hook
 - ▶ Reusable roof anchor with screws
 - ▶ Storage bucket and lid
 - ▶ CSA certified components where applicable

FOR OUR COMPLETE LINE
 OF SAFETY PRODUCTS
 GO TO WWW.PIPCANADA.CA



HAND & ARM
 PROTECTION



PROTECTIVE
 GARMENTS



EYE & HEARING
 PROTECTION



FOOT
 PROTECTION



HEAD
 PROTECTION



RESPIRATORY
 PROTECTION



FALL
 PROTECTION



FIRST AID
 PRODUCTS



IDENTIFICATION
 PRODUCTS



Construction Safety

PIP Canada Ltd.

2477 Michelin St | Laval, Quebec H7L 5B9

450-687-7374 | 877-446-3278

orders@pipcanada.ca | www.pipcanada.ca