



# BUILDING CONSTRUCTION SAFETY PRODUCTS

**QUICK REFERENCE GUIDE**

[www.pipcanada.ca](http://www.pipcanada.ca)

# A global provider of innovative safety products



Nearly 40 years ago, PIP® founders Joe Milot and Wellson Tao set out on a mission to bring the best of the world in safety products.

FOUNDED IN  
**1984**  
IN LATHAM, NY USA

WORKFORCE OF OVER  
**1500+**  
EMPLOYEES

WITH OVER  
**10K+**  
PRODUCTS AVAILABLE

HEADQUARTERS FOR  
**CANADA**  
IN LAVAL, QC

MANUFACTURING LOCATIONS  
**10**  
IN NORTH AMERICA

DISTRIBUTION CENTERS  
**1.5M** SQ  
FT  
GLOBALLY SITUATED

## Today, PIP® is a leader in safety products.

### BRANDS THAT EXTEND AROUND THE GLOBE.



## MAIN PRODUCT CATEGORIES



HAND & ARM PROTECTION



PROTECTIVE WORKWEAR



EYE & HEARING PROTECTION



FALL PROTECTION



HEAD PROTECTION



FIRST AID PRODUCTS



RESPIRATORY PROTECTION

## Protecting Hands

Up to 30 percent of hand injuries are attributed to fit, wear or simply the wrong type of glove for the hazard. Through innovation and proper training, PIP® believes it can help eliminate hand injuries on the job. G-Tek® cut resistant gloves offer the right protection, fit and feel so workers are comfortable, secure and more productive.

## Safety Products You Can Trust

Over the last 10 years, PIP® has grown its product offering in personal protective equipment to deliver head-to-toe protection. Today, in addition to knit gloves and sleeves, we manufacture hard hats, face shields, ear muffs, ear plugs, fall protection, first aid, and more.





# KEY TO SAFETY IN BUILDING CONSTRUCTION

## CONSTRUCTION IS ONE OF THE HIGHEST RISK INDUSTRIES TO WORK IN

According to OSHA, roughly one in five worker deaths are in the construction industry. Each job site is filled with numerous hazards that threaten construction site safety and can result in injuries and fatalities. Using the correct PPE can greatly reduce these risks. PIP® offers a full line of personal protective equipment to protect building construction workers from the hazards and elements they face daily.

### EMPLOYMENT

- Over 1.4 million workers
- Approximately 7.5 per cent of Canada's GDP

### INJURIES

#### THE FATAL FOUR:



**38.7%**  
Electrical Hazards



**9.4%**  
Fall Hazards



**8.3%**  
Struck by Object



**7.3%**  
Caught in  
or Between

### Hand Protection

Protection against cut/laceration, impact/crushing, cold, chemical exposure and repetitive use.

### Hearing Protection

Protection against prolonged exposure to the noise of machinery, tools and job sites.

### Safety Glasses

Protection against dirt, concrete dust, glass shards, metal filings and other debris.

### Hard Hats

Protection from falling objects, struck-by hazards and other unplanned events.

### Protective Garments

Protection from work-zone fatalities and accidents caused by poor visibility.

### Footwear

Protection from harmful liquids, puncture, impact and other harmful debris.

### First Aid

Promotes preparedness against minor injuries on the job site.

### Fall Protection

Prevents workers falling and objects being dropped from heights.



# Excavation and Site Prep

# Concrete Foundation and Structure

## APPLICATIONS



HARNESSING  
& FASTENING



HEAVY-DUTY WORK



SIGNALING

## USER NEEDS

ABRASION RESISTANCE

WET AND DRY GRIP

IMPACT RESISTANCE

LOW MEDIUM HIGH



### GP16MPT630

**G-TEK® POLYKOR® WITH  
D30® IP™, S-2XL**

- ▶ Excellent grip in dry and oily conditions
- ▶ D30® disperses impact force energy without sacrificing dexterity
- ▶ Breathable and temperature stable

## APPLICATIONS



HARNESSING  
& FASTENING



HEAVY-DUTY WORK



SIGNALING

## USER NEEDS

ABRASION RESISTANCE

WET AND DRY GRIP

THERMAL PROTECTION

LOW MEDIUM HIGH



### GP1205150

**MAXIMUM SAFETY®  
TUFFMAX5™, S-2XL**

- ▶ Excellent dry and wet grip
- ▶ Excellent dexterity, tactile sensitivity and cut resistance
- ▶ Heavy-duty impact protection



### GP87811

**R2® SYNTHETIC LEATHER  
DOUBLE PALM WITH SILICONE  
GRIP, FABRIC BACK, S-3XL**

- ▶ Excellent grip in dry and slightly oily conditions
- ▶ TPR impact protection
- ▶ Reinforced thumb crotch, palm and fingers



### GP56426

**MAXIDRY® ULTRA  
LIGHTWEIGHT SEAMLESS  
GLOVE WITH MICROFOAM  
GRIP, XS-2XL**

- ▶ Fully coated with gauntlet for extended protection
- ▶ Nitrile coatings are compatible with light oils
- ▶ High abrasion resistance



### GP16560

**G-TEK® POLYKOR® SEAMLESS  
GLOVE WITH POLYURETHANE  
GRIP, XXS-2XL**

- ▶ Good dexterity and breathability
- ▶ Excellent abrasion resistance
- ▶ Optimal cut resistance



### GP563152

**ARMORTUFF® SMOOTH FULL  
HAND NITRILE DIPPED WITH  
JERSEY LINER, S-XL**

- ▶ Unique combination of low-coating deposit weight and high abrasion resistance
- ▶ Nitrile coatings are compatible with light oils
- ▶ Excellent dexterity and grip

# Outer Structure

# Electrical

## APPLICATIONS



HARNESSING  
& FASTENING




HEAVY-DUTY WORK



SIGNALING

## USER NEEDS



### GP120MP2415

#### BOSS® SYNTHETIC LEATHER PALM WITH SILICONE & PVC PATCH GRIP, M-3XL

- ▶ Excellent grip in dry and slightly oily conditions
- ▶ Excellent impact resistance
- ▶ Pre-curved fingers for all-day comfort



### GP09LC533AR

#### BOSS® XTREME GOATSKIN DRIVER, M-3XL

- ▶ Durable yet supple goatskin leather with medium cut protection
- ▶ Para-Aramid liner is heat resistant
- ▶ High abrasion resistance



### GP827563

#### PIP® SUPERIOR GRADE COWHIDE LEATHER PALM GLOVE, S-XL

- ▶ Constructed of "A/B" grade shoulder split cowhide
- ▶ Cotton lined palm for extra comfort
- ▶ Leather knuckle strap and finger tips for extra protection

## APPLICATIONS



INSTALLING  
CONDUIT




PULLING WIRE  
AND CABLE



INSTALLING  
CABLE TRAY

## USER NEEDS



### GP997KB

#### COWHIDE DRIVER WITH IMPACT RESISTANCE, XS-3XL

- ▶ Excellent dexterity and durability
- ▶ Enhanced fit and comfort
- ▶ Dorsal impact protection



### GP16368

#### G-TEK® POLYKOR® X7™ SEAMLESS GLOVE WITH NEOFOAM® PALM, XS-2XL

- ▶ Super lightweight and thin 18 gauge design
- ▶ Incredibly secure grip in dry conditions
- ▶ Optimal cut resistance



### GP34315

#### G-TEK® SEAMLESS KNIT POLYESTER GLOVE WITH NITRILE PALM AND FINGERS, XS-2XL

- ▶ Good wet and dry grip
- ▶ Excellent abrasion resistance
- ▶ Some resistance to chemicals



# HVAC

# Mechanical

## APPLICATIONS



HARNESSING  
& FASTENING



SHEET METAL  
WORK



INSTALLATION

## USER NEEDS



### GP556

#### G-TEK® POLYKOR® GLOVE WITH POLYURETHANE PALM AND FINGERS, XS-2XL

- ▶ Unmatched dexterity and tactile sensitivity
- ▶ Excellent cut resistance
- ▶ Good grip in dry/slightly oily conditions



## APPLICATIONS



HARNESSING  
& FASTENING




PIPE CUTTING  
& THREADING



INSTALLATION

## USER NEEDS



### GP16645LG

#### G-TEK® POLYKOR® GLOVE WITH POLYURETHANE PALM, XS-2XL

- ▶ Excellent dexterity, tactile sensitivity and cut resistance
- ▶ Secure grip in dry and slightly wet/oily conditions
- ▶ Excellent abrasion resistance



### GP555

#### G-TEK® POLYKOR® GLOVE WITH NITRILE PALM AND FINGERS, S-2XL

- ▶ Unmatched dexterity and tactile sensitivity
- ▶ Excellent cut resistance
- ▶ Good grip in dry/oily conditions



### GP16854

#### G-TEK® POLYKOR® GLOVE WITH NITRILE FOAM PALM, XS-2XL

- ▶ Provides excellent dexterity and tactile sensitivity
- ▶ Nitrile channels fluid from surface for improved grip
- ▶ Secure grip in dry conditions



### GP16377

#### G-TEK® POLYKOR® X7™ GLOVE WITH NEOFOAM COATED PALM, XS-2XL

- ▶ High cut resistance and durability
- ▶ Outstanding wet and dry grip
- ▶ High abrasion resistance



### GP443745

#### MAXICUT® ULTRA™ CUT RESISTANT GLOVE WITH MICROFOAM NITRILE PALM, XS-3XL

- ▶ 360° breathability
- ▶ Great grip in dry and light oil applications
- ▶ Excellent dexterity, tactile sensitivity and cut resistance



# Interior Finishing

## APPLICATIONS



DRYWALL



MASONRY



TILING

## USER NEEDS

CUT RESISTANCE

DRY GRIP

DEXTERITY

LOW MEDIUM HIGH



ANSI CUT  
A3

### GP16530

#### G-TEK® POLYKOR® GLOVE WITH POLYURETHANE PALM, S-2XL

- ▶ Good dexterity and breathability
- ▶ Excellent tactile sensitivity
- ▶ Optimal cut resistance



ANSI CUT  
A2

### GP348743

#### MAXIFLEX® CUT™ SEAMLESS GLOVE WITH MICROFOAM NITRILE PALM, XS-3XL

- ▶ World standard for precision handling in dry environments
- ▶ Cut protection with high levels of sensitivity
- ▶ Nitrile coating on palm



ANSI CUT  
A2

### GP348753

#### MAXIFLEX® CUT™ SEAMLESS GLOVE WITH MICROFOAM NITRILE 3/4 COATING, XS-3XL

- ▶ World standard for precision handling in dry environments
- ▶ Cut protection with high levels of sensitivity
- ▶ Nitrile coating on palm, fingers, and knuckles

# Cold Weather Gloves



### GP771364

#### CAIMAN® PREMIUM GRADE COWHIDE LEATHER WITH 3M™ C100 INSULATION, M-XL

- ▶ Genuine cowhide provides excellent heavy-duty durability
- ▶ 3M™ Thinsulate™ C100 insulation for ultimate warmth and comfort
- ▶ Keystone thumb design, with self-hemmed cuff
- ▶ Stays flexible in cold weather



ANSI CUT  
A3

### GP411415

#### G-TEK® POLYKOR® SEAMLESS KNIT GLOVE WITH DOUBLE-DIPPED NITRILE COATING, S-2XL

- ▶ Excellent dexterity, tactile sensitivity and cut resistance
- ▶ Fully coated flat nitrile helps keep hands dry in wet applications
- ▶ Nitrile foam coating provides superior grip in dry, wet and oily applications
- ▶ Excellent thermal insulation



ANSI CUT  
A6

### GP418156

#### G-TEK® POLYKOR® SEAMLESS KNIT GLOVE WITH FOAM NITRILE COATING, S-2XL

- ▶ Excellent dexterity, tactile sensitivity and cut resistance
- ▶ Superior grip in dry and wet conditions
- ▶ Single-layer construction provides excellent thermal insulation and improved dexterity



### GP77469

#### PIP® PREMIUM TOP GRAIN PIGSKIN LEATHER WITH 3M™ C40 INSULATION, S-2XL

- ▶ Pigskin leather construction provides great breathability
- ▶ 3M™ Thinsulate™ C40 + 3mm foam lining provides excellent insulation
- ▶ Keystone thumb design



# Hard hats and hearing protection

**STAY SAFE ON THE JOB**

## Head Protection



**HP241R**

**DYNAMIC® WHISTLER™**

- ▶ Best-selling lightweight design
- ▶ Accessory slots & chin strap attachments
- ▶ Sure-Lock ratchet adjustment suspension
- ▶ Meets CSA Z94.1-15 Type 1, Class E requirements



**HP641R**

**DYNAMIC® KILIMANJARO™**

- ▶ Full brim offers added sun protection to ears and neck from harmful UV rays
- ▶ Accessory slots & chin strap attachments
- ▶ Comfortable 4-point nylon webbing suspension with Sure-Lock ratchet adjustment
- ▶ Meets CSA Z94.1-15 Type 1, Class E requirements



**HP142R**

**DYNAMIC® ROCKY™**

- ▶ Climbing style helmet featuring an ultra-lightweight polycarbonate / ABS shell that provides superior protection
- ▶ High density foam impact liner helps absorb the forces of front, side, or rear impacts
- ▶ Sure-Lock ratchet adjustment suspension
- ▶ Meets CSA Z94.1-15 Type 2, Class E requirements, CSA Type 1 also available



**HP542R**

**DYNAMIC® MONT-BLANC™**

- ▶ Sleek and lightweight design
- ▶ High density foam impact liner helps absorb the forces of front, side, or rear impacts
- ▶ Accessory slots & chin strap attachments
- ▶ Sure-Lock ratchet adjustment suspension
- ▶ Meets CSA Z94.1-15 Type 2, Class E requirements



**HP841R**

**DYNAMIC® STROMBOLI™**

- ▶ Smooth dome design popular in construction
- ▶ Lightweight polycarbonate shell offering exceptional protection against heat, radiation and impacts
- ▶ Accessory slots & chin strap attachments
- ▶ Sure-Lock ratchet adjustment suspension
- ▶ Meets CSA Z94.1-15 Type 1, Class E requirements



**HP946**

**DYNAMIC® GRAND SLAM™ BUMP CAP**

- ▶ Ideal for low hazard areas for protection against bumps and lacerations
- ▶ Interior shell with crown padding for comfort and fit
- ▶ Lightweight and well ventilated
- ▶ Adjustable sizing to fit most head sizes





## Hearing Protection



**NRR 23**  
263-V1NB




**NRR 24**  
263-V2CM



**NRR 27**  
263-V3FB

### PIP® V SERIES™ EAR MUFFS

- ▶ Dependable protection and comfort, at an affordable price
- ▶ Available as a headband, cap-mounted, full brim, and neck band (not pictured)
- ▶ All styles available in three different color-coded NRR ratings, from V1™ to V3™
- ▶ Lengths are easily adjustable to achieve a perfect fit
- ▶ Extra soft memory foam ear cushions conform to surface and head shape
- ▶ Replacement hygiene kits available separately



**NP267HPB410**

#### BANDED POLYURETHANE EAR PLUGS

- ▶ NRR 24 dB
- ▶ Convenient for intermittent use
- ▶ Curved design keeps pods from contact with dirty surfaces
- ▶ Pair of replacement pods included



**NP267HPF510C**

#### T-SHAPED POLYURETHANE EAR PLUG

- ▶ NRR 32 dB
- ▶ Innovative "T-Shape" makes removal simple
- ▶ Corded (available non-corded)
- ▶ Meets ANSI S319-1974 regulations & CSA Class A standards



**NP267HPF210C**

#### BULLET SHAPED POLYURETHANE EAR PLUG

- ▶ NRR 32 dB
- ▶ Bullet-shaped for comfort
- ▶ Corded (available non-corded)
- ▶ Meets ANSI S319-1974 regulations & CSA Class A standards

# Eye & Face Protection

SUPERIOR SAFETY AND  
ENHANCED FEATURES



CERTIFIED Z94.3-20 | MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS



EP550



EP850



EPD6S17



EP675G



EPMK01

## Eyewear

### EP550

#### DYNAMIC® SOLUS™

- ▶ Sleek and economical frameless spectacles with universal comfort nose bridge
- ▶ Wide field uni-lens design offering unobstructed vision
- ▶ Made of very lightweight, high impact resistant Polycarbonate
- ▶ 3A coating: Anti-scratch, anti-UV and anti-static

### EP850

#### DYNAMIC® TECHNO™

- ▶ Wraparound lightweight, frameless spectacles
- ▶ One piece lens with soft rubber temple ends
- ▶ Soft non-slip silicone nose piece
- ▶ 4A coating: Anti-scratch, anti-UV, anti-static and anti-fog

### EPD6S17

#### DYNAMIC® OPTI-SEAL™

- ▶ Cushioned foam sealing gasket for increased protection and comfort
- ▶ Adjustable nosepiece accommodates all facial types and provides a perfect fit
- ▶ Soft TPR on nose bridge and temples arms for increased stability and optimal comfort
- ▶ 4A coating: Anti-scratch, anti-UV, anti-static and anti-fog

### EP675G

#### DYNAMIC® VOLCANO PLUS™

- ▶ Removable foam padding for better protection against dust and debris
- ▶ Dual injection, wide temple arms for better protection and comfort
- ▶ A contemporary, single lens design with a wide field of vision
- ▶ 4A coating: Anti-scratch, anti-UV, anti-static and anti-fog

### EPMK01

#### DYNAMIC® PHANTOM OTG™

- ▶ Wide one-piece OTG polycarbonate lens can be used over prescription eyewear
- ▶ Hidden indirect ventilation holes for protection against chemical splashes
- ▶ Soft TPR shroud in a nylon outer frame for maximum comfort
- ▶ Fabric strap made of FR material
- ▶ 4A coating: Anti-scratch, anti-UV, anti-static and anti-fog



# Face Protection



## EPB101

### HIGH-PERFORMANCE PLASTIC BRACKET

- ▶ Dielectric design
- ▶ Compatible with slotted hard hats
- ▶ Universal attachment system accepts a wide range of visors and face-shields
- ▶ Swivel system, can be raised or lowered



## EPB101VD

### HIGH-PERFORMANCE PLASTIC BRACKET WITH RUBBER GASKET

- ▶ Dielectric design, including a debris control rubber gasket
- ▶ Compatible with slotted hard hats
- ▶ Universal attachment system accepts a wide range of visors and face-shields
- ▶ Swivel system, can be raised or lowered



## EP81540

### HIGH-PERFORMANCE DIE-CUT VISOR

- ▶ Multi-fit attachment pattern (universal fit) compatible with a variety of headgear and brackets
- ▶ PETG material is suitable for general grinding and liquid splash applications
- ▶ Thickness of 0.040 in / 1.0 mm

# Respirators



## 272-RPRF88

### JSP® FORCE TYPHOON™ 8 HALF-MASK REUSABLE RESPIRATOR

- ▶ Fully adjustable 4-point cradle suspension
- ▶ Lightweight durable thermoplastic rubber mask
- ▶ Low resistance Typhoon™ exhalation valve

272-RPRF8810/20/30 - Small/Medium/Large

272-RPRF4004 - P100 encased filters



## 272-RPD425N95

### JSP® SPRINGFIT™ N95 FLAT FOLD RESPIRATOR

- ▶ Secure fit with the use of a unique endoskeleton structure
- ▶ Typhoon™ valve tested to -40°C (-40°F)
- ▶ Compact fold flat design is easily pocketed



## RPD713N95

### DELUXE N95 RESPIRATOR

- ▶ Closed-cell nose cushion
- ▶ Adjustable knob on each strap
- ▶ Ultrasonically welded straps

# Protective Workwear

**BUILT TO GET THE JOB DONE**

For nearly 60 years Bisley® Workwear has been shaping the protective clothing industry with unparalleled quality, exceptional service and value. Bisley® is also a leader in providing women's options that have been researched and designed to be comfortable, flattering, and most importantly to provide optimal protection on the job site.



## PC313W1118X

### HI-VIS X-BACK SHORT SLEEVE TEE, S-3XL

- ▶ Women's specific design (men's also available)
- ▶ Excellent moisture wicking with side-split for added comfort
- ▶ Dual layered fabric with cotton against the skin
- ▶ Perforated heat-sealed reflective X-back
- ▶ CSA Z96 Class 2



## PC313M6490X

### HI-VIS X-BACK X-AIRFLOW™ SHIRT, S-5XL

- ▶ Men's specific design (women's also available)
- ▶ X-Airflow™ ventilation at multiple heat stress areas, including laser perforated fabric panels on side of body and underarms
- ▶ Lightweight stretch ripstop fabric with permanent wicking
- ▶ CSA Z96 Class 2

## Hi-Vis Vests

POCKETS

3



PC3020210LY

POCKETS

4



PC3020211OR

PC3020211LY

## PC3020210LY

### CSA Z96 CLASS 2 LEVEL 2 X-BACK BREAKAWAY MESH VEST, S-3XL

- ▶ Breathable polyester mesh
- ▶ Hook & loop closure
- ▶ 2" (50 mm) silver reflective tape for added visibility and safety
- ▶ 3 pocket design

## PC3020211LY & PC3020211OR

### CSA Z96 CLASS 2 LEVEL 2 TWO-TONE X-BACK BREAKAWAY MESH VEST, S-3XL

- ▶ Breathable yellow (PC3020211LY) or orange (PC3020211OR) polyester mesh
- ▶ 2" (50 mm) two-tone reflective tape for optimum visibility
- ▶ Hook & loop closure
- ▶ 4 pocket design



# Hi-Vis Coats & Sash Belts

POCKETS

8



**PC3311745XBK**

**CSA Z96 CLASS 1 LEVEL 2 COAT, S-4XL**

- ▶ 2" (50 mm) two-tone reflective tape for superior visibility
- ▶ 300 D. black polyester shell
- ▶ Zipper closure
- ▶ 8 pocket design (including 1 ID pocket)

POCKETS

8



**PC3331747XLY & PC3331747XOR**

**CSA Z96 CLASS 2 LEVEL 2 COAT, S-4XL**

- ▶ 2" (50 mm) two-tone reflective tape for superior visibility
- ▶ Hi-vis yellow (PC3331747XLY) or orange (PC3331747XOR) 300 D. polyester shell, with black bottom
- ▶ Zipper closure
- ▶ 8 pocket design (including 1 ID pocket)

**PC3331747XOR**

**PC3331747XLY**



**TSHG32**



**TSHG33**

**TSHG32 & TSHG33**

**DAYTIME HI-VIS SASH BELT**

- ▶ Hi-vis yellow (TSHG32) or hi-vis orange (TSHG33) elasticized material
- ▶ 2" (50 mm) wide elastic belt with 0.78" (20 mm) wide reflective tape
- ▶ 360° horizontal around torso, 2 vertical on front and X back
- ▶ Adjustable buckles

# Temperature Management

## Cooling Towels and Sweat Bands



**HP396602**

**EZ-COOL®  
EVAPORATIVE COOLING TOWEL**

- ▶ Material absorbs, stores and releases cooling water vapor within a PVA fabric
- ▶ Designed to be reused, when it begins to dry out, simply rinse again



**HP396E900**

**EZ-COOL®  
MAX COOLING TOWEL**

- ▶ Microfiber Cooling Towel - Container with clip included
- ▶ Naturally absorbs sweat and provides UV protection



**HPSB470**

**DYNAMIC®  
TERRY CLOTH SWEAT BAND**

- ▶ Soft and effective terry cloth fabric helps to absorb sweat on forehead
- ▶ Securely attaches to hard hat suspension with hook & loop closure

## Neck Shades



**HP396405BLU**

**EZ-COOL®  
EVAPORATIVE COOLING HARD HAT PAD  
WITH NECK SHADE**

- ▶ Polyester and cotton blend fabric with cooling crystals at crown
- ▶ Conveniently attaches to hard hat with hook and loop tabs



**HP396700FRYEL**

**FR TREATED HI-VIS NECK SHADE**

- ▶ FR treated up to 25 washes
- ▶ Elastic at back for secure fit
- ▶ Fits most cap style and full brim hard hats



**HP396801FRYEL**

**FR TREATED HI-VIS VISOR**

- ▶ FR treated up to 25 washes
- ▶ Fits most cap style and full brim hard hats

## Heating Technology

**PC300HV100U**

**BOSS® THERM™ HEATED VEST**

- ▶ Designed to be worn as a base layer
- ▶ Utilizes innovative flexible heating panels built into the chest and back
- ▶ Three individual temperature settings, adjustable via remote control
- ▶ Powerful 5-volt rechargeable battery





# Head-to-Toe PPE

## PVC Boots



**FULL SAFETY  
STEEL TOE  
& MIDSOLE**

Enhanced durability, protection  
and comfort

### 16" PVC Full Safety Steel Toe and Midsole Boot

**PC383820**

- Flexible steel puncture resistant midsole reduces risks from sharp objects and meets ASTM F2413 PR
- Energy absorbing tread adds all-day comfort
- Less toe spring allows for more surface contact for improved channeling of water for better traction, slip resistance and comfort
- Tough outsole for good abrasion resistance
- Flexible upper material stays supple in cold temperatures to make walking easier
- Midsole is designed to utilize additional material in the standard area of the shank providing increased support and comfort
- Lower profile "kick off" ledge on back of boots for ease of removal
- Meets ASTM F2413-18 M/IC Impact and Compression
- CSA Certified
- Sizes 6-14

#### Foot Protection

STYLE NUMBER	MATERIAL	TYPE	COLOR	COMPLIANT TO	TREAD PATTERN	SIZES
PC383820	PVC	16"	Black	CSA	Cleated	6-14

INCREASED  
SUPPORT  
AND COMFORT

## First Aid Kits



Preparedness on the worksite

### PIP Dynamic® First Aid Kits

#### ASSORTED

- Compact, easily identifiable, and containing the supplies you need to treat workplace injuries and potential emergencies
- Kits exist for many situations and can be personalized, please refer to your province's guidelines in order to determine the correct kit for your needs

Refer to our First Aid Kit product page for our complete assortment, including the below CSA Z1220-17 standard kits:

TYPE	METAL BOX	NYLON POUCH	PLASTIC BOX	REFILL
1: PERSONAL	FAKCSAT1BM	FAKCSAT1BN	FAKCSAT1BP	FAKCSAT1BR
2: SMALL	FAKCSAT2SBM	FAKCSAT2SBN	FAKCSAT2SBP	FAKCSAT2SBR
2: MEDIUM	FAKCSAT2MBM	FAKCSAT2MBN	FAKCSAT2MBP	FAKCSAT2MBR
2: LARGE	FAKCSAT2LBM	FAKCSAT2LBN	FAKCSAT2LBP	FAKCSAT2LBR
3: SMALL	FAKCSAT3SBM	FAKCSAT3SBN	FAKCSAT3SBP	FAKCSAT3SBR
3: MEDIUM	FAKCSAT3MBM	FAKCSAT3MBN	FAKCSAT3MBP	FAKCSAT3MBR
3: LARGE	FAKCSAT3LBM	FAKCSAT3LBN	FAKCSAT3LBP	FAKCSAT3LBR



Scan it

# Tool Tethering

PREVENT DROPPED OBJECTS  
FROM HEIGHTS



## Tool Lanyards



### Lanyards with barrel-lock carabiner

- ▶ Snag-resistant D frame carabiner with angled gate opening includes a lanyard captive pin for extra security
- ▶ Shock cording inside nylon protective webbing
- ▶ Lock pin on carabiner end for extra security

STYLE NUMBER	MAXIMUM LOAD LIMIT	LEG	CARABINER	GATE OPENING	FASTENER
FP533100011	10 lb / 4.5kg	Single	Barrel-lock	1" / 2.5cm	Draw string
FP533100701	22 lb / 9.9kg	Single	Barrel-lock	1" / 2.5cm	Nylon webbing
FP533100012	10 lb / 4.5kg	Double	Barrel-lock	1.5" / 3.8cm	Draw string
FP533900101	Tool Tethering Kit, includes FP533100011, FP533100352, FP533700101				

### Stretch tool lanyard

- ▶ Made of 0.55 inches wide tubular webbing
- ▶ Convenient stretch-lanyard for tool holding
- ▶ Provided with a light-weight carabiner for attachment to the user's belt
- ▶ Max load limit : 22 lb / 9.9kg
- ▶ Relaxed length : 2.8ft / 0.9m
- ▶ Expanded length : 4.4ft / 1.3m

STYLE NUMBER	MAXIMUM LOAD LIMIT	LEG	CARABINER	GATE OPENING	FASTENER
FPTOOLTETHER	22 lb / 9.9kg	Single	Single action	1" / 2.5cm	Draw string




# Tool Connector Attachment Points



## WEBBING TOOL CONNECTOR

- Premium nylon webbing
- Fully enclosed D-ring for secure attachment
- Swivel head for ease of use with small tools
- Used with tool tape as retrofit tether point for tools/equipment
- Max load limit 3 lb / 1.4Kg


**FP533100352 - 4,5"**  
**FP533100353 - 5,5"**



## WIRE SLING LOOP

- Loop end to tether tools with small captive holes
- Premium coated stainless steel cable wire
- Max load limit 2 lb / 0.9kg

**FP533100801**



## WIRE SLING WITH SCREW GATE

- Screw gate end to tether tools with small captive holes
- Premium coated stainless steel cable wire
- Max load limit 3 lb / 1.4kg

**FP533100802**



## TOOL BINDING TAPE

- Premium self-adhering tape
- 12 foot roll
- Used with webbing tool connectors as retrofit tether point for tools/equipment
- Max load limit 15 lb / 6.8kg

**FP533700101**



## ELASTICATED CORD TOOL CONNECTOR

- Provides retrofit attachment point to tools/equipment
- Elastic shock cording with barrel lock to attach to tool/equipment
- Swivel head for ease of use

**FP533100151**

# Accessories



## HARD HAT LANYARD

- High-stretch elastic material
- Easy-to-attach clamp for fabric
- Tethering loop securely connects to hard hat
- Max load limit 2 lb / 0.9kg

**FP533300101**



## MEASURING TAPE POUCH

- Premium nylon for strength and durability
- Fully enclosed D-ring for secure attachment
- Used to secure most standard tape measures
- Max load limit 2 lb / 0.9kg

**FP533300301**



## WRISTBAND TOOL HOLDER

- Premium nylon and elastic webbing
- Fully enclosed D-ring for secure attachment
- Shock cording for maximum strength & durability
- Swivel head for easy of use with small tools
- Max load limit 2 lb / 0.9kg

**FP533300401**



## UTILITY POUCH

- Premium nylon and elastic webbing
- Fully enclosed D-Ring for secure attachment
- Used to secure radios, cell phones and other small hand tools
- Modular buckle design connects to fall protection and tool belts
- Max load limit 5 lb / 2.3kg

**FP533300201**

# ABCDs of Fall Protection

**A** - Anchorage connectors provide a secure attachment to structures.



**FP373175**

**DYNAMIC®  
CONCRETE ANCHOR**

- ▶ Temporary and removable
- ▶ 3/4" diameter
- ▶ Rated for 22kN (5,000 lb)



**FP173**

**DYNAMIC®  
3 FT ANCHOR SLING**

- ▶ Disposable anchor sling without protective sleeve
- ▶ Sewn loops on each end
- ▶ Rated for 22kN (5,000 lb)



**FP10**

**DYNAMIC®  
CABLE SLING**

- ▶ Galvanized steel cable with swaged eyes at each end
- ▶ PVC coated against corrosion
- ▶ Rated for 22kN (5,000 lb)



**FP960**

**DYNAMIC®  
DOOR/WINDOW ANCHOR**

- ▶ Non-intrusive anchor point
- ▶ Easily installed inside a door or window frame
- ▶ Adjustable from 23.62" to 49.12" (59.05 cm to 123.02 cm)
- ▶ Storage bag included

**B** - Body wear worn by the user, which includes harnesses and belts.



**FPMX1G1D0DR**

**CONSTRUCTION-PRO™  
HI-VIS HARNESS**

- ▶ Reinforced and designed to support the additional weight of heavy-duty tools
- ▶ Low-light 0.5" reflective stripe
- ▶ Break-away tool belt
- ▶ 5 points of adjustment
- ▶ Grommet leg connectors
- ▶ CSA Certified, rated for 400 lb



**FPM5G1D0DC**

**CONSTRUCTION-ECO™  
HARNESS**

- ▶ Reinforced and designed to support the additional weight of heavy-duty tools
- ▶ 5 points of adjustment
- ▶ Grommet leg connectors
- ▶ CSA Certified, rated for 400 lb



**FP1001DG**

**DYNA-PRO™ HARNESS**

- ▶ Professional vest-style harness with integrated breathable comfort padding
- ▶ 5 points of adjustment
- ▶ Grommet leg connectors
- ▶ CSA Certified, rated for 400 lb



**FP2601DGU**

**DYNA-LITE™ HARNESS**

- ▶ 5 points of adjustment
- ▶ Grommet leg connectors
- ▶ CSA Certified, rated for 400 lb



**C** - Connecting devices that link the body wear to the anchorage connectors.



**FP1101W**

**DYNAMIC®  
WEBBING CLASS SRL**

- ▶ Clear housing for easy inspection
- ▶ Lightweight UHMWPE/ polyester webbing
- ▶ CSA certified, rated for 310 lb
- ▶ Dual web available: FP1101DW



**FP746144**

**DYNAMIC®  
DYNA-ONE™ Y-LANYARD**

- ▶ Polyester 1.75" (45 mm) webbing
- ▶ Energy absorber with 1 small snap hook and 2 large hooks
- ▶ CSA certified, rated for 310 lb
- ▶ Available lengths: 4-5-6 FT
- ▶ Single lanyard available: FP74314



**FP13130**

**DYNAMIC®  
AUTOMATIC ROPE GRAB**

- ▶ With panic and orientation lock
- ▶ Energy absorber with hook
- ▶ CSA certified, rated for 310 lb



**FP16EPS**

**DYNAMIC®  
ROPE LIFELINE**

- ▶ 3-strand polyester rope
- ▶ With carabiner
- ▶ CSA certified with rope grab

**D** - Descent and rescue products that form a key component of any rescue plan.



**FPTRAUST**

**DYNAMIC® TRAUMA STRAPS**

- ▶ Convenient carrying case

## Roofer's Kit



**FPRK099Y50**

**DYNAMIC® ROOFER'S KIT**

- ▶ 3-point adjustable harness with mating buckles, 1 back D-ring, and 2 tear away lanyard keepers
- ▶ Rope grab with 30" energy absorbing lanyard
- ▶ 50ft polyester vertical lifeline with snap hook
- ▶ Reusable roof anchor with screws
- ▶ Storage bucket and lid
- ▶ CSA certified components where applicable

FOR OUR COMPLETE LINE  
OF SAFETY PRODUCTS  
GO TO [WWW.PIPCANADA.CA](http://WWW.PIPCANADA.CA)



HAND & ARM  
PROTECTION



PROTECTIVE  
WORKWEAR



EYE & HEARING  
PROTECTION



FOOT  
PROTECTION



HEAD  
PROTECTION



RESPIRATORY  
PROTECTION



FALL  
PROTECTION



FIRST AID  
PRODUCTS



IDENTIFICATION  
PRODUCTS



**PIP Canada Ltd.**

450-687-7374 | 877-446-3278

orders@pipcanada.ca | [www.pipcanada.ca](http://www.pipcanada.ca)