



Natural Disaster Relief Safety Products Brochure

www.pipcanada.ca










EXPECT THE UN

PIP's natural disaster relief PPE features essential head-to-toe safety products designed to protect the brave recovery teams, volunteers and local officials who make relief a reality. As a global leader in hand protection and PPE, PIP® is proud to offer quality safety products to distribution partners across the country to better support the safe and efficient recovery of homes, neighborhoods and communities affected by catastrophic acts of nature.

ACCOUNT FOR KEY HAZARDS ASSOCIATED WITH RESPONSE ACTIVITIES:



PROTECTION DESIGNED TO WEATHER THE AFTERMATH:



EXPECTED




Hand and Arm Protection

Cut Resistant



Disposable



Reusable Nitrile



Insulated



High Performance



G-Tek® Seamless Knit Cut Resistant Gloves

STYLE NUMBER	ANSI CUT	EN388	COATING	COATING COVERAGE	COATING COLOR	LINER	LINER COLOR	GAUGE	SIZES
GP09K1600	A7	4532FX	Nitrile Foam	Palm & Fingers	Black	Kevlar®	Yellow	13	S-3XL

Kut Gard® Cut Resistant Sleeves

STYLE NUMBER	ANSI CUT	MATERIAL	CONSTRUCTION	PLY	TOP CUFF	BOTTOM CUFF	COLOR	LENGTH
GP10KS	A3	DuPont™ Kevlar®	Seamless Knit	2	Serged	Straight	Yellow	8" / 10" / 12" / 14" / 18"

Ambi-dex® Non-Latex Synthetic Gloves

STYLE NUMBER	21 CFR	CFIA	GRADE	THICKNESS	COLOR	GRIP PATTERN	POWDER	SIZES	BOX COUNT
GP64346PF	Yes	No	Industrial	4 mil	White	Smooth	Powder-Free	S-XL	100

Ambi-dex® Nitrile Single-Use Gloves

GP63532PF	Yes	No	Food	4 mil	Blue	Textured	Powder-Free	S-2XL	100
-----------	-----	----	------	-------	------	----------	-------------	-------	-----

Grippaz® Heavy-Duty Nitrile Gloves

GP67246	Yes	No	Industrial	6 mil	Black	Fish Scale	Powder-Free	S-2XL	50
---------	-----	----	------------	-------	-------	------------	-------------	-------	----

ProCoat™ Insulated Coated PVC

STYLE NUMBER	ANSI	POLYMER	COLOR	CUFF	LENGTH	CONSTRUCTION	GRIP PATTERN	LINING	SIZES
GP587305	-	PVC	Hi-Vis Orange	Safety	10"	Supported	Smooth	Foam	Men's

Assurance® Unlined Nitrile Gloves

STYLE NUMBER	EN 374	21 CFR	CFIA	POLYMER	COLOR	THICKNESS	CUFF	LENGTH	CONSTRUCTION	GRIP PATTERN	LINING	SIZES
GP50N110G	ABK	Yes	Yes	Nitrile	Green	11 mil	Straight	13"	Unsupported	Raised Diamond	Unlined	S-2XL

High Performance Gloves

STYLE NUMBER	ANSI CUT	EN388	ANSI F38	COATING	COATING COVERAGE	COATING COLOR	SHELL MATERIAL	SHELL COLOR	SIZES
GP16MPT630	A6	4X42F	3	Nitrile MicroSurface	Palm & Fingertips	Black	PolyKor®	Black	S-2XL

Above-The-Neck PPE



Head Protection



Dynamic® Rocky™
HP142R

- Safety helmet with integrated chin strap
- Super lightweight ABS/Polycarbonate shell
- Foam lateral impact protection
- Ideal for working at heights
- ANSI/CSA Type 2; Class E



Dynamic® Mont-Blanc™
HP542R

- Classic cap styling
- Lightweight HDPE shell
- Foam lateral impact protection
- ANSI/CSA Type 2; Class E



Dynamic® Whistler™
HP241R

- Classic cap styling
- Wheel ratchet size adjustment
- ANSI/CSA Type 1; Class E
- Optimal comfort and protection against general top of head impacts



Dynamic® Kilimanjaro™
HP641R

- Full brim offers increased protection
- Wheel ratchet size adjustment
- ANSI/CSA Type 1; Class E
- Optimal comfort and protection against top of head impacts



JSP® HardCap Aerolite™
Bump Cap with 1" Micro Brim
HP282AEM130

- Lightweight and cool, weighs less than 5 oz.
- HDPE liner provides all-around protection
- Unique size adjuster provides a quick, secure fit
- Optimal protection from light bumps and scrapes



Dynamic® Vesuvio™
HP851R

- Ambient heat protection up to 400°F / 204°C
- Wheel ratchet size adjustment
- ANSI/CSA Type 1; Class E

Elevated Heat

Dynamic® Rocky™			STANDARDS MET							AVAILABLE COLORS
STYLE NUMBER	CLASS	TYPE	ANSI Z89.1	CSA Z94.1-15	SHELL MATERIAL	SUSPENSION	SIZE ADJUSTMENT	BRIM	OPTIONS	
HP142R	Class E (NON-VENTED)	Type 2	•	•	ABS/Polycarbonate	4-Point Nylon	Wheel Ratchet	Short	Foam Lateral Protection, Chin Strap	
Dynamic® Mont-Blanc™										
HP542R	Class E (NON-VENTED)	Type 2	•	•	HDPE	4-Point Nylon	Wheel Ratchet	Standard	Foam Lateral Protection	
Dynamic® Whistler™										
HP241R	Class E (NON-VENTED)	Type 1	•	•	HDPE	4-Point Nylon	Wheel Ratchet	Standard	-	
Dynamic® Kilimanjaro™										
HP641R	Class E (NON-VENTED)	Type 1	•	•	HDPE	4-Point Nylon	Wheel Ratchet	Full	-	
Dynamic® Vesuvio™										
HP851R	Class E (NON-VENTED)	Type 1	•	•	Nylon Resin	4-Point Nylon	Wheel Ratchet	Standard	Ambient Heat Protection up to 400° F	

SEE COLOR CHART



Hearing Protection



33
NRR

Mega Flare™ Plus NP267HPF910

- Design resists backing out of ear
- Non-irritating smooth outer surface
- PowerSoft™ Foam Technology features a proprietary polyurethane formulation that delivers optimal recovery time, easy insertion and maximum all-day comfort
- Shape conforms to most ear canals for maximum sound attenuation



32
NRR

Mega Bullet™ NP267HPF210

- Regular size fits most ear canals
- Easy roll-down for quick and easy insertion
- PowerSoft™ Foam Technology features a proprietary polyurethane formulation that delivers optimal recovery time, easy insertion and maximum all-day comfort
- Shape conforms to most ear canals for maximum sound attenuation



30
NRR

SoftStar™ NP267HPF710

- Innovative design in a traditional cylindrical shape
- The smoothest surface or "skin" of any cylindrical shaped ear plug
- PowerSoft™ Foam Technology features a proprietary polyurethane formulation that delivers optimal recovery time, easy insertion and maximum all-day comfort



23
NRR

V-Series™ Cap Mounted Ear Muffs 263-V1CM

- Extra soft memory foam ear cushions conform to surface and head shape
- Universal adapter with slot for visor carrier
- 360° rotation for standby and resting positions

Ear Plugs

STYLE NUMBER	NRR	USE	CORDING	MATERIAL	SIZE	SHAPE	COLOR	DETECTABLE	PAIR / PACK
Mega Flare™ Plus									
NP267HPF910	33	Single	Uncorded	PowerSoft™ Polyurethane Foam	Standard	Contoured	Red	No	200 / Box
Mega Bullet™									
NP267HPF210	32	Single	Uncorded	PowerSoft™ Polyurethane Foam	Standard	Bullet	Orange	No	200 / Box
SoftStar™									
NP267HPF710	30	Single	Uncorded	PowerSoft™ Polyurethane Foam	Small	Cylinder	Red	No	200 / Box

Ear Muffs

STYLE NUMBER	NRR	TYPE	DIELECTRIC	SIZE ADJUSTMENT	COLOR
263-V1CM	23	Cap Mounted	No	Slide	Black/Green

Respiratory Protection



Dynamic® Standard N95 Disposable Respirators RPD713N95

NIOSH approved for at least 95% filtration efficiency against non-oil based particulates

- Closed-cell nose cushion provides a secure and comfortable seal
- Designed to be comfortable and compatible with safety eyewear and hearing protection
- Curved nose clip follows the contours of the user's nose for a superior seal
- Woven strap ultrasonically welded to the wings of the respirator
- Latex-free without any common allergens

STYLE NUMBER	DESCRIPTION	PACK
RPD713N95	N95 Disposable Respirator	20 / Box



Dynamic® FR P95 Disposable Respirators RPD614P95

NIOSH approved for at least 95% filtration efficiency against oil based aerosols

- Exhalation butterfly valve offers more comfort and easier breathing
- Closed-cell nose cushion provides a secure and comfortable seal
- Designed to be comfortable and compatible with safety eyewear and hearing protection
- Curved nose clip follows the contours of the user's nose for a superior seal
- Woven strap ultrasonically welded to the wings of the respirator
- Latex-free without any common allergens

STYLE NUMBER	DESCRIPTION	PACK
RPD614P95	P95 Disposable Respirator with Butterfly Valve and FR Outer Layer Material	10 / Box

Eye Protection



Dyna-Seal™ EPDGC18C

Helps provide protection from projectiles, impact and liquid splash while remaining breathable



Curve™ EP505C

Made of lightweight non-conductive high impact polycarbonate that absorbs more than 99.9% of harmful UV light



Volcano Plus™ EP675GC

Removable foam padding for better protection against dust and debris

Goggles

STANDARDS MET

STYLE	LENS	COATING	FRAME	ANSI Z87.1+	CSA Z94.3	VENTS	FIT	FEATURES
Dyna-Seal™								
EPDGC18C	□ Clear	Dyna-Shield™	■ Black	•	•	Indirect Ventilation	Universal	Removable/Adjustable Strap

Eyewear

STANDARDS MET

STYLE	LENS	COATING	FRAME	ANSI Z87.1+	CSA Z94.3	VENTS	FIT	FEATURES
Curve™								
EP505C	□ Clear	4A™ with Anti-Fog	□ Clear	•	•	-	Universal	-
Volcano Plus™								
EP675GC	□ Clear	4A™ with Anti-Fog	■ Black/Red	•	•	-	Universal	-
EP675GID	□ I/O	4A™ with Anti-Fog	■ Black/Red	•	•	-	Universal	Removable Foam Padding

Arc Rated PPE



Arc Rated Work Gloves GPKS992K

- Top grain cowhide
- Kevlar® liner provides excellent cut resistance
- ARC rating: ATPV 43 cal/cm²
- ANSI puncture 3



Arc Rated Work Gloves GPKS993KOAB

- Top grain goatskin
- High cut with puncture resistance
- Water and oil resistant
- ARC rating: ATPV 43 cal/cm²



Arc Rated Sleeves GP10KAM20

- Heat resistance protects the arm from minor heat and burn injuries up to 350°F / 177°C
- Offers twice the cut resistance compared to traditional Para-Aramid sleeves
- ARC Rating: ATPV 9.5 cal/cm²

Arc Rated Gloves

STYLE NUMBER	ANSI CUT	EN388	ANSI I3B	LINER	GRADE	STITCHING	COLOR	LINING	CUFF	SIZES
GPKS992K	A4	3X32D	-	Grain Cowhide Leather	Premium	Kevlar®	Natural	Para-Aramid	Slip-On	S-3XL
GPKS993KOAB	A4	3X32D	Impact Level 2	Grain Goatskin Leather	Premium	Kevlar®	Brown	Para-Aramid	Slip-On	S-3XL

Arc Rated Sleeve

STYLE NUMBER	ANSI CUT	FABRIC	GRADE	COLOR	LINING	CUFF	SIZES
GP10KAM20	A5	ACP™/Kevlar® Blended	Premium	Yellow	Para-Aramid	Elastic with Thumb Hole	20"

Protective Clothing

CSA Vests



Two-Tone Economy Vest
PC302MVX

- Mesh provides excellent breathability
- Zipper closure
- 2 internal lower pockets
- 2" two tone tape for optimum visibility



Break-Away Surveyor's Vest
PC3020505X

- Solid/mesh garment combination
- 5 points break-away zip closure
- 2" two tone tape for optimum visibility



Mesh Break-Away Vest
TSV20G23/TSV2YG24

- Breathable, break-away polyester mesh
- Snap closure
- 2" two tone tape for optimum visibility

CSA Vests

STYLE NUMBER	COLOR	FEATURES	CSA Z96:22	FABRIC	CLOSURE	D-RING ACCESS	SIZES
PC302MVXLY PC302MVXOR	Hi-Vis Yellow Hi-Vis Orange	2 Vertical Front, X-Back, 360° Around Torso	•	Mesh, Polyester	Zipper	No	S-5XL
PC3020505XLY PC3020505XOR	Hi-Vis Yellow Hi-Vis Orange	2 Vertical Front, X-Back, 360° Around Torso	•	Mesh, Polyester	Zipper	Yes	S-5XL
TSV20G23 TSV2YG24	Hi-Vis Yellow Hi-Vis Orange	2 Vertical Front, X-Back, 360° Around Torso	•	Solid/Mesh Combination, Polyester	Snap	Yes	S-5XL

Non-CSA Vests & Sash Belts



Two Tone Sash Belt
TSHG32

- Elasticized fabric with adjustable buckle closure
- 0.78" (20 mm) silver reflective tape
- 360° hi visibility



Two Tone Sash Belt
TSHG33

- Elasticized fabric with adjustable buckle closure
- 0.78" (20 mm) silver reflective tape
- 360° hi visibility



Daytime Vest
TSVOXT11

- Breathable, break-away polyester mesh
- Hook and loop closure
- 2" (50 mm) prismatic reflective tape

Sash Belts

STYLE NUMBER	COLOR	FEATURE	CSA Z96:22	FABRIC	CLOSURE	REFLECTIVE	SIZE
TSHG32	Hi-Vis Yellow	2 Vertical Front, X-Back, 360° Around Torso	-	Elasticized	Buckle	0.78" (20 mm) Silver	L
TSHG33	Hi-Vis Orange	2 Vertical Front, X-Back, 360° Around Torso	-	Elasticized	Buckle	0.78" (20 mm) Silver	L

Daytime Vest

STYLE NUMBER	COLOR	FEATURE	CSA Z96:22	FABRIC	CLOSURE	REFLECTIVE	SIZE
TSVOXT11	Hi-Vis Orange	5 Point Break-away / X-Back	-	Mesh, Polyester	Hook & Loop	2" (50 mm) Prismatic	L - XL

Cold Stress

Heated Glove Liner



Boss® Therm™ Heated Glove Liner PC399HG20

- Extended cuff eliminates draft or snow from entering the glove
- 3 level heating
- Includes two USB rechargeable batteries

Heated Vest



Boss® Therm™ Base Layer Heated Vest PC300HV100U

- 5 hour charge
- 3 level heating
- Remote control
- Machine washable
- Extra rechargeable battery: 399-HVBAT



Powerful 5-volt rechargeable power bank with an integrated USB plug-in cord, provides up to 5 hours of heat on the low setting.



Includes a convenient remote control allowing the wearer to quickly adjust the temperature settings and continue working without removing clothing layers.

Revolutionary heating technology at the press of a button

STYLE NUMBER	MATERIAL	BATTERY	ACTIVATION TIME	COLOR	SIZE
PC300HV100U	Nylon	USB Rechargeable 5V/2A Mini Power Bank	90-120 Seconds	Black	OS
PC399HG20	72% Nylon / 28% Elastane	USB Rechargeable Li-ION Poly	90-120 Seconds	Black	OS

Foot Protection

16" PVC Full Safety Steel Toe and Midsole Boot PC383820

- Flexible steel puncture resistant mid-sole reduces risks from sharp objects and meets ASTM F2413 PR
- Energy absorbing tread adds all-day comfort

- Less toe spring allows for more surface contact for improved channeling of water for better traction, slip resistance and comfort
- Engineered to reduce slips and trips



STYLE	MATERIAL	COLOR	LENGTH	TOE TYPE	STEEL SHANK	STEEL MIDSOLE	TREAD PATTERN	ASTM F2413 COMPLIANT	CSA COMPLIANT	SIZES
PC383820	PVC	Black	16"	Steel	No	Yes	Cleated	Yes	Yes	6-14

Heat Stress



EZ-Cool® Max Cooling towel HP396E900

- Microfiber cooling towel
- Container with clip included
- Naturally absorbs sweat and provides UV protection



EZ-Cool® PVA Cooling towel HP396602

- Advanced Polyvinyl Alcohol (PVA) material absorbs water and sweat efficiently and remains active for hours



Clima-Band™ 393EZ310

- Adjustable cord
- Quick-dry, sweat absorbing fabric
- Anti-odor technology
- Resists UV rays
- Blocks wind, sun & dust



EZ-Cool® Evaporative Cooling Ranger Hat 396425KHK

- Polyester and cotton blend fabric with cooling polymers at crown
- Cooling properties can be reactivated



EZ-Cool® Phase Change Cooling Vest 390PCVK1

- Cooling properties can be reactivated for the life of the product
- Replacement cooling packs available: 390PCVCP1

Protection In Any Climate

EZ-Cool® Max Cooling Towel

STYLE	COOLING TYPE	ACTIVATION TIME	OUTER FABRIC	COLOR	SIZE
HP396E900NV	Evaporative Cooling	30 seconds	Polyester Hollow Fiber Blend / Nylon	Navy	12" X 36"
HP396E900LY	Evaporative Cooling	30 seconds	Polyester Hollow Fiber Blend / Nylon	Hi-Vis Lime	12" X 36"

EZ-Cool® PVA Cooling Towel

HP396602B	Evaporative Cooling	30 seconds	PVA Cooling Towel	Blue	13" x 31"
HP396602L	Evaporative Cooling	30 seconds	PVA Cooling Towel	Hi-Vis Lime	13" x 31"

Clima-Band™

STYLE	COOLING TYPE	OUTER FABRIC	MATERIAL TYPE	CLOSURE	COLOR	SIZE
393EZ310YEL	Absorptive	Polypropylene / Polyester	-	-	Hi-Vis Yellow	10" x 20"
393EZ310BLK	Absorptive	Polypropylene / Polyester	-	-	Black	10" x 20"

Ranger Hat

396425KHK	Evaporative & Shading	ANSI Compliant Polyester Hi-Vis with Reflective Tape	Mesh / Solid	Drawstring	Hi-Vis Yellow	OS
-----------	-----------------------	--	--------------	------------	---------------	----

EZ-Cool® Evaporative Cooling Vest System

STYLE	COOLING TYPE	ACTIVATION TIME	OUTER FABRIC	INNER FABRIC	CLOSURE	COLOR	SIZE
390PCVK1	Evaporative	45 Minutes	Polyester / Nylon	Hydrophilic Fibers	Hook & Loop	Blue	OS

Replacement Evaporative Cooling Packs

STYLE	COOLING TYPE	ACTIVATION TIME	OUTER FABRIC	INNER FABRIC
390PCVCP1	Evaporative	45 Minutes	Polyurethane	PCM



Traffic Flags

Dynamic® Traffic Flags & Dowels

STYLE NUMBER	DESCRIPTION	STRIPING	FEATURES
TSFL01	Hi-Vis Orange Nylon Flag	Yellow/Silver/Yellow	Dowel Sleeve
TSFLDW	Plastic Dowel	-	-

Site Safety / First Aid Kits

Emergency Preparedness First Aid Kits in Buckets



Emergency Preparedness Kits

PART NO	DESCRIPTION
FAKSURBK23	Disaster Survival Kit for 2 Persons for 3 Days
FAKSURBK33	Disaster Survival Kit for 3 Persons for 3 Days
FAKSURBK43	Disaster Survival Kit for 4 Persons for 3 Days
FAKSURBK53	Disaster Survival Kit for 5 Persons for 3 Days

Content

PART NO	CONTENTS	FAKSURBK23	FAKSURBK33	FAKSURBK43	FAKSURBK53
FA96WPDW	Emergency Water Rations	12	18	24	30
FAEMF2400KC	Emergency Food Rations	12	18	24	30
FALS030	12 Hour Emergency Lifesticks	2	3	4	5
FAMASK01	Dust Mask	2	3	4	5
FASAN01	Sanitary Pads	4	6	8	10
FATP001	Toilet Paper Rolls	2	2	3	3
FAWP	Emergency Whistle	1	1	2	2
FAEMCANDLE	36 Hour Candles	2	2	2	2
FAFLHC01	Flashlight With Hand Crank	1	1	1	1
FAAB001	Aluminum Blanket	2	3	4	5
FAKCSAT1BN	First Aid Kit	1	1	1	1

Extreme Road Hazard Kit



Extreme Road Hazard Kit

PART NO	DESCRIPTION
FAKERH	Extreme Road Hazard kit in Nylon Pouch - FANP13X9ERK

Content

PART NO	CONTENTS	QTY	PART NO	CONTENTS	QTY
FAFM001	First Aid Manual	1	FAPOLICE	S.O.S. Plastic Flag (Call Police)	1
FACB002	Compress Bandage 2" Sterile	1	FALS030	12 Hour Emergency Lifestick	1
FAGP2X2	Gauze Pads 2" X 2" Sterile	4	FAMATCH1	Waterproof Reusable Match	1
FAAW100	Alcohol Wipes	2	FACANDLE	Emergency Candles	2
FAAT0525	Adhesive Tape 1/2" X 2.5 Yds	1	FACP4X6	Instant Cold Pack	1
FATB001	Triangular Bandage	1	FAAB001	Aluminum Blanket	1
FATW001	Tweezers	1	FAEK041	Multi-Bit Screwdriver	1
FASCO01	Scissors	1	FAPENLIGHT	Penlight	1
FASP012	Safety Pins (Pack of 12)	1	FA96WPDW	Emergency Drinking Water	1
FAPS343	Plastic Adh. Strips 3/4" X 3" Sterile	20	FAMIEB400KC	Millennium Energy Bar	1

Multi-Use Eye Wash



PART NO	DESCRIPTION
FAEW001	Isotonic Solution - Sterile - 1 oz / 30 ml
FAEW004	Isotonic Solution - Sterile - 4 oz / 118 ml
FAEW008	Isotonic Solution - Sterile - 8 oz / 250 ml
FAEW016	Isotonic Solution - Sterile - 16 oz / 500 ml
FAEW032	Isotonic Solution - Sterile - 32 oz / 1 L
FAEW160	Isotonic Solution - Sterile - 128 oz / 4 L



PIP Canada Ltd.

450-687-7374 | 877-446-3278

orders@pipcanada.ca | www.pipcanada.ca