



Power**Soft** To FOAM TECHNOLOGY

PowerSoft™ Foam Technology is a proprietary polyurethane foam formulation that results in single-use ear plugs with optimally-sized cell structure that expand gently and evenly inside the ear canal. This translates to all-day comfort with excellent attenuation.

Getting a proper fit

Foams with small, dense cells may result in:


- > Harder plugs with shorter rebound time
- > More pressure and discomfort in ear canal

Foams with large, airy cells may result in:

- > Uneven roll-down and longer time to fit
- > Longer rebound time

PIP EAR PLUGS WITH POWERSOFT™ FOAM TECHNOLOGY DELIVER:

- > Optimal rebound
- > Maximum all-day comfort
- > Perfect fit





NANO BULLET





Tapered shape for easy installation

- Regular size fits most ear canals
- Easy roll down for quick and easy insertions
- PowerSoft™ Foam Technology features a proprietary polyurethane formulation that delivers optimal recovery time, easy insertion and maximum all-day comfort
- Shape conforms to most ear canals for maximum sound attenuation
- Traceable metal detectable (Blue) style available for use in the food industry

ATTENUATION CHART (ANSI S3. 19-1974, Canada Class A(L))

FREQUENCY	125	250	500	1000	2000	3150	4000	6300	8000
MEAN ATTENUATION (dB)	35.3	33.4	38.7	37.7	39.7	44.2	45.0	48.2	48.2
STANDARD DEVIATION (dB)	3.9	2.9	3.5	2.4	3.1	4.5	4.0	3.6	3.1

	NP267HPF210	NP267HPF210C	NP267HPF210D		
USE	Single	Single	Single		
CORDING	Uncorded	Corded	Corded		
MATERIAL	Polyurethane Foam	Polyurethane Foam	Polyurethane Foam		
SIZE	Mega	Mega	Mega		
SHAPE	Bullet	Bullet	Bullet		
COLOR	Orange	Orange	■ Blue		
DETECTABLE	No	No	Yes		
PAIR PER BOX	200	100	100		



Smaller tapered shape designed to fit narrow ear canals

- Designed to accommodate smaller ear canals
- Easy roll down for quick and easy insertions
- Non-irritating smooth outer surface
- PowerSoft™ Foam Technology features a proprietary polyurethane formulation that delivers optimal recovery time, easy insertion and maximum all-day comfort

FREQUENCY	125	250	500	1000	2000	3150	4000	6300	8000
MEAN ATTENUATION (dB)	34.1	31.8	35.1	34.8	36.3	39.6	41.3	45.1	46.9
STANDARD DEVIATION (dB)	4.3	3.7	2.9	3.7	0.5	3.2	4.4	4.2	4.2

	NP267HPF310	NP267HPF310C				
USE	Single	Single				
CORDING	Uncorded	Corded				
MATERIAL	Polyurethane Foam	Polyurethane Foam				
SIZE	Nano	Nano				
SHAPE	Bullet	Bullet				
COLOR	Purple	Purple				
DETECTABLE	No	No				
PAIR PER BOX	200	100				



MEGA T-FIT™





Tapered shape for easy installation

- Regular size fits most ear canals
- Easy roll down for quick and easy insertions
- PowerSoft™ Foam Technology features a proprietary polyurethane formulation that delivers optimal recovery time, easy insertion and maximum all-day comfort
- Shape conforms to most ear canals for increased sound attenuation
- Traceable metal detectable (Blue) style available for use in the food industry

ATTENUATION CHART (ANSI S3. 19-1974, Canada Class A(L))

FREQUENCY	125	250	500	1000	2000	3150	4000	6300	8000
MEAN ATTENUATION (dB)	42.9	40.4	45.7	42.0	40.4	42.6	46.1	47.6	45.6
STANDARD DEVIATION (dB)	4.7	4.2	5.1	3.9	1.8	5.6	4.6	4.9	4.5

	NP267HPF810	NP267HPF810C	NP267HPF810D		
USE	Single	Single	Single		
CORDING	Uncorded	Corded	Corded		
MATERIAL	Polyurethane Foam	Polyurethane Foam	Polyurethane Foam		
SIZE	Mega	Mega	Mega		
SHAPE	Bullet	Bullet	Bullet		
COLOR	Orange	Orange	■ Blue		
DETECTABLE	No	No No			
PAIR PER BOX	200	100	100		



"T" shape is ideal for smaller or oval shaped ear canals

- Wide base allows easier insertion and removal
- Design resists backing out of ear
- PowerSoft™ Foam Technology features a proprietary polyurethane formulation that delivers optimal recovery time, easy insertion and maximum all-day comfort
- Shape conforms to most ear canals for maximum sound attenuation


FREQUENCY	125	250	500	1000	2000	3150	4000	6300	8000
MEAN ATTENUATION (dB)	36.8	36.5	40.9	40.2	41.2	45.9	46.4	48.2	47.0
STANDARD DEVIATION (dB)	5.4	4.4	4.7	3.9	4.0	4.2	4.1	3.3	3.8

	NP267HPF510	NP267HPF510C				
USE	Single	Single				
CORDING	Uncorded	Corded				
MATERIAL	Polyurethane Foam	Polyurethane Foam				
SIZE	Mega	Mega				
SHAPE	T-Fit	T-Fit				
COLOR	Orange	Orange				
DETECTABLE	No	No				
PAIR PER BOX	200	100				



MEGA FLARE THE PLUS





Flared bell shape allows easier insertion and removal

- Design resists backing out of ear
- Non-irritating smooth outer surface
- PowerSoft™ Foam Technology features a proprietary polyurethane formulation that delivers optimal recovery time, easy insertion and maximum all-day comfort
- Shape conforms to most ear canals for maximum sound attenuation

ATTENUATION CHART (ANSI S3. 19-1974, Canada Class A(L))

FREQUENCY	125	250	500	1000	2000	3150	4000	6300	8000
MEAN ATTENUATION (dB)	39.9	37.7	42.2	40.3	40.4	44.5	45.5	47.3	46.8
STANDARD DEVIATION (dB)	4.9	4.6	3.8	4.7	2.3	5.2	2.4	2.6	3.1

[NP267HPF410	NP267HPF410C			
USE	Single	Single			
CORDING	Uncorded	Corded			
MATERIAL	Polyurethane Foam	Polyurethane Foam			
SIZE	Mega	Mega			
SHAPE	Flare	Flare			
COLOR	Red	Red			
DETECTABLE	No	No			
PAIR PER BOX	200	100			



Flared bell shape allows easier insertion and removal

- Design resists backing out of ear
- Non-irritating smooth outer surface
- PowerSoft™ Foam Technology features a proprietary polyurethane formulation that delivers optimal recovery time, easy insertion and maximum all-day comfort
- Shape conforms to most ear canals for increased sound attenuation
- Traceable metal detectable (Blue) style available for use in the food industry

FREQUENCY	125	250	500	1000	2000	3150	4000	6300	8000
MEAN ATTENUATION (dB)	40.9	39.6	45.3	42.1	40.6	43.4	46.2	45.7	44.5
STANDARD DEVIATION (dB)	5.1	5.1	6.1	4.3	2.5	4.0	4.3	3.4	4.0

	NP267HPF910	NP267HPF910C	NP267HPF910D
USE	Single	Single	Single
CORDING	Uncorded	Corded	Corded
MATERIAL	Polyurethane Foam	Polyurethane Foam	Polyurethane Foam
SIZE	Mega	Mega	Mega
SHAPE	Flare	Flare	Flare
COLOR	Red	Red	■ Blue
DETECTABLE	No	No	Yes
PAIR PER BOX	200	100	100

SoftStar[™]



EZ-Twist[™]






Softest most comfortable cylinder-shaped ear plug

- Unique beveled edge helps insertion
- PVC free PowerSoft™ Foam polyurethane foam
- PowerSoft™ Foam Technology features a proprietary polyurethane formulation that delivers optimal recovery time, easy insertion and maximum all-day comfort
- Shape conforms to most ear canals for maximum sound attenuation

ATTENUATION CHART (ANSI S3. 19-1974, Canada Class A(L))

FREQUENCY	125	250	500	1000	2000	3150	4000	6300	8000
MEAN ATTENUATION (dB)	28.4	32.6	38.9	38.0	39.5	43.4	45.2	46.8	47.2
STANDARD DEVIATION (dB)	4.8	4.6	4.7	3.8	3.2	3.1	2.9	3.9	4.2

NECOTION			
NP267HPF710	NP267HPF710C		
Single	Single		
Uncorded	Corded		
Polyurethane Foam	Polyurethane Foam		
Standard	Standard		
Cylinder	Cylinder		
Red	Red		
No	No		
200	100		
	Uncorded Polyurethane Foam Standard Cylinder Red No		



Hybrid foam plug and unique stem enable easy insertion

- No need to roll down before fitting, ideal for use with dirty hands
- PowerSoft™ Foam Technology features a proprietary polyurethane formulation that delivers optimal recovery time, easy insertion and maximum all-day comfort
- Shape conforms to most ear canals for maximum sound attenuation
- Traceable metal detectable (Blue) style available for use in the food industry

FREQUENCY	125	250	500	1000	2000	3150	4000	6300	8000
MEAN ATTENUATION (dB)	35.1	33.1	37.2	37.7	39	43.5	45.2	46.5	45.9
STANDARD DEVIATION (dB)	3.6	3.3	3.9	3.4	3.2	3.8	4.3	4.2	4.8


	NP267HPF610	NP267HPF610C	NP267HPF610D
USE	Single	Single	Single
CORDING	Uncorded	Corded	Corded
MATERIAL	Polyurethane Foam	Polyurethane Foam	Polyurethane Foam
SIZE	Standard	Standard	Standard
SHAPE	Barrel Push-In	Barrel Push-In	Barrel Push-In
COLOR	Orange	Orange	■ Blue
DETECTABLE	No	No	Yes
PAIR PER BOX	200	100	100

4-FLANGE



3-FLANGE






4-Flange Reusable

- Self-sealing 4 flange TPR (thermoplastic rubber) for all-day use and secure sound attenutation
- Corded version offers removable cord
- Metal detectable version offer metal infused ear plugs and cord for more detectability
- Metal detectable cord is NOT removable (used for food industry)

	NP267HPR410	NP267HPR410C	NP267HPR410D
NRR	27	27	27
USE	Reusable	Reusable	Reusable
CORDING	Uncorded	Textile Cord	Blue Metal Detectable Cord
MATERIAL	TPR (thermoplastic rubber)	TPR (thermoplastic rubber)	TPR (thermoplastic rubber)
SIZE	Standard	Standard	Standard
SHAPE	4-flange	4-flange	4-flange
COLOR	■ Red	Red	■ Blue
DETECTABLE	No	No	Yes
PAIR PER BOX	200	100	100



3-Flange Reusable

- Self-sealing 3-flange TPR (thermoplastic rubber) for all-day use and secure sound attenutation
- Corded version offers removable cord

	NP267HPR310	NP267HPR310C		
NRR	25	25		
USE	Reusable	Reusable		
CORDING	Uncorded	Textile Cord		
MATERIAL	TPR (thermoplastic rubber)	TPR (thermoplastic rubber)		
SIZE	Standard	Standard		
SHAPE	3-flange	3-flange		
COLOR	☐ Orange	Orange		
DETECTABLE	No	No		
PAIR PER BOX	200	100		





PIP Canada Ltd.

2477 Michelin St | Laval, Quebec H7L 5B9 450-687-7374 CUSTOMER SERVICE DIRECT | 877-446-3278 TOLL FREE orders@pipcanada.ca | www.pipcanada.ca



MKTGEPBREN

06/2021