



PROTECTIVE INDUSTRIAL PRODUCTS

HEARING PROTECTION CATALOG


www.pipcanada.ca



DYNAMIC, THE REFERENCED LEADER FOR PPE IN CANADA, IS NOW A PROUD PART OF THE PIP GLOBAL FAMILY

Protective Industrial Products, Inc. (PIP) was initially established in 1984 as a supplier of work gloves. Today we are a global provider of a vast array of consumable personal protective equipment to multiple industries and channels of distribution.

Our Dynamic branded safety equipment are proudly made to meet all the safety regulations and/or standards required in Canada, the United States, Europe and Latin America. These products must be certified by multiple certification bodies such as CSA, ANSI, CE, NIOSH and when permitted, we are proud to display these logos on our products. This ensures that you can place your trust in products that meet the highest possible standards of quality.



PRODUCTS & PROGRAMS THAT SUPPORT YOUR BUSINESS OBJECTIVES

Our manufacturing facilities in Canada are committed to bringing to market products that provide the best possible comfort, fit, and value. But bringing you the best doesn't stop there. Our dedicated team of product managers and specialists have over 100 years of collective experience, ensuring that you receive expert support and enabling you to conduct trainings and risk assessment in the workplace, in addition to helping your safety committee select the proper PPE. Furthermore, we are continuously developing our website that is second to none, thanks to powerful yet intuitive tools such as our product selector and 3SP™ assessment.



At PIP Canada we strive to design and produce the best PPE in the market, and make sure that all employees arrive home safe and sound everyday.



BRINGING THE
BEST OF THE WORLD
TO YOU®

Choices for all workers

Comfort is essential to ensure maximum protection. It is important to consider all features that make one form of hearing protection work differently than another. PIP makes it easy to compare. By offering advanced shapes, sizes and styles, we are sure to meet your needs.

All workers want:
PROTECTION, COMFORT and EASY FIT.


PowerSoft™ FOAM TECHNOLOGY

PowerSoft™ Foam Technology is a proprietary polyurethane foam formulation that results in single-use ear plugs with optimally-sized cell structure that expand gently and evenly inside the ear canal. This translates to all-day comfort with excellent attenuation.

CHOOSING THE CORRECT NRR RATING

Target = Noise Level - NRR Value = 70 dB to 80 dB

Target value with hearing protection is between 70 db and 80 dB, so that the wearer remains able to communicate and recognize safety signals.



Loss of hearing is a gradual process, yet we seldom if ever are conscious of deterioration until it is too late.

MEGA BULLET™

32
NRR

NANO BULLET™

28
NRR



NP267HPF210C NP267HPF210D
METAL DETECTABLE

NP267HPF210


Tapered shape for easy installation

- Regular size fits most ear canals
- Easy roll down for quick and easy insertions
- PowerSoft™ Foam Technology features a proprietary polyurethane formulation that delivers optimal recovery time, easy insertion and maximum all-day comfort
- Shape conforms to most ear canals for maximum sound attenuation
- Traceable metal detectable (Blue) style available for use in the food industry

ATTENUATION CHART (ANSI S3. 19-1974, Canada Class A(L))

| FREQUENCY | 125 | 250 | 500 | 1000 | 2000 | 3150 | 4000 | 6300 | 8000 |
|-------------------------|------|------|------|------|------|------|------|------|------|
| MEAN ATTENUATION (dB) | 35.3 | 33.4 | 38.7 | 37.7 | 39.7 | 44.2 | 45.0 | 48.2 | 48.2 |
| STANDARD DEVIATION (dB) | 3.9 | 2.9 | 3.5 | 2.4 | 3.1 | 4.5 | 4.0 | 3.6 | 3.1 |

| | NP267HPF210 | NP267HPF210C | NP267HPF210D |
|--------------|-------------------|-------------------|-------------------|
| USE | Single | Single | Single |
| CORDING | Uncorded | Corded | Corded |
| MATERIAL | Polyurethane Foam | Polyurethane Foam | Polyurethane Foam |
| SIZE | Mega | Mega | Mega |
| SHAPE | Bullet | Bullet | Bullet |
| COLOR | Orange | Orange | Blue |
| DETECTABLE | No | No | Yes |
| PAIR PER BOX | 200 | 100 | 100 |



NP267HPF310C

NP267HPF310

Smaller tapered shape designed to fit narrow ear canals

- Designed to accommodate smaller ear canals
- Easy roll down for quick and easy insertions
- Non-irritating smooth outer surface
- PowerSoft™ Foam Technology features a proprietary polyurethane formulation that delivers optimal recovery time, easy insertion and maximum all-day comfort

ATTENUATION CHART (ANSI S3. 19-1974, Canada Class A(L))

| FREQUENCY | 125 | 250 | 500 | 1000 | 2000 | 3150 | 4000 | 6300 | 8000 |
|-------------------------|------|------|------|------|------|------|------|------|------|
| MEAN ATTENUATION (dB) | 34.1 | 31.8 | 35.1 | 34.8 | 36.3 | 39.6 | 41.3 | 45.1 | 46.9 |
| STANDARD DEVIATION (dB) | 4.3 | 3.7 | 2.9 | 3.7 | 0.5 | 3.2 | 4.4 | 4.2 | 4.2 |

| | NP267HPF310 | NP267HPF310C |
|--------------|-------------------|-------------------|
| USE | Single | Single |
| CORDING | Uncorded | Corded |
| MATERIAL | Polyurethane Foam | Polyurethane Foam |
| SIZE | Nano | Nano |
| SHAPE | Bullet | Bullet |
| COLOR | Purple | Purple |
| DETECTABLE | No | No |
| PAIR PER BOX | 200 | 100 |

MEGA
BULLET™ PLUS

33
NRR

MEGA
T-FIT™

32
NRR



NP267HPF810C NP267HPF810D
METAL DETECTABLE

NP267HPF810

Tapered shape for easy installation

- Regular size fits most ear canals
- Easy roll down for quick and easy insertions
- PowerSoft™ Foam Technology features a proprietary polyurethane formulation that delivers optimal recovery time, easy insertion and maximum all-day comfort
- Shape conforms to most ear canals for increased sound attenuation
- Traceable metal detectable (Blue) style available for use in the food industry

ATTENUATION CHART (ANSI S3. 19-1974, Canada Class A(L))

| FREQUENCY | 125 | 250 | 500 | 1000 | 2000 | 3150 | 4000 | 6300 | 8000 |
|-------------------------|------|------|------|------|------|------|------|------|------|
| MEAN ATTENUATION (dB) | 42.9 | 40.4 | 45.7 | 42.0 | 40.4 | 42.6 | 46.1 | 47.6 | 45.6 |
| STANDARD DEVIATION (dB) | 4.7 | 4.2 | 5.1 | 3.9 | 1.8 | 5.6 | 4.6 | 4.9 | 4.5 |

| | NP267HPF810 | NP267HPF810C | NP267HPF810D |
|--------------|-------------------|-------------------|-------------------|
| USE | Single | Single | Single |
| CORDING | Uncorded | Corded | Corded |
| MATERIAL | Polyurethane Foam | Polyurethane Foam | Polyurethane Foam |
| SIZE | Mega | Mega | Mega |
| SHAPE | Bullet | Bullet | Bullet |
| COLOR | Orange | Orange | Blue |
| DETECTABLE | No | No | Yes |
| PAIR PER BOX | 200 | 100 | 100 |



NP267HPF510C

NP267HPF510

"T" shape is ideal for smaller or oval shaped ear canals

- Wide base allows easier insertion and removal
- Design resists backing out of ear
- PowerSoft™ Foam Technology features a proprietary polyurethane formulation that delivers optimal recovery time, easy insertion and maximum all-day comfort
- Shape conforms to most ear canals for maximum sound attenuation

ATTENUATION CHART (ANSI S3. 19-1974, Canada Class A(L))

| FREQUENCY | 125 | 250 | 500 | 1000 | 2000 | 3150 | 4000 | 6300 | 8000 |
|-------------------------|------|------|------|------|------|------|------|------|------|
| MEAN ATTENUATION (dB) | 36.8 | 36.5 | 40.9 | 40.2 | 41.2 | 45.9 | 46.4 | 48.2 | 47.0 |
| STANDARD DEVIATION (dB) | 5.4 | 4.4 | 4.7 | 3.9 | 4.0 | 4.2 | 4.1 | 3.3 | 3.8 |

| | NP267HPF510 | NP267HPF510C |
|--------------|-------------------|-------------------|
| USE | Single | Single |
| CORDING | Uncorded | Corded |
| MATERIAL | Polyurethane Foam | Polyurethane Foam |
| SIZE | Mega | Mega |
| SHAPE | T-Fit | T-Fit |
| COLOR | Orange | Orange |
| DETECTABLE | No | No |
| PAIR PER BOX | 200 | 100 |

MEGA FLARE™

32
NRR

MEGA FLARE™ PLUS

33
NRR



Flared bell shape allows easier insertion and removal

- Design resists backing out of ear
- Non-irritating smooth outer surface
- PowerSoft™ Foam Technology features a proprietary polyurethane formulation that delivers optimal recovery time, easy insertion and maximum all-day comfort
- Shape conforms to most ear canals for maximum sound attenuation

Flared bell shape allows easier insertion and removal

- Design resists backing out of ear
- Non-irritating smooth outer surface
- PowerSoft™ Foam Technology features a proprietary polyurethane formulation that delivers optimal recovery time, easy insertion and maximum all-day comfort
- Shape conforms to most ear canals for increased sound attenuation
- Traceable metal detectable (Blue) style available for use in the food industry

ATTENUATION CHART (ANSI S3. 19-1974, Canada Class A(L))

| FREQUENCY | 125 | 250 | 500 | 1000 | 2000 | 3150 | 4000 | 6300 | 8000 |
|-------------------------|------|------|------|------|------|------|------|------|------|
| MEAN ATTENUATION (dB) | 39.9 | 37.7 | 42.2 | 40.3 | 40.4 | 44.5 | 45.5 | 47.3 | 46.8 |
| STANDARD DEVIATION (dB) | 4.9 | 4.6 | 3.8 | 4.7 | 2.3 | 5.2 | 2.4 | 2.6 | 3.1 |

ATTENUATION CHART (ANSI S3. 19-1974, Canada Class A(L))

| FREQUENCY | 125 | 250 | 500 | 1000 | 2000 | 3150 | 4000 | 6300 | 8000 |
|-------------------------|------|------|------|------|------|------|------|------|------|
| MEAN ATTENUATION (dB) | 40.9 | 39.6 | 45.3 | 42.1 | 40.6 | 43.4 | 46.2 | 45.7 | 44.5 |
| STANDARD DEVIATION (dB) | 5.1 | 5.1 | 6.1 | 4.3 | 2.5 | 4.0 | 4.3 | 3.4 | 4.0 |

| | NP267HPF410 | NP267HPF410C |
|--------------|-------------------|-------------------|
| USE | Single | Single |
| CORDING | Uncorded | Corded |
| MATERIAL | Polyurethane Foam | Polyurethane Foam |
| SIZE | Mega | Mega |
| SHAPE | Flare | Flare |
| COLOR | ■ Red | ■ Red |
| DETECTABLE | No | No |
| PAIR PER BOX | 200 | 100 |

| | NP267HPF910 | NP267HPF910C | NP267HPF910D |
|--------------|-------------------|-------------------|-------------------|
| USE | Single | Single | Single |
| CORDING | Uncorded | Corded | Corded |
| MATERIAL | Polyurethane Foam | Polyurethane Foam | Polyurethane Foam |
| SIZE | Mega | Mega | Mega |
| SHAPE | Flare | Flare | Flare |
| COLOR | ■ Red | ■ Red | ■ Blue |
| DETECTABLE | No | No | Yes |
| PAIR PER BOX | 200 | 100 | 100 |

SoftStar™

30
NRR



NP267HPF710C



NP267HPF710

Softest most comfortable cylinder-shaped ear plug

- Unique beveled edge helps insertion
- PVC free PowerSoft™ Foam polyurethane foam
- PowerSoft™ Foam Technology features a proprietary polyurethane formulation that delivers optimal recovery time, easy insertion and maximum all-day comfort
- Shape conforms to most ear canals for maximum sound attenuation

ATTENUATION CHART (ANSI S3. 19-1974, Canada Class A(L))

| FREQUENCY | 125 | 250 | 500 | 1000 | 2000 | 3150 | 4000 | 6300 | 8000 |
|-------------------------|------|------|------|------|------|------|------|------|------|
| MEAN ATTENUATION (dB) | 28.4 | 32.6 | 38.9 | 38.0 | 39.5 | 43.4 | 45.2 | 46.8 | 47.2 |
| STANDARD DEVIATION (dB) | 4.8 | 4.6 | 4.7 | 3.8 | 3.2 | 3.1 | 2.9 | 3.9 | 4.2 |

| | NP267HPF710 | NP267HPF710C |
|--------------|-------------------|-------------------|
| USE | Single | Single |
| CORDING | Uncorded | Corded |
| MATERIAL | Polyurethane Foam | Polyurethane Foam |
| SIZE | Standard | Standard |
| SHAPE | Cylinder | Cylinder |
| COLOR | ■ Red | ■ Red |
| DETECTABLE | No | No |
| PAIR PER BOX | 200 | 100 |

EZ-Twist™

30
NRR



NP267HPF610C



NP267HPF610D

METAL DETECTABLE



NP267HPF610

Hybrid foam plug and unique stem enable easy insertion

- No need to roll down before fitting, ideal for use with dirty hands
- PowerSoft™ Foam Technology features a proprietary polyurethane formulation that delivers optimal recovery time, easy insertion and maximum all-day comfort
- Shape conforms to most ear canals for maximum sound attenuation
- Traceable metal detectable (Blue) style available for use in the food industry

ATTENUATION CHART (ANSI S3. 19-1974, Canada Class A(L))

| FREQUENCY | 125 | 250 | 500 | 1000 | 2000 | 3150 | 4000 | 6300 | 8000 |
|-------------------------|------|------|------|------|------|------|------|------|------|
| MEAN ATTENUATION (dB) | 35.1 | 33.1 | 37.2 | 37.7 | 39 | 43.5 | 45.2 | 46.5 | 45.9 |
| STANDARD DEVIATION (dB) | 3.6 | 3.3 | 3.9 | 3.4 | 3.2 | 3.8 | 4.3 | 4.2 | 4.8 |

| | NP267HPF610 | NP267HPF610C | NP267HPF610D |
|--------------|-------------------|-------------------|-------------------|
| USE | Single | Single | Single |
| CORDING | Uncorded | Corded | Corded |
| MATERIAL | Polyurethane Foam | Polyurethane Foam | Polyurethane Foam |
| SIZE | Standard | Standard | Standard |
| SHAPE | Barrel Push-In | Barrel Push-In | Barrel Push-In |
| COLOR | ■ Orange | ■ Orange | ■ Blue |
| DETECTABLE | No | No | Yes |
| PAIR PER BOX | 200 | 100 | 100 |

Prefilled dispensers and refill packs



Prefilled dispensers

- Wall or table mount
- Easy to maintain

| STYLE NUMBER | REFILL PACK STYLE | NRR | PAIR |
|----------------|-------------------|-----|------|
| NP267HPD510250 | Mega T-Fit | 32 | 250 |
| NP267HPD810250 | Mega Bullet Plus | 33 | 250 |
| NP267HPD910200 | Mega Flare Plus | 33 | 200 |



Ear plug refill packs

- Simple to open and fill dispenser

| STYLE NUMBER | REFILL PACK STYLE | NRR | PAIR |
|--------------|-------------------|-----|------|
| NP267HPF5101 | Mega T-Fit | 32 | 250 |
| NP267HPF8101 | Mega Bullet Plus | 33 | 250 |
| NP267HPF9101 | Mega Flare Plus | 33 | 200 |

PowerSoft™
FOAM TECHNOLOGY



MULTI-USE Ear Plugs

EASY TO CLEAN, REDUCE WASTE AND SAVE MONEY



4-FLANGE

27
NRR



NP267HPR410



NP267HPR410C



NP267HPR410D
METAL DETECTABLE

4-Flange Reusable

- Self-sealing 4 flange TPR (thermoplastic rubber) for all-day use and secure sound attenuation
- Corded version offers removable cord
- Metal detectable version offer metal infused ear plugs and cord for more detectability
- Metal detectable cord is NOT removable (used for food industry)

| | NP267HPR410 | NP267HPR410C | NP267HPR410D |
|--------------|-------------|--------------|----------------------------|
| NRR | 27 | 27 | 27 |
| USE | Reusable | Reusable | Reusable |
| CORDING | Uncorded | Textile Cord | Blue Metal Detectable Cord |
| MATERIAL | TPR* | TPR* | TPR* |
| SIZE | Standard | Standard | Standard |
| SHAPE | 4-flange | 4-flange | 4-flange |
| COLOR | ■ Red | ■ Red | ■ Blue |
| DETECTABLE | No | No | Yes |
| PAIR PER BOX | 200 | 100 | 100 |


*Thermoplastic rubber

3-FLANGE

25
NRR



NP267HPR310



NP267HPR310C

3-Flange Reusable

- Self-sealing 3-flange TPR (thermoplastic rubber) for all-day use and secure sound attenuation
- Corded version offers removable cord

| | NP267HPR310 | NP267HPR310C |
|--------------|-------------|--------------|
| NRR | 25 | 25 |
| USE | Reusable | Reusable |
| CORDING | Uncorded | Textile Cord |
| MATERIAL | TPR* | TPR* |
| SIZE | Standard | Standard |
| SHAPE | 3-flange | 3-flange |
| COLOR | ■ Orange | ■ Orange |
| DETECTABLE | No | No |
| PAIR PER BOX | 200 | 100 |

*Thermoplastic rubber

Hygiene Storage Box for Reusable Earplugs

- Sturdy, transparent plastic case
- Comes with a chain for storing earplugs safely and hygienically

| | NPCASE |
|-----------|--|
| COLOR | Transparent |
| PACKAGING | 60 units per inner box / 10 inner boxes per case |



NPCASE



BANDED

Ear Plugs

Ideal for moving
in and out of noisy
work areas



HEARING PROTECTION

BANDED EAR PLUGS FOR SITE VISITORS OR AS A LIGHTER ALTERNATIVE TO EAR MUFFS

24
NRR

Curved design
prevents pods
from touching
dirty surfaces


SIDE PROFILE ►

Soft foam pod
snuggly fits the ear canal
opening for stability,
comfort and improved
sound attenuation

REPLACEMENT PODS
AVAILABLE SEPARATELY
NP267HPB41050

Co-injected TPR
reduces pressure on the
ear canal for a more
comfortable fit

Ergonomically designed band
sits comfortably around the neck for
consistent or intermittent use



NP267HPB410



HEADBAND EAR MUFFS

28
NRR



B52™
NP117

- Padded metal wire headband with micro-adjustment
- Extra-large earcups provide maximum noise protection
- Protection for high noise exposure

27
NRR



Hercules™
NP113

- Dielectric headband reduces electrical hazards
- Smooth telescopic height adjustment for optimized comfort and seal
- Protection for high noise exposure

24
NRR



Spitfire™
NP111

- Dielectric headband reduces electrical hazards
- Smooth telescopic height adjustment for optimized comfort and seal
- Protection for moderate noise exposure

25
NRR



Concorde™
NP121

- Collapsible design for convenient storage
- Lightweight, low profile earcups
- Protection for moderate to high noise exposure

HEARING PROTECTION

25
NRR



Mirage™
NP115

- Padded metal wire headband with micro-adjustment
- Lightweight, low profile earcups
- Protection for moderate to high noise exposure

24
NRR



Piper™
NP110

- Dielectric headband reduces electrical hazards
- Smooth telescopic height adjustment for optimized comfort and seal
- Protection for moderate noise exposure

BEHIND THE NECK

24
NRR



Mirage™ Neck Band
NP120

- Non-slip customizable strap adjustment
- Lightweight, low profile earcups
- Protection for moderate noise exposure

Behind the neck ear muffs are ideal for use when multiple accessories are mounted to hard hat or safety helmet

| STYLE NO | NRR | TYPE | DIELECTRIC | ADJUSTMENT | COLOR |
|----------|-----|--------------|------------|------------------------------|--------------|
| NP110 | 24 | Banded | Yes | Slide | Orange |
| NP111 | 24 | Banded | Yes | Slide | Black/Blue |
| NP113 | 27 | Banded | Yes | Slide | Black/Green |
| NP115 | 25 | Banded | No | Micro-Slide | Black/Yellow |
| NP117 | 28 | Banded | No | Micro-Slide | Black/Red |
| NP120 | 24 | Neck Band | No | Adjustable Strap with Velcro | Black/Yellow |
| NP121 | 25 | Folding Band | No | Micro-Slide | Black |



CAP STYLE HARD HAT MOUNT

25
NRR



B52™ Cap Style
NP118

- Durable metal wire headband with micro-adjustment
- Extra-large earcups provide maximum noise protection
- Multiple positions for usage, stand-by and storage
- Protection for moderate to high noise exposure

25
NRR



Hercules™ Cap Style
NP114

- Dielectric headband reduces electrical hazards
- Smooth telescopic height adjustment for optimized comfort and seal
- Multiple positions for usage, stand-by and storage
- Protection for moderate to high noise exposure

FULL BRIM HARD HAT MOUNT

26
NRR



Buffalo™ Full Brim Style
NP119

- Durable metal wire headband with micro-adjustment
- Designed specifically for full brim hard hats
- Multiple positions for usage, stand-by and storage
- Protection for moderate to high noise exposure

23
NRR



Mirage™ Cap Style
NP116

- Durable metal wire headband with micro-adjustment
- Lightweight, low profile earcups
- Multiple positions for usage, stand-by and storage
- Protection for moderate noise exposure

20
NRR



Spitfire™ Cap Style
NP112

- Dielectric headband reduces electrical hazards
- Smooth telescopic height adjustment for optimized comfort and seal
- Multiple positions for usage, stand-by and storage
- Protection from low noise exposure

Three distinct wearing positions:

- > Over the ear
- > Slightly off the ear
- > Pivoted up when not in use

| STYLE NO | NRR | TYPE | DIELECTRIC | ADJUSTMENT | COLOR |
|----------|-----|-----------|------------|-------------|--------------|
| NP112 | 20 | Cap Style | Yes | Slide | Black/Blue |
| NP114 | 25 | Cap Style | Yes | Slide | Black/Green |
| NP116 | 23 | Cap Style | No | Micro-Slide | Black/Yellow |
| NP118 | 25 | Cap Style | No | Micro-Slide | Black/Red |
| NP119 | 26 | Full Brim | No | Micro-Slide | Black/White |

INDUSTRIAL, FORESTRY AND GARDENING KITS

Deluxe Forestry and Gardening Kit NPK10

- (1) HP542R03 Class 2 Orange Safety Hat
- (1) EPB101 Plastic Faceshield Bracket
- (1) EPWM815 Metal Forestry Screen Visor
- (1) NP118 B52 Earmuff



NPK10

Quality Forestry and Gardening Kit NPK11

- (1) HP241R02 Class 1 Yellow Safety Hat
- (1) EPB101 Plastic Faceshield Bracket
- (1) EPWM815 Metal Forestry Screen Visor
- (1) NP116 MIRAGE Earmuff



NPK11

Good Gardening Kit NPK12

- (1) HP24104 Class 1 Dark Green Safety Hat
- (1) EPB101 Plastic Faceshield Bracket
- (1) EPWM815 Metal Forestry Screen Visor
- (1) NP112 SPITFIRE Earmuff



NPK12

Industrial Kit NPK13

- (1) HP241R02 Class 1 Yellow Safety Hat
- (1) EPB101 Plastic Faceshield Bracket
- (1) EP815/40 PETG Clear Faceshield
- (1) NP116 MIRAGE Earmuff



NPK13

Deluxe Kit NPK14

- (1) HP142R15 Class 2 Red Safety Hat
- (1) EPB103 Faceshield Bracket
- (1) EPWM815 Metal Forestry Screen Visor
- (1) NP118 B52 Earmuff



NPK14

Quality Forestry And Gardening Kit NPK15

- (1) HP241R03 Class 1 Orange Safety Hat
- (1) EPB101 Plastic Faceshield Bracket
- (1) EPWM815 Metal Forestry Screen Visor
- (1) NP116 MIRAGE Earmuff



NPK15

Good Gardening Kit NPK16

- (1) HP24103 Class 1 Orange Safety Hat
- (1) EPB101 Plastic Faceshield Bracket
- (1) EPWM815 Metal Forestry Screen Visor
- (1) NP112 SPITFIRE Earmuff



NPK16

FOR OUR COMPLETE LINE
OF SAFETY PRODUCTS
GO TO WWW.PIPCANADA.CA



HEAD
PROTECTION



EYE AND FACE
PROTECTION



HEARING
PROTECTION



RESPIRATORY
PROTECTION



FALL
PROTECTION



FIRST AID
PRODUCTS



TRAFFIC AND HIGH
VISIBILITY PRODUCTS



WELDING
FACE SHIELD



IDENTIFICATION
PRODUCTS



HAND
PROTECTION



PIP Canada Ltd.

2477 Michelin St | Laval, Quebec H7L 5B9

450-687-7374 | 877-446-3278

orders@pipcanada.ca | www.pipcanada.ca



MKTGNPCATEN012022