



PROTECTIVE INDUSTRIAL PRODUCTS

ELECTRICAL SAFETY PRODUCTS CATALOG

www.pipusa.com

A global provider of innovative safety products



Over 30 years ago, PIP® founders Joe Milot and Wellson Tao set out on a mission to bring the best of the world in Safety products.

FOUNDED IN
1984
IN LATHAM, NY USA

WORKFORCE OF OVER
1500+
EMPLOYEES

WITH OVER
10K+
PRODUCTS AVAILABLE

OVER
20
GLOBAL LOCATIONS

MANUFACTURING LOCATIONS
9
IN NORTH AMERICA

DISTRIBUTION CENTERS
1.5M SQ
FT
GLOBALLY SITUATED

Today, PIP® is a leader in safety products.

BRANDS THAT EXTEND AROUND THE GLOBE.



MAIN PRODUCT CATEGORIES



HAND & ARM PROTECTION



PROTECTIVE GARMENTS



EYE & HEARING PROTECTION



ELECTRICAL SAFETY



HEAD PROTECTION

Protecting Hands

Up to 30 percent of hand injuries are attributed to fit, wear or simply the wrong type of glove for the hazard. PIP® believes it can help eliminate hand injuries on the job. Industry-leading NOVAX® rubber insulating gloves and sleeves are manufactured using an environmentally friendly Aqueous Dip Process and trusted by some of the world's largest utility and electrical contractors.

Safety Products You Can Trust

Over the last 10 years, PIP® has grown its product offering in personal protective equipment to deliver head-to-toe protection. Today, in addition to gloves, sleeves and protective eyewear, we manufacture hard hats, face shields, ear muffs, ear plugs and first aid products.



Electrical
Safety

KEY TO SAFETY IN ELECTRICAL APPLICATIONS

The key to injury reduction is not just product, it's understanding applications so that the right safety products are used.

Electricity is a serious workplace hazard that can result in serious injuries and even fatalities if your workers are not properly equipped. Whether you are working with high voltage batteries, live wires, powerful electrical equipment or power transformers, PIP® offers the right product designed specifically for protecting electrical and utility workers.

Our commitment is to help keep electrical workers safe. PIP® is a leader in safety garments, gloves and tools that meet and exceed tough ANSI and NFPA standards.

SELECTING THE PROPER PROTECTION

ARC Rated (AR)*

Helps insulate the wearer from heat, resists the breaking open of the garment and preventing ignition or continued burning when exposed to high intensity, short duration explosions or electrical ARC fire.

Flame Resistant (FR)

Materials with the ability to self-extinguish (with an after-flame of 2 seconds or less) that will not melt or drip.

*Remember all AR garments are flame-resistant, however not all FR garments are rated for ARC protection



Rubber Insulating Gloves



▲ 155-2-14
STRAIGHT CUFF



▲ 147-1-14
STRAIGHT CUFF



▲ 150-2-14
STRAIGHT CUFF



▲ 170-0-14
STRAIGHT CUFF



▲ 161-2-16
BELL CUFF



▲ 158-2-18
CONTOUR CUFF

NOVAX® Straight Cuff

STYLE NUMBER	CLASS	COLOR	LENGTH	SIZES
147-00-11	00	Orange	11"	7 - 12
150-00-11	00	Black	11"	7 - 12
153-00-11	00	Red	11"	7 - 12
170-00-11	00	Yellow	11"	7 - 12
150-00-14	00	Black	14"	7 - 12
170-00-14	00	Yellow	14"	7 - 12
147-0-11	0	Orange	11"	7 - 12
150-0-11	0	Black	11"	7 - 12
153-0-11	0	Red	11"	8 - 12
155-0-11	0	Black/Orange	11"	7 - 12
170-0-11	0	Yellow	11"	7 - 12
150-0-14	0	Black	14"	7 - 12
170-0-14	0	Yellow	14"	7 - 12
147-1-14	1	Orange	14"	7 - 12
150-1-14	1	Black	14"	7 - 12
153-1-14	1	Red	14"	7 - 12

STYLE NUMBER	CLASS	COLOR	LENGTH	SIZES
155-1-14	1	Black/Orange	14"	7 - 12
147-2-14	2	Orange	14"	7 - 12
150-2-14	2	Black	14"	7 - 12
152-2-14	2	Black/Yellow	14"	7 - 12
153-2-14	2	Red	14"	7 - 12
155-2-14	2	Black/Orange	14"	7 - 12
156-2-14	2	Black/Red	14"	7 - 12
170-2-14	2	Yellow	14"	7 - 12
152-2-16	2	Black/Yellow	16"	8 - 12
155-2-16	2	Black/Orange	16"	8 - 12
152-2-18	2	Black/Yellow	18"	8 - 12
155-2-18	2	Black/Orange	18"	8 - 12
155-3-16	3	Black/Orange	16"	8 - 12
155-3-18	3	Black/Orange	18"	9 - 12
155-4-16	4	Black/Orange	16"	9 - 12
155-4-18	4	Black/Orange	18"	9 - 12

NOVAX® Bell Cuff

STYLE NUMBER	CLASS	COLOR	LENGTH	SIZES
154-2-16	2	Black/Yellow	16"	8 - 12
159-2-16	2	Black/Orange	16"	9 - 12
161-2-16	2	Black/Red	16"	8 - 12
154-2-18	2	Black/Yellow	18"	8 - 12
159-2-18	2	Black/Orange	18"	9 - 12
161-2-18	2	Black/Red	18"	8 - 12
154-3-16	3	Black/Yellow	16"	8 - 12
159-3-16	3	Black/Orange	16"	9 - 12
161-3-16	3	Black/Red	16"	9 - 11
159-3-18	3	Black/Orange	18"	9 - 12
154-4-16	4	Black/Yellow	16"	9 - 11
159-4-16	4	Black/Orange	16"	9 - 12
161-4-16	4	Black/Red	16"	9 - 11
159-4-18	4	Black/Orange	18"	9 - 12

NOVAX® Contour Cuff

STYLE NUMBER	CLASS	COLOR	LENGTH	SIZES
151-2-18	2	Black/Yellow	18"	8 - 12
158-2-18	2	Black/Orange	18"	8 - 12
162-2-18	2	Black/Red	18"	8 - 12
151-3-18	3	Black/Yellow	18"	9 - 12
158-3-18	3	Black/Orange	18"	8 - 12
162-3-18	3	Black/Red	18"	9 - 12
151-4-18	4	Black/Yellow	18"	9 - 12
158-4-18	4	Black/Orange	18"	9 - 12
162-4-18	4	Black/Red	18"	9 - 11

STRONG, FLEXIBLE, DURABLE AND DIELECTRIC

Labeling

CLASS COLOR	NOVAX® GLOVE LABEL	TEST AC VOLTS	USE AC VOLTS	USE DC VOLTS
		2,500	500	750
		5,000	1,000	1,500
		10,000	7,500	11,250
		20,000	17,000	25,500
		30,000	25,500	39,750
		40,000	36,000	54,000

Standards and Regulations

OSHA

29CFR part 1910 (Occupational Safety and Health Standards)

ASTM

ASTM D120-22 (Rubber Insulating Gloves)

ASTM F496-20 (In-Service Care of Insulating Gloves and Sleeves)

ASTM F696-06 (Leather Protectors for Rubber Insulating Gloves and Mittens)

ASTM F1236-19 (Visual Inspection of Electrical Protective Rubber Products)

ASTM D1051-19 (Rubber Insulating Sleeves)

ASTM D1048-20 (Rubber Insulating Blankets)

NFPA

National Electric Safety Code

NFPA 70E (Electrical Safety in the Workplace - General Workplaces)



Rubber Insulating Products

ACCESSORIES



Rubber Insulating Sleeves

STYLE NUMBER	CLASS	COLOR	SIZES
193-0	0	Yellow	S - XL
193-1	1	Yellow	S - XL
199-2	2	Yellow/Red	S - XL
199-3	3	Yellow/Red	S - XL



Rubber Insulating Blankets
(ASTM 1048-14, ISO 9001:2015)

STYLE NUMBER	CLASS	STYLE	COLOR	SIZES
187-4	4	Solid	Orange	36" x 36"
188-4	4	Slotted	Orange	36" x 36"

MATERIAL: Type II Ozone-resistant rubber



Glove Inflator

STYLE NUMBER	STANDARD
9010-51200	In compliance with OSHA 1910.137



Glove Dust

STYLE NUMBER	COLOR	SIZE
148-2200	White	5 oz.



Leather Protector Glove Covers

STYLE NUMBER	CLASS	MATERIAL	CUFF	LENGTH	SIZES
148-1000	00-0	Goatskin	Slip-on	10"	7 - 12
148-2000	00-0	Goatskin	Gauntlet	13"	7 - 12
148-4000	1-2	Goatskin	Gauntlet	12"	7 - 12
148-5000	1-2	Goatskin	Gauntlet	12"	8 - 12
148-6000	1-2	Goatskin	Gauntlet	14"	8 - 12
148-7000	3-4	Goatskin	Gauntlet	12"	9 - 12



Glove and Sleeve Storage Bags

STYLE NUMBER	COLOR	MATERIAL	LENGTH
148-2136	Black	Nylon	11"
148-2142	Black	Nylon	14"
148-6011	Natural	Canvas	11"
148-6014	Natural	Canvas	14"
148-6016	Natural	Canvas	16"
148-6018	Natural	Canvas	18"
148-6030	Natural	Canvas	30"
148-6330	Natural	Canvas	30"

Electrical Safety Kits

Just pick the class that your application requires, the color and size rubber glove that you want and we do the rest by assembling a kit that works.



CONTENTS:

- 1 PAIR OF RUBBER INSULATING GLOVES
- 1 PAIR OF LEATHER PROTECTOR GLOVE COVERS
- 1 11" OR 14" STORAGE BAGS FOR GLOVES

Electrical Safety Kits

STYLE NUMBER	CLASS	LENGTH	SIZES	ESP GLOVES	GLOVE PROTECTION	STORAGE
147-SK-00	00	11"	7-12	147-00-11	148-1000	148-2136
150-SK-00	00	11"	7-12	150-00-11	148-1000	148-2136
150-SK-00-14	00	14"	7-12	150-00-14	148-4000	148-2136
147-SK-0	0	11"	7-12	147-0-11	148-1000	148-2136
150-SK-0	0	11"	7-12	150-0-11	148-1000	148-2136
150-SK-0-14	0	14"	7-12	150-00-14	148-4000	148-2136
147-SK-1	1	14"	7-12	147-1-14	148-4000	148-2142
150-SK-1	1	14"	7-12	150-1-14	148-4000	148-2142
147-SK-2	2	14"	7-12	147-2-14	148-4000	148-2142
150-SK-2	2	14"	7-12	150-2-14	148-4000	148-2142
155-SK-2	2	14"	7-12	155-2-14	148-4000	148-2142
170-SK-00	00	11"	7-12	170-00-11	148-1000	148-2136
170-SK-0	0	11"	7-12	170-0-11	148-1000	148-2136



NFPA 70E PPE Categories

PPE CATEGORY	PROTECTIVE EQUIPMENT	PROTECTIVE CLOTHING	MIN ARC RATING
 1 PPE	• Hard hat • Safety glasses or safety goggles (SR) • Hearing protection (ear canal inserts) • Heavy-duty leather gloves* • Leather work shoes	• ARC rated long sleeve shirt and pants or ARC rated coverall • ARC rated face shield or ARC flash suit hood • ARC rated jacket, parka, rainwear or hard hat liner	4 cal/cm ²
 2 PPE	• Hard hat • Safety glasses or safety goggles (SR) • Hearing protection (ear canal inserts) • Heavy-duty leather gloves* • Leather work shoes	• ARC rated long sleeve shirt and pants or ARC rated coverall • ARC rated face shield and ARC rated balaclava or ARC flash suit hood • ARC rated jacket, parka, rainwear or hard hat liner	8 cal/cm ²
 3 PPE	• Hard hat • Safety glasses or safety goggles (SR) • Hearing protection (ear canal inserts) • Heavy-duty leather gloves* • Leather work shoes	• ARC rated long sleeve shirt • ARC rated pants • ARC rated coverall • ARC rated ARC flash suit jacket • ARC rated ARC flash suit pants • ARC rated ARC flash suit hood • ARC rated gloves • ARC rated jacket, parka, rainwear or hard hat liner	25 cal/cm ²
 4 PPE	• Hard hat • Safety glasses or safety goggles (SR) • Hearing protection (ear canal inserts) • Heavy-duty leather gloves* • Leather work shoes	• ARC rated long sleeve shirt • ARC rated pants • ARC rated coverall • ARC rated ARC flash suit jacket • ARC rated ARC flash suit pants • ARC rated ARC flash suit hood • ARC rated gloves • ARC rated jacket, parka, rainwear or hard hat liner	40 cal/cm ²

* NFPA 70E Table 130.7(C)(16) Note 1 - The combination of rubber insulating gloves and leather protectors satisfies the ARC flash protection requirements.



ARC Protective Shields



Adapters & storage bags



ARC Protective Shields (NFPA 70e, ASTM F2178, ANSI Z87+S, Includes Chin Cup)

STYLE NUMBER	ARC RATING	MATERIAL	FITS	CHIN CUP COLOR	INCLUDES
9400-55504	20 cal/cm ²	Polycarbonate	-	Gray	Replacement Shield
9400-55505	12 cal/cm ²	Polycarbonate	Cap Style	Gray	Clip Mount
9400-55511	20 cal/cm ²	Polycarbonate	Cap Style	Gray	Clip Mount
9400-55512	12 cal/cm ²	Polycarbonate	Full Brim	Transparent	Mounting Bracket
9400-55514	12 cal/cm ²	Polycarbonate	Cap Style	Transparent	Mounting Bracket
9400-55520	20 cal/cm ²	Polycarbonate	Full Brim	Transparent	Mounting Bracket
9400-55524	20 cal/cm ²	Polycarbonate	Cap Style	Transparent	Mounting Bracket

ARC Protective Accessories (NFPA 70E, ASTM F2178, ANSI Z87+S)

STYLE NUMBER	MATERIAL	DESCRIPTION
9400-52503	Nylon	Cap Style Hard Hat Adapter With Slotted Attachment
9400-52515	Polyurethane Backed Nylon	Large Backpack, Fits All ARC Kits, Orange, Made In USA
9400-52508	Cotton	Cotton Premium ARC Shield Storage Bag(Only), USA
9400-52509	Cotton	ARC Shield Storage Bag
9400-80016	Nylon	Universal Cap Bracket for Paulson ARC Shields with Elastomeric Attachment
9400-80017	Nylon	Slotted Cap Bracket for Paulson High Transparency Amp Shields
9400-80018	Nylon	Slotted and Non-Slotted Cap Bracket for Paulson High Transparency Amp Shields




Head Gear Kits



PPE 2 ARC Head Gear Kits

COMPONENTS							
KIT NUMBER	BALACLAVA	ARC SHIELD	HEAD GEAR BAG	HARD HAT	SAFETY GLASSES	STORAGE BAG	ARC RATING
9150-52508	9100-HDFR15	9400-55505	9400-52509	Included	Included	-	12 cal/cm ²
9150-52512	9100-HDFR15	9400-55505	9400-52509	Included	Included	9400-52599	12 cal/cm ²
9150-52500	9100-HDFR15	9400-55505	9400-52509	Included	Included	9400-52515	12 cal/cm ²
9150-56510	-	9400-55505	-	Included	-	-	12 cal/cm ²
9150-56511	-	9400-55512	-	Included	-	-	12 cal/cm ²

* Component parts listed can be purchased separately for replacement





ARC Rated Shirts



385-FRLS



385-FRHN



385-FRSS



385-FRPH



385-FRZH



Next-to-skin
comfort and
breathability

ARC Rated Flame Resistant Shirts (short sleeve t-shirts should be worn as an undergarment only)

STYLE NUMBER	COLOR	GARMENT	PPE CATEGORY	ARC RATING	MATERIAL	WEIGHT	POCKETS	STANDARD	CLOSURE	SIZE
385-FRLS-NV	Navy	Long Sleeve T-Shirt	2	11.8 cal/cm ²	100% Cotton	6.5oz	1	NFPA 70E, ASTM F1506	Pullover	M - 4XL
385-FRLS-OR	Orange	Long Sleeve T-Shirt	2	11.8 cal/cm ²	100% Cotton	6.5oz	1	NFPA 70E, ASTM F1506	Pullover	M - 4XL
385-FRLS-LG	Light Gray	Long Sleeve T-Shirt	2	11.8 cal/cm ²	100% Cotton	6.5oz	1	NFPA 70E, ASTM F1506	Pullover	M - 4XL
385-FRLS-GR	Gray	Long Sleeve T-Shirt	2	11.8 cal/cm ²	100% Cotton	6.5oz	1	NFPA 70E, ASTM F1506	Pullover	M - 4XL
385-FRHN-NV	Navy	Long Sleeve Henley	2	11.8 cal/cm ²	100% Cotton	6.5oz	1	NFPA 70E, ASTM F1506	Pullover	M - 3X
385-FRHN-OR	Orange	Long Sleeve Henley	2	11.8 cal/cm ²	100% Cotton	6.5oz	1	NFPA 70E, ASTM F1506	Pullover	M - 3X
385-FRHN-LG	Light Gray	Long Sleeve Henley	2	11.8 cal/cm ²	100% Cotton	6.5oz	1	NFPA 70E, ASTM F1506	Pullover	M - 3X
385-FRSS-NV	Navy	Short Sleeve Shirt	2	11.8 cal/cm ²	100% Cotton	6.5oz	1	NFPA 70E, ASTM F1506	Pullover	M - 3X
385-FRSS-LG	Light Gray	Short Sleeve Shirt	2	11.8 cal/cm ²	100% Cotton	6.5oz	1	NFPA 70E, ASTM F1506	Pullover	M - 3X

ARC Rated Flame Resistant Sweatshirts

385-FRPH-NV	Navy	Hoodie	2	20 cal/cm ²	100% Cotton	12 oz. Fleece Knit	1	NFPA 70E, ASTM F1506	Pullover	M - 3XL
385-FRPH-OR	Orange	Hoodie	2	20 cal/cm ²	100% Cotton	12 oz. Fleece Knit	1	NFPA 70E, ASTM F1506	Pullover	M - 3XL
385-FRZH-NV	Navy	Hoodie	2	20 cal/cm ²	100% Cotton	12 oz. Fleece Knit	2	NFPA 70E, ASTM F1506	Zipper	M - 3XL
385-FRZH-OR	Orange	Hoodie	2	20 cal/cm ²	100% Cotton	12 oz. Fleece Knit	2	NFPA 70E, ASTM F1506	Zipper	M - 3XL



ARC Rated Clothing



9100-2170D
Coveralls



9100-52564
Overalls



9100-21782
Jacket



9100-22070
Overpants



ARC Rated Flame Resistant Dual Certified Coveralls (NFPA 70E, ASTM F1506)

STYLE NUMBER	COLOR	PPE CATEGORY	ARC RATING	MATERIAL	POCKETS	STANDARD	CLOSURE	SIZE
385-FRSC-NV	Navy	2	8 cal/cm ²	90% Cotton, 10% Nylon	8	NFPA 70E, ASTM F1506 & NFPA 2112-2012	Zipper	S - 5XL
385-FRSC-KH	Khaki	2	8 cal/cm ²	90% Cotton, 10% Nylon	8	NFPA 70E, ASTM F1506 & NFPA 2112-2012	Zipper	S - 5XL
9100-2100D	Tan	2	8 cal/cm ²	90% Cotton, 10% Nylon	2	NFPA 70E, ASTM F1506 & NFPA 2112-2012	Hook and Loop	S - 5XL
9100-2110D	Tan	2	8 cal/cm ²	90% Cotton, 10% Nylon	2	NFPA 70E, ASTM F1506 & NFPA 2112-2012	Hook and Loop	S - 5XL
9100-2120D	Blue	2	8 cal/cm ²	90% Cotton, 10% Nylon	2	NFPA 70E, ASTM F1506 & NFPA 2112-2012	Hook and Loop	S - 5XL
9100-2160D	Navy	2	8 cal/cm ²	90% Cotton, 10% Nylon	2	NFPA 70E, ASTM F1506 & NFPA 2112-2012	Hook and Loop	S - 5XL
9100-2170D	Navy	2	12 cal/cm ²	90% Cotton, 10% Nylon	2	NFPA 70E, ASTM F1506 & NFPA 2112-2012	Hook and Loop	S - 5XL

ARC Rated Flame Resistant Overalls (NFPA 70E, ASTM F1506)

9100-52564	Navy	2	12.4 cal/cm ²	90% Cotton, 10% Nylon	2	NFPA 70E, ASTM F1506	Buckle	S - 4XL
------------	------	---	--------------------------	-----------------------	---	----------------------	--------	---------

ARC Rated Flame Resistant Jackets (NFPA 70E, ASTM F1506)

9100-21782	Navy	2	12.4 cal/cm ²	90% Cotton, 10% Nylon	2	NFPA 70E, ASTM F1506	Hook and Loop	L - 2XL
------------	------	---	--------------------------	-----------------------	---	----------------------	---------------	---------

ARC Rated Flame Resistant Overpants (NFPA 70E, ASTM F1506)

9100-22070	Navy	2	12.4 cal/cm ²	90% Cotton, 10% Nylon	2	NFPA 70E, ASTM F1506	Hook and Loop	L - 2XL
------------	------	---	--------------------------	-----------------------	---	----------------------	---------------	---------



ARC Protection Kits



PPE 2 ARC Protection Kits - Carry Bag (9400-52599)

       												
COMPONENTS	COVERALL	JACKET	OVERALL	PANT	BALACLAVA	ARC SHIELD	HARD HAT	SAFETY GLASSES	FEATURE	ARC RATING	PPE RATING	SIZE
9150-5388E	9100-21600	-	-	-	9100-HDFR15	9400-55505	Included	Included	Action Back	8 cal/cm ²	2	S - 5XL
9150-5488E	9100-21700	-	-	-	9100-HDFR15	9400-55505	Included	Included	Action Back	12 cal/cm ²	2	S - 5XL
9150-52810	-	9100-21780	-	9100-22070	9100-HDFR15	9400-55505	Included	Included	2-Piece Set	12 cal/cm ²	2	S - 4XL
9150-52812	-	9100-21782	9100-52564	-	9100-HDFR15	9400-55505	Included	Included	2-Piece Set	12 cal/cm ²	2	S - 4XL
9150-52804	-	9100-21780	9100-52564	-	9100-HDFR15	9400-55505	Included	Included	2-Piece Set	12 cal/cm ²	2	S - 4XL
PPE 2 ARC Protection Kits - Back Pack (9400-52515)												
9150-53871	-	9100-21780	9100-52564	-	9100-HDFR15	9400-55505	Included	Included	2-Piece Set	12 cal/cm ²	2	S - 4XL
9150-5388EB	9100-21600	-	-	-	9100-HDFR15	9400-55505	Included	Included	Action Back	8 cal/cm ²	2	S - 5XL
9150-5488EB	9100-21700	-	-	-	9100-HDFR15	9400-55505	Included	Included	Action Back	12 cal/cm ²	2	S - 5XL

* Component parts listed can be purchased separately for replacement





Dual Certified Clothing



Dual certified means the garment and material have been tested and certified by a third-party and indicates compliance with two standards:

NFPA 70e:

Standard for electrical safety in the workplace

NFPA 2112:

Standard for protection against flash fire

385-FRWS
Shirt



385-FRCJ
Carpenter jeans

385-FRWS
Shirt



385-FRRJ
Regular jeans



Dual Certified Clothing

STYLE NUMBER	COLOR	GARMENT	PPE CATEGORY	ARC RATING	MATERIAL	WEIGHT	POCKETS	STANDARD	CLOSURE	SIZE
385-FRWS-KH	Tan	Flame Resistant Shirt	2	8.5 cal/cm ²	Cotton/Nylon	7oz	2	NFPA 70E, ASTM F1506 & NFPA 2112-2012	Buttons	M - 4XL
385-FRWS-NV	Navy	Flame Resistant Shirt	2	8.5 cal/cm ²	Cotton/Nylon	7oz	2	NFPA 70E, ASTM F1506 & NFPA 2112-2012	Buttons	M - 4XL
385-FRRJ	Denim	Flame Resistant Jeans	2	16 cal/cm ²	Cotton/Twill/Denim	13oz	5	NFPA 70E, ASTM F1506 & NFPA 2112-2012	Zipper	30-50W x 30-36L
385-FRCJ	Denim	Flame Resistant Jeans	2	16 cal/cm ²	Cotton/Twill/Denim	13oz	6	NFPA 70E, ASTM F1506 & NFPA 2112-2012	Zipper	30-50W x 30-36L



ARC Rated Flame Resistant Hi-Vis Apparel



Resists ignition
and self
extinguishes

Hi-Vis Apparel

STYLE NUMBER	COLOR	ANSI 107	GARMENT	PPE CATEGORY	ARC RATING	MATERIAL	WEIGHT	POCKETS	STANDARD	CLOSURE	REFLECTIVE	SIZE
305-2100	Hi-Vis Yellow	Type R Class 2	Mesh Vest	1	5.1 cal/cm ²	Modacrylic	6.2 oz. Mesh	1	ANSI 107, NFPA 70E, ASTM F1506	Hook and Loop	2" Silver	M - 5XL
305-2200	Hi-Vis Yellow	Type R Class 2	Solid Vest	2	8.9 cal/cm ²	Westex	6.2 oz Solid	0	ANSI 107, NFPA 70E, ASTM F1506	Hook and Loop	2" Silver	M - 5XL
305-3100	Hi-Vis Yellow	Type R Class 3	Mesh Vest	1	5.1 cal/cm ²	Modacrylic	6.2 oz Mesh	1	ANSI 107, NFPA 70E, ASTM F1506	Hook and Loop	2" Silver	M - 5XL
305-3200	Hi-Vis Yellow	Type R Class 3	Solid Vest	2	8.9 cal/cm ²	Westex	6.5 oz Solid	0	ANSI 107, NFPA 70E, ASTM F1506	Hook and Loop	2" Silver	M - 5XL
385-1370FR	Hi-Vis Lime Yellow/Black	Type R Class 3	Hoodie	2	19 cal/cm ²	Modacrylic / FR Cotton	12 oz. Fleece Knit	3	ANSI 107 Type R Class 3, NFPA 70E, ASTM F1506	Zipper	2" FR Segmented Heat Applied	S - 5XL
315-1350FR	Hi-Vis Yellow	Type R Class 3	Long Sleeve T-Shirt	2	8.6 cal/cm ²	100% Cotton	--	0	NFPA 70E, ASTM F1506	Pullover	2" Silver FR Treated	M - 5XL

ARC Rated Flame Resistant Rainwear

STYLE NUMBER	COLOR	ANSI 107	GARMENT	PPE CATEGORY	ARC RATING	MATERIAL	THICKNESS	POCKETS	STANDARD	CLOSURE	SIZE
355-2500AR	Hi-Vis Yellow	Type R Class 3	Jacket	2	16 cal/cm ²	Cotton / Polyester	12 oz.	2	NFPA 70E, ASTM F1891, ASTM F2733, ANSI 107-2015	Zipper	S - 5XL
355-2501AR	Hi-Vis Yellow	-	Bib Overalls	2	16 cal/cm ²	Cotton / Polyester	12 oz.	0	NFPA 70E, ASTM F1891, ANSI 107-2015	Hook and Loop	S - 5XL
355-2505AR	Hi-Vis Yellow	Type R Class 3	Raincoat	2	16 cal/cm ²	Cotton / Polyester	12 oz.	2	NFPA 70E, ASTM F1891, ASTM F2733, ANSI 107-2015	Zipper	S - 5XL

Vests to be worn over ARC rated FR clothing only



High-Risk ARC Protection



Working in high-risk and high-voltage environments demands serious protection. PIP® offers a full line of ARC flash protection PPE to keep workers safe in the most demanding environments.




ARC Flash Hoods

LIFT FRONT HOOD
*makes it easy to obtain fresh air
when outside of the hazard zone*


PREMIUM ANTI-FOG COATING
*Reduces fogging while
maintaining clear vision*

ERGONOMIC HOOD DESIGN
*Allows for full rotation
and movement without
compromising coverage*

9150-53850



Replacement window



Electrical ARC Hoods - includes ARC shield, hard hat and mounting bracket (NFPA 70E, ASTM F1506)

STYLE NUMBER	WEIGHT	LAYERS	MATERIAL	PPE CAT	ARC RATING
9150-52548	9 oz.	1	Cotton / Nylon	2	12 cal/cm ²
9150-52515	7 oz.	2	Cotton / Nylon	3	25 cal/cm ²
9150-52685	9 oz.	2	Cotton / Nylon	3	33 cal/cm ²
9150-523ULT	8 oz. / 6 oz.	2	Protera [®] / Ultrasoft [®]	4	40 cal/cm ²
9150-52689	-	Multi	Ultrasoft [®] / High Tenacity Nylon	4	100 cal/cm ²
9150-52850	9 oz. / 13 oz.	2	Cotton / Nylon	4	40 cal/cm ²
9150-53850	8 oz. / 6.5 oz.	2	Protera [®] / Ultrasoft [®]	4	40 cal/cm ²
9150-5236V	8 oz. / 6 oz.	2	Protera [®] / Ultrasoft [®]	4	40 cal/cm ²
9150-5237V	8 oz. / 6 oz.	2	Protera [®] / Ultrasoft [®]	4	40 cal/cm ²

Electrical ARC Hood Replacement Windows
(NFPA 70E, ASTM F2178, ANSI Z87+S)

9400-55517	6.4 oz.	-	Polycarbonate	3	25 cal/cm ²
9400-54686	8 oz.	-	Polycarbonate	4	40 cal/cm ²
9400-55569	9.6 oz.	-	Polycarbonate	4	100 cal/cm ²

9150-5236V
Ventilated hood
with battery pack



9150-5237V
Ventilated
dual-fan
hood with
rechargeable
battery pack
and heat sensor

Ventilating Units

- 6+ usable hours of battery life
- Ventilating unit and power pack are protected by a compact and durable ABS case covered by ultralight fabric

UNIT WEIGHT: 1 LB (16 OZ.)
AIRFLOW: 35 CFM



ARC Rated Clothing



9100-52758
Coveralls



9100-52422
Overalls



9100-52680
Jacket



9100-530ULT
Overpants



ARC Rated Flame Resistant Coveralls

STYLE NUMBER	COLOR	PPE CATEGORY	ARC RATING	MATERIAL	POCKETS	STANDARD	CLOSURE	SIZE
9100-52758	Navy	Cotton / Nylon	3	33 cal/cm ²	3	NFPA 70E, ASTM F1506	Hook and Loop	S - 6XL
9100-52772	Navy	Cotton / Nylon	3	25 cal/cm ²	3	NFPA 70E, ASTM F1506	Hook and Loop	S - 6XL

ARC Rated Flame Resistant Overalls

9100-21731	Navy	Cotton / Nylon	3	25 cal/cm ²	2	NFPA 70E, ASTM F1506	Buckle	S - 6XL
9100-53680	Navy	Cotton / Nylon	3	33 cal/cm ²	2	NFPA 70E, ASTM F1506	Buckle	S - 6XL
9100-52422	Navy	Cotton / Nylon	4	40 cal/cm ²	2	NFPA 70E, ASTM F1506	Buckle	S - 5XL
9100-75001	Navy	Cotton / Nylon	4	75 cal/cm ²	2	NFPA 70E, ASTM F1506	Buckle	M - 5XL
9100-53750	Gray	Aramid / Cotton	4	100 cal/cm ²	2	NFPA 70E, ASTM F1506	Buckle	L - 3XL

ARC Rated Flame Resistant Jackets

9100-21721	Navy	Cotton / Nylon	3	25 cal/cm ²	2	NFPA 70E, ASTM F1506	Hook and Loop	S - 6XL
9100-52680	Navy	Cotton / Nylon	3	33 cal/cm ²	2	NFPA 70E, ASTM F1506	Hook and Loop	S - 6XL
9100-52412	Navy	Cotton / Nylon	4	40 cal/cm ²	2	NFPA 70E, ASTM F1506	Hook and Loop	S - 5XL
9100-524ULT	Navy	Protera [®] / Ultrasoft [™]	4	40 cal/cm ²	2	NFPA 70E, ASTM F1506	Hook and Loop	L - 2XL
9100-75000	Navy	Cotton / Nylon	4	75 cal/cm ²	2	NFPA 70E, ASTM F1506	Hook and Loop	M - 5XL
9100-52750	Gray	Aramid / Cotton	4	100 cal/cm ²	2	NFPA 70E, ASTM F1506	Hook and Loop	M - 5XL

ARC Rated Flame Resistant Overpants

9100-530ULT	Navy	Protera [®] / Ultrasoft [™]	4	40 cal/cm ²	4	NFPA 70E, ASTM F1506	Hook and Loop	L - 2XL
-------------	------	---	---	------------------------	---	----------------------	---------------	---------



ARC Protection Kits



PPE 3 & 4 ARC Protection Kits - Carry Bag (9400-52599)

COMPONENTS											
KIT NUMBER	COVERALL	JACKET	OVERALL	PANT	HOOD	HARD HAT	SAFETY GLASSES	FEATURE	ARC RATING	PPE RATING	SIZE
9150-52821	9100-52772	-	-	9150-52515	9150-52515	Included	Included	2-Piece Set	25 cal/cm ²	3	S - 6XL
9150-53003	-	9100-21721	9100-21731	9150-52515	9150-52515	Included	Included	Aramid Thread & Cuffs	25 cal/cm ²	3	S - 6XL
9150-52917	9100-52758	-	-	9150-52685	9150-52685	Included	Included	Aramid Thread & Cuffs	33 cal/cm ²	3	S - 6XL
9150-52609	-	9100-52680	9100-53680	9150-52685	9150-52685	Included	Included	2-Piece Set	33 cal/cm ²	3	S - 6XL
9150-52436	9100-52412	9100-52422	-	9150-52850	9150-52850	Included	Included	2-Piece Set	40 cal/cm ²	4	S - 6XL
9150-540ULT	9100-524ULT	-	9100-530ULT	9150-523ULT	9150-523ULT	Included	Included	Ultralight	40 cal/cm ²	4	S - 5XL
9150-54VULT	9100-524ULT	-	9100-530ULT	9150-5236V	9150-5236V	Included	Included	Ultralight	40 cal/cm ²	4	S - 5XL
9150-75050	9100-75000	9100-75001	-	9150-75002	9150-75002	Included	Included	2-Piece Set	75 cal/cm ²	4	M - 5XL
9150-52730	9100-52750	9100-53750	-	9150-52689	9150-52689	Included	Included	2-Piece Set	100 cal/cm ²	4	M - 5XL

PPE 3 ARC Protection Kits - Back Pack (9400-52515)

9150-52815	9100-52772	-	-	-	9150-52515	Included	Included	2-Piece Set	25 cal/cm ²	3	S - 6XL
9150-53018	-	9100-21721	9100-21731	-	9150-52515	Included	Included	Aramid Thread & Cuffs	25 cal/cm ²	3	S - 6XL
9150-52946	9100-52758	-	-	-	9150-52685	Included	Included	Aramid Thread & Cuffs	33 cal/cm ²	3	S - 6XL
9150-21712	-	9100-21780	9100-52564	-	9150-52685	Included	Included	2-Piece Set	33 cal/cm ²	3	S - 6XL
9150-540ULTB	9100-524ULT	-	9100-530ULT	-	9150-523ULT	Included	Included	Ultralight	40 cal/cm ²	4	S - 5XL
9150-54VULTB	9100-524ULT	-	9100-530ULT	-	9150-5236V	Included	Included	Ultralight	40 cal/cm ²	4	S - 5XL

* Component parts listed can be purchased separately for replacement



Electrical ARC Rated Gloves



713KSSN

- Excellent dexterity, tactile sensitivity and cut resistance
- Good grip and excellent abrasion resistance
- Comfortable and breathable



73-K1800

- Excellent dexterity, tactile sensitivity and cut resistance
- Good grip and excellent abrasion resistance
- Comfortable and breathable



86560

- Flame and heat resistant
- Helps protect against ARC flash
- Excellent dexterity



09-K3750

- ARC rated with high cut protection
- Provides high abrasion resistance
- Straight thumb is ergonomic providing better dexterity



73-1700

- Outstanding comfort, fit and feel
- Enhanced cut protection and good heat dispersion
- Superior abrasion-resistant



KS993KOA

- High cut and puncture resistance
- Helps protect against ARC flash
- Water and oil resistant



KS993KOAB

- High cut and puncture resistance
- Helps protect against ARC flash
- Water and oil resistant



KS991KP

- Insulated with high cut and puncture resistance
- Helps protect against ARC flash
- Water and oil resistant



KS992K

- High cut and puncture resistance
- Helps protect against ARC flash
- High comfort and protection

STYLE NUMBER	ANSI CUT	PPE CAT	ARC RATING	EN388	COATING	LINER MATERIAL	GAUGE	COLOR	SIZES
713KSSN	A6	1	4.4 cal/cm ²	4542F	Nitrile Foam	Aramid / Stainless Steel	13	Green / Black	XS - 3XL
73-K1800	A4	1	7.4 cal/cm ²	2542C	Nitrile	Aramid	13	Yellow / Black	S - 2XL
86560	A3	3	24 cal/cm ²	-	-	Aramid	-	Black / White/ Orange	S - 2XL
09-K3750	A2	3	28.5 cal/cm ²	3322B	-	Kevlar [®]	-	Natural	S - 3XL
73-1700	A2	3	30 cal/cm ²	2332B	-	Kevlar [®]	-	Black / Brown	S - 2XL
KS993KOA	A4	4	43 cal/cm ²	2524D	-	Aramid	-	Brown	S - 3XL
KS993KOAB	A4	4	43 cal/cm ²	2524D	-	Aramid	-	Brown	S - 3XL
KS991KP	A4	4	43 cal/cm ²	2524D	-	Aramid / Fleece	-	Brown	S - 3XL
KS992K	A4	4	43 cal/cm ²	2432D	-	Kevlar [®]	-	Natural	S - 3XL



ARC Rated Balaclavas



385-FRBL-11-NV




9100-HDFR15

ARC Rated Balaclavas

STYLE NUMBER	COLOR	WEIGHT	LAYERS	MATERIAL	PPE CATEGORY	ARC RATING	CLOSURE	SIZE
385-FRBL-11-NV	Navy	6.5 oz.	Single	FR Cotton Knit	2	11.8 cal/cm ²	Hook and Loop	S - 6XL
385-FRBL-11-OR	Orange	6.5 oz.	Single	FR Cotton Knit	2	11.8 cal/cm ²	Hook and Loop	S - 6XL
9100-HDFR12	Navy	8.5 oz.	Single	Pro-C FR Westex® Ultrasoft™	2	12.1 cal/cm ²	Hook and Loop	S - 6XL
9100-HDFR15	Navy	8.5 oz.	Single	FR Cotton Rib	2	15.1 cal/cm ²	Buckle	S - 6XL
385-HDFR13-NV	Navy	13 oz.	Double	FR Cotton / Nylon Knit	3	32.4 cal/cm ²	Buckle	S - 6XL
385-HDFR13-OR	Orange	13 oz.	Double	FR Cotton / Nylon Knit	3	32.4 cal/cm ²	Buckle	S - 6XL

ESP Kit Storage

9400-52515
Back Pack9400-52599
Carry Bag

ESP Kit Storage

STYLE NUMBER	COLOR	STYLE	MATERIAL	FEATURE	CLOSURE	SIZE	SIZE
9400-52515	Orange	Back Pack	600 D Polyester	Insulating Glove Pocket	Zipper	20"L x 8"W x 15"H	S - 6XL
9400-52599	Orange	Carry Bag	600 D Polyester	Molded Rubber Bottom	Zipper	24"L x 10"W x 13"H	S - 6XL



New Installations

Installing Electrical Equipment / Pulling Wire & Cable /
Installing Cable / Tray & Conduit / Connecting Wires



Seamless Knit Coated Gloves



34-874

- High dexterity and tactility
- Excellent dry grip and compatibility with light oils



ANSI
A2

16-D622

- General use glove with light cut resistance
- Comfortable wearing glove for multi-task operations



ANSI
A4

16-560

- Liner/coating hides dirt for longer wear
- Flexible liner with thin coating for precision work



ANSI
A2

34-8743

- High dexterity and tactility
- Patented MicroFoam nitrile coating offers 360° breathability



ANSI
A3

44-3445

- High tactile sensitivity and dexterity
- Patented MicroFoam nitrile coating offers 360° breathability



ANSI
A3

44-3455

- High tactile sensitivity and dexterity
- Patented MicroFoam nitrile coating offers 360° breathability

FULL COATING COVERAGE

Heavy Duty Gloves



ANSI
A2



09-K3750

- ARC rated with high cut protection
- Provides high abrasion resistance
- Straight thumb is ergonomic providing better dexterity



ANSI
A4



KS992K

- High cut and puncture resistance
- Protects against ARC flash
- High comfort and protection



ANSI
A4



KS993KOAB

- High cut and puncture resistance
- Protects against ARC flash
- Water and oil resistant

Seamless Knit Coated Gloves

STYLE NUMBER	ANSI CUT	ENC388	COATING	COATING COVERAGE	COATING COLOR	LINER	LINER COLOR	GAUGE	SIZES	PROP 65
16-D622	A2	4342BX	Polyurethane	Palm & Fingers	Gray	PolyKor	White	13	XS - 2XL	⚠️ C
16-560	A4	4543DX	Polyurethane	Palm & Fingers	Gray	PolyKor	Gray	13	XS - 2XL	⚠️ C
34-874	-	4131AX	Nitrile MicroFoam	Palm & Fingers	Black	Nylon / Lycra	Gray	15	XXS-3XL	-
34-8743	A2	4331BX	Nitrile MicroFoam	Palm & Fingers	Black	MaxiFlex® Cut™	Green	15	XS - 3XL	-
44-3445	A3	4542CX	Nitrile MicroFoam	Palm & Fingers	Black	MaxiCut® Ultra DT™	Blue	15	XS - 2XL	-
44-3455	A3	4542CX	Nitrile MicroFoam	Palm & Fingers	Black	MaxiCut® Ultra DT™	Blue	15	XS - 2XL	-

Heavy-Duty Gloves

STYLE NUMBER	ANSI CUT	ENC388	ANSI/ISEA 138	MATERIAL	BACK	CLIFF	COLOR	SIZES	PROP 65
09-K3750	A2	3322BX	-	Top Grain Goatskin	-	Slip-on	Natural	S - 3XL	-
KS992K	A4	2432DX	-	Top Grain Cowhide	-	Slip-on	Natural	S - 3XL	-
KS993KOAB	A4	2524DX	Impact Level 2	Top Grain Goatskin	TPR	Slip-on	Brown	S - 3XL	-

C=⚠️ **WARNING:** Cancer - www.P65Warnings.ca.gov

R=⚠️ **WARNING:** Reproductive Harm - www.P65Warnings.ca.gov

CR=⚠️ **WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Head Protection



DYNAMIC® KILIMANJARO™ HARD HAT 280-HP641R

Full Brim Hard Hat with HDPE Shell,
4-Point Textile Suspension and Wheel
Ratchet Adjustment



MK8 EVOLUTION® HARD HAT 280-AHS240

Type II Linesman Hard Hat with HDPE Shell, EPS
Impact Liner, Polyester Suspension, Wheel Ratchet
Adjustment and 4-Point Chin Strap

STANDARDS MET										
STYLE NUMBER	CLASS	TYPE	ANSI Z89.1	CSA Z94.1-15	SHELL MATERIAL	SUSPENSION	SIZE ADJUSTMENT	BRIM	OPTIONS	AVAILABLE COLORS
280-HP641R-03	Class E (NON-VENTED)	Type I	•	•	HDPE	4-Point Nylon	Wheel Ratchet	Full Brim	-	Orange
280-AHS240-10	Class E (NON-VENTED)	Type II	•		HDPE	6-Point Polyester Textile	Wheel Ratchet	Standard	High Strength Outer Shell with Chinstrap	White

C= ⚠️ **WARNING:** Cancer - www.P65Warnings.ca.gov

R= ⚠️ **WARNING:** Reproductive Harm - www.P65Warnings.ca.gov

C&R= ⚠️ **WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Safety Glasses



HI-VOLTAGE AC™ 250-21-0120

Contemporary styling with bayonet
temples for excellent fit



CAPTAIN™ 250-46-0520

- Lightweight, rimless design provides
all-day user comfort
- Bayonet temples with end tips that
curve out for ease of placement on face



Q VISION 250-36-0020

Rimless design offers improved
field of vision and comfort



HI-VOLTAGE ARC™ 250-24-0300

Economic eye protection with
adjustable length temples

STANDARDS MET										
STYLE NUMBER	LENS	COATING	FRAME	ANSI Z87.1+	CSA Z94.3	BASE CURVE	FIT	BRIDGE	TEMPLE	PROP 65
250-21-0120	☐ Clear	Anti-Scratch / Anti-Fog	☒ Blue	•		10	Narrow	Rubber	Bayonet, Rubber Tips	⚠️ R
250-46-0520	☐ Clear	Anti-Scratch / FogLess® 3Sixty™	☐ Clear	•		9	Narrow	Rubber	Bayonet, Rubber Tips	⚠️ R
250-36-0020	☐ Clear	Anti-Scratch / Anti-Fog	☒ Burgundy	•		9.75	Round	Rubber	Bayonet, Co-Molded	⚠️ R
250-24-0300	☐ Clear	Anti-Scratch	☒ Blue	•		4	Universal	Molded	Spatula	⚠️ R

C= ⚠️ **WARNING:** Cancer - www.P65Warnings.ca.gov

R= ⚠️ **WARNING:** Reproductive Harm - www.P65Warnings.ca.gov

C&R= ⚠️ **WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov

ALL EYEWEAR STYLES ARE DIELECTRIC



Head Protection



DYNAMIC® WHISTLER™ HARD HAT 280-HP241R

Cap Style Hard Hat with HDPE Shell, 4-Point Textile Suspension and Wheel Ratchet Adjustment



DYNAMIC® KILIMANJARO™ HARD HAT 280-HP641R

Full Brim Hard Hat with HDPE Shell, 4-Point Textile Suspension and Wheel Ratchet Adjustment

STANDARDS MET

STYLE NUMBER	CLASS	TYPE	ANSI Z89.1	CSA Z94.3-15	SHELL MATERIAL	SUSPENSION	SIZE ADJUSTMENT	BRIM	AVAILABLE COLORS	PROP 65
280-HP241R	Class E (NON-VENTED)	Type I	•	•	HDPE	4-Point Nylon	Wheel Ratchet	Standard	White, Yellow, Orange, Green, Blue, Gray, Black, Red	⚠ ^R
280-HP641R	Class E (NON-VENTED)	Type I	•	•	HDPE	4-Point Nylon	Wheel Ratchet	Full Brim	White, Yellow, Orange, Dark Green, Sky Blue, Blue, Gray, Red, Dark Gray, Royal Blue, Hi-Vis Yellow, Hi-Vis Orange	⚠ ^R

C=⚠^R WARNING: Cancer - www.P65Warnings.ca.gov

R=⚠^R WARNING: Reproductive Harm - www.P65Warnings.ca.gov

C&R=⚠^R WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Eye Protection



MEETS ANSI
Z87.1+

ANSER™ 250-AN-11120

Lightweight, semi-rimless design provides all-day user comfort



MEETS ANSI
Z87.1+ MEETS CSA
Z94.3

RECON™ 250-32-0520

Lightweight, rimless design for ergonomic fit



MEETS ANSI
Z87.1+

DOUBLE MAG READERS™ 250-25-2020

Safety readers in a semi-rimless design



MEETS ANSI
Z87.1+

ZENON Z13R™ 250-26-0020

Reader version of the popular Z13™ style

STANDARDS MET

STYLE NUMBER	LENS	COATING	FRAME	DIOPTER	ANSI Z80.1	CSA Z94.3	BASE CURVE	FIT	BRIDGE	TEMPLE	PROP 65
250-AN-11120	Clear	Anti-Scratch, Anti-Fog	Black	-	•	•	9	Universal	Rubber	Bayonet, Rubber Tips	⚠ ^R
250-32-0520	Clear	Anti-Scratch, FogLess® 3Sixty™	Clear	-	•	•	9	Universal	Rubber	Bayonet, Rubber Tips	⚠ ^{C&R}
250-25-2020	Clear	Anti-Scratch, Anti-Fog	Black	1.50	•	•	8	Universal	Rubber	Rubber Tips	⚠ ^R
250-26-0020	Clear	Anti-Scratch	Clear	2.00	•	•	10	Universal	Molded	Rubber Tips	⚠ ^{C&R}

C=⚠^R WARNING: Cancer - www.P65Warnings.ca.gov

R=⚠^R WARNING: Reproductive Harm - www.P65Warnings.ca.gov

C&R=⚠^R WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Arm Protection



ANSI
A3

20-TG

- Unparalleled comfort and coolness while providing cut and abrasion resistance
- Excellent fit and dexterity



ANSI
A3

10-KSTOLP

- Excellent cut protection and heat resistance
- Leather protective patch for added protection



ANSI
A4

10-21KVACPMBK

- Excellent protection against heat, cuts, lacerations and abrasions
- Exceptional comfort and fit
- Smart-Fit™ technology



ANSI
A2

15-21PRIBPS

- Exceptional protection
- Excellent abrasion and fatigue resistance
- Smart-Fit™ technology

STYLE NUMBER	ANSI CUT	MATERIAL	CONSTRUCTION	PLY	TOP CUFF	BOTTOM CUFF	COLOR	STANDARD LENGTH	PROP 65
10-21KVACPMBK	A4	ACP™ / Kevlar® Blend	Smart-Fit™ Seamless Knit	Single	Serged	Straight	Green	18"	-
15-21PRIBPS	A2	Pritex™	Smart-Fit™ Seamless Knit	Single	Serged	Straight	Black	12"	-
20-TG	A3	Dyneema® Diamond	Seamless Knit	2	Serged	Straight	Gray	14"	-
10-KSTOLP	A3	DuPont™ Kevlar®	Seamless Knit	2	Serged	Thumb Hole	Yellow	14"	-



FOR OUR COMPLETE LINE
OF SAFETY PRODUCTS
GO TO WWW.PIPUSA.COM



HAND & ARM
PROTECTION



PROTECTIVE
GARMENTS



EYE & HEARING
PROTECTION



ELECTRICAL
SAFETY



HEAD
PROTECTION



PROTECTIVE INDUSTRIAL PRODUCTS, INC.

968 Albany Shaker Road | Latham, NY 12110

518-861-0133 | 800-262-5755

sales@pipusa.com | www.pipusa.com