



PROTECTIVE INDUSTRIAL PRODUCTS

EMERGENCY

RESPONDER PRODUCTS



BRINGING THE BEST OF THE WORLD TO YOU®

www.pipusa.com



PROTECTIVE INDUSTRIAL PRODUCTS, INC.

A GLOBAL PROVIDER OF INNOVATIVE SAFETY PRODUCTS

As the referenced leader in hand protection, we continue to expand our PPE products which include fire and rescue helmets, electrical safety gear, eyewear and hearing protection and Hi-Visibility garments. Today we are a global provider of a vast array of General Safety products to multiple industries and channels of distribution which cover: Industrial, Construction, Emergency Responders, Electrical Safety, Food Service and Critical Environment.

Previously operating as Alliance Fire & Rescue, the Emergency Responder channel is dedicated to supporting distributors whose markets include Fire, Rescue, EMS and other First Responders. Because of our North America-wide exclusive agreement with Pacific Helmets (NZ) Ltd., we dominate the USAR and Rescue head protection market.



Pacific Helmets (NZ) Ltd specializes in manufacturing and exporting safety helmet products to the exact design and performance specifications of each customer. Pacific Helmets meet and frequently set the highest possible international standards for technical safety performance. The Pacific range includes helmets compliant to all major standards throughout the world. Pacific Helmets (NZ) Ltd. has an ongoing commitment to the development of new and innovative helmet products and an unwavering focus on safety, quality and comfort.



We also enjoy an exclusive agreement with Eflare Corporation Pty Ltd—considered the pioneer in the development of highly conspicuous, non-strobe, portable hazard warning beacons which utilize state-of-the-art LED (Light Emitting Diode) technology. Eflares provide for a quick and easy method to enhance safety by creating a highly visible warning or safety zone.



CONTENTS

- 2** RESCUE & USAR HELMETS
- 10** FIRE HELMETS
- 12** POLICE & PARAMEDIC HELMETS
- 13** HELMET ACCESSORIES
- 14** FIRE RESISTANT HOODS & GEAR BAGS
- 15** HARD HATS
- 16** E-FLARE™ WARNING BEACONS
- 18** FIRE, RESCUE & SPECIALITY GLOVES
- 19** DISPOSABLE GLOVES
- 20** ELECTRICAL INSULATING GLOVES
- 21** HI-PERFORMANCE & PARADE/UNIFORM GLOVES
- 22** EYEWEAR & GOGGLES
- 25** PUBLIC SAFETY VESTS
- 26** VESTS & T-SHIRTS
- 28** JACKETS & PANTS
- 29** RAINWEAR
- 32** EAR PLUGS & MUFFS
- 33** ERGONOMIC SUPPORTS
- 36** RESPIRATORS
- 37** FIRST AID KITS
- 38** COOLING PRODUCTS

PACIFIC® RESCUE & USAR HELMETS

R3 KIWI RESCUE SERIES HELMETS

R3 KIWI RESCUE SERIES

Unique full cranium polyurethane liner provides an excellent thermal barrier and superior shock impact absorption

Reinforced Kevlar® composite shell provides integral strength and excellent penetration protection

3mm internal retractable eye protector



Goggle mounts for securing twin strap ESS Goggles

▲ SHOWN:
804-3406
R3V4 KIWI USAR

FEATURES & BENEFITS

- Composite resins offer higher temperature resistance (up to 500°F) without distorting or melting
- High-gloss paint finish available in a variety of colors including hi-vis and photo luminescent
- Shell has superior resistance to UV rays
- Shell weighs less than Thermoplastic equivalent models
- 3-point chin strap with quick-release buckle keeps helmet secure
- Polyurethane impact liner provides structural integrity and heat resistance, and features an adjustable mesh cradle with grain leather sweatband for comfort.

INTERNAL FEATURES

- 1 Quick-release buckle can be easily secured, released, and adjusted with a gloved hand
- 2 3-point Nomex® chin strap with single-handed adjustment at multiple locations for maximum comfort and stability
- 3 Ratchet adjustable headband



APPLICATIONS



Technical Rescue



Auto Extrication



Collapse Rescue



THE HELMET OF CHOICE FOR URBAN SEARCH AND RESCUE (USAR)



NFPA 1951 CERTIFIED



BUILT-IN LIGHT HOLDER



R3V4 KIWI USAR

APPLICATIONS	Rescue	
SUSPENSION	6-point ribbon cradle	
SIZE ADJUSTMENT	Ratcheting headband with padding	
SHELL MATERIAL	DuPont® Kevlar™ Composite	
CHIN STRAP	3-Point Nomex® with quick release buckle	
SWEATBAND	Grain Leather	
ACCESSORIES INCLUDED	ESS goggle mounts, internal retractable eye protector (3 mm)	
OPTIONAL ACCESSORIES (SEE PAGE 13)	External face shield, single-layer Nomex neck protector, proban neck protector, ear muff mounting clip, easy on/off torch-mounting kit (base & holder), 4AA Xenon torch, reflective trim	
CERTIFIED	NFPA 1951, EN 443	
COMPLIANT	ANSI/ISEA Z89.1	
STYLE NUMBER	COLOR	
804-3406	Red	
804-3407	Yellow	
804-3408	Blue	
804-3405	White	

R3 KIWI USAR

APPLICATIONS	Rescue	
SUSPENSION	6-point ribbon cradle	
SIZE ADJUSTMENT	Ratcheting headband with padding	
SHELL MATERIAL	DuPont® Kevlar™ Composite	
CHIN STRAP	3-Point Nomex® with quick release buckle	
SWEATBAND	Grain Leather	
ACCESSORIES INCLUDED	ESS goggle mounts	
OPTIONAL ACCESSORIES (SEE PAGE 13)	Single-layer Nomex neck protector, proban neck protector, ear muff mounting clip, easy on/off torch-mounting kit (base & holder), 4AA Xenon torch, reflective trim	
CERTIFIED	NFPA 1951, EN 443	
COMPLIANT	ANSI/ISEA Z89.1	
STYLE NUMBER	COLOR	
804-3414	Red	
804-3415	Yellow	
804-3416	Blue	
804-3413	White	
804-3417	Black	

R3 KIWI

APPLICATIONS	Rescue	
SUSPENSION	6-point ribbon cradle	
SIZE ADJUSTMENT	Ratcheting headband with padding	
SHELL MATERIAL	DuPont® Kevlar™ Composite	
CHIN STRAP	3-Point polyester with quick release buckle	
SWEATBAND	Grain Leather	
ACCESSORIES INCLUDED	ESS goggle mounts	
OPTIONAL ACCESSORIES (SEE PAGE 13)	Single-layer Nomex neck protector, proban neck protector, ear muff mounting clip, easy on/off torch-mounting kit (base & holder), 4AA Xenon torch, reflective trim	
CERTIFIED	-	
COMPLIANT	ANSI/ISEA Z89.1	
STYLE NUMBER	COLOR	
803-3372	Red	
803-3373	Yellow	
803-3374	Blue	
803-3371	White	
803-3375	Black	

R3T KIWI

APPLICATIONS	Rescue	
SUSPENSION	6-point ribbon cradle	
SIZE ADJUSTMENT	Ratcheting headband with padding	
SHELL MATERIAL	DuPont® Kevlar™ Composite	
CHIN STRAP	3-Point polyester with quick release buckle	
SWEATBAND	Grain Leather	
ACCESSORIES INCLUDED	ESS goggle mounts, built-in light holder (light not included)	
OPTIONAL ACCESSORIES (SEE PAGE 13)	Single-layer Nomex neck protector, proban neck protector, ear muff mounting clip, 4AA Xenon torch, reflective trim	
CERTIFIED	-	
COMPLIANT	ANSI/ISEA Z89.1	
STYLE NUMBER	COLOR	
806-3010	Red	
806-3011	Yellow	
806-3009	White	

PACIFIC® RESCUE HELMETS

R5 RESCUE SERIES

R5 RESCUE SERIES

Face shield cover enables retrofitting of clear polycarbonate face shield to provide high speed particle impact protection

Reinforced Kevlar® composite shell provides integral strength and excellent penetration protection

ESS goggle mounts

▲ SHOWN:
856-6326
R5SL UTILITY RESCUE

FEATURES & BENEFITS

- Composite resins offer higher temperature resistance (up to 500°F) without distorting or melting
- High-gloss paint finish available in a variety of colors including hi-vis and photo luminescent
- Shell has superior resistance to UV rays
- Shell weighs less than Thermoplastic equivalent models
- 3-point chin strap with quick-release buckle keeps helmet secure
- New scallop-sided shell designed to accommodate a variety of ear muffs

INTERNAL FEATURES

- 1 Quick-release buckle can be easily secured, released, and adjusted with a gloved hand
- 2 6-point clip in ribbon cradle harness, fully modular for easy decontamination & replacement without special tools
- 3 3-point chin strap with single-handed adjustment at multiple locations for maximum comfort and stability
- 4 Ratchet adjustable headband



APPLICATIONS





THE HEIGHT OF HEAD PROTECTION

NFPA 1951 CERTIFIED



R5SL UTILITY RESCUE HELMET

APPLICATIONS	Rescue / Industrial
SUSPENSION	Mesh 6-point ribbon cradle
SIZE ADJUSTMENT	Ratcheting headband with padding
SHELL MATERIAL	DuPont® Kevlar™ Composite
CHIN STRAP	3-Point Polyester with quick release buckle
SWEATBAND	Merino Leather
ACCESSORIES INCLUDED	ESS goggle mounts
OPTIONAL ACCESSORIES (SEE PAGE 13)	External face shield, single-layer Nomex neck protector, proban neck protector, ear muff mounting clip, easy on/off torch-mounting kit (base & holder), 4AA Xenon torch
CERTIFIED	NFPA 1951, EN 397
COMPLIANT	ANSI/ISEA Z89.1

STYLE NUMBER	COLOR
856-6323	■ Red
856-6324	■ Yellow
856-6325	■ Blue
856-6326	□ White

BUILT-IN LIGHT HOLDER



R5 RESCUE HELMET

APPLICATIONS	Rescue / Industrial
SUSPENSION	Mesh 6-point ribbon cradle
SIZE ADJUSTMENT	Ratcheting headband with padding
SHELL MATERIAL	DuPont® Kevlar™ Composite
CHIN STRAP	3-Point Polyester with quick release buckle
SWEATBAND	Merino Leather
ACCESSORIES INCLUDED	ESS goggle mounts
OPTIONAL ACCESSORIES (SEE PAGE 13)	External face shield, single-layer Nomex neck protector, proban neck protector, ear muff mounting clip, easy on/off torch-mounting kit (base & holder), 4AA Xenon torch
CERTIFIED	-
COMPLIANT	ANSI/ISEA Z89.1

STYLE NUMBER	COLOR
854-6020	■ Red
854-6021	■ Yellow
854-6022	■ Blue
854-6023	□ White



R5T RESCUE HELMET

APPLICATIONS	Rescue / Industrial
SUSPENSION	Mesh 6-point ribbon cradle
SIZE ADJUSTMENT	Ratcheting headband with padding
SHELL MATERIAL	DuPont® Kevlar™ Composite
CHIN STRAP	3-Point Polyester with quick release buckle
SWEATBAND	Merino Leather
ACCESSORIES INCLUDED	ESS goggle mounts, built-in light holder (light not included)
OPTIONAL ACCESSORIES (SEE PAGE 13)	External face shield, single-layer Nomex neck protector, proban neck protector, ear muff mounting clip, easy on/off torch-mounting kit (base & holder), 4AA Xenon torch
CERTIFIED	-
COMPLIANT	ANSI/ISEA Z89.1

STYLE NUMBER	COLOR
860-6030	■ Red
860-6031	■ Yellow
860-6032	■ Blue
860-6033	□ White

PACIFIC® RESCUE HELMETS

R7 & WATER RESCUE SERIES

R7 & WATER RESCUE SERIES

Reinforced Kevlar® composite shell provides integral strength and excellent penetration protection

Unique PU cap provides excellent shock impact absorption and a thermal barrier

Edge beading provides extra shell durability

ESS goggle mounts



▲ SHOWN:
815-3290
R7H RESCUE

FEATURES & BENEFITS

- Composite resins offer higher temperature resistance (up to 500°F) without distorting or melting
- High-gloss paint finish available in a variety of colors including hi-vis and photo luminescent
- Shell has superior resistance to UV rays
- Shell weighs less than Thermoplastic equivalent models
- 3-point chin strap with quick-release buckle keeps helmet secure
- Ratcheting adjustable headband with merino padding for fit and comfort (6 ¾ – 8 hat size)

INTERNAL FEATURES

- 1 Quick-release buckle can be easily secured, released, and adjusted with a gloved hand
- 2 6-point clip in ribbon cradle harness, fully modular for easy decontamination & replacement without special tools
- 3 Ratchet adjustable headband



APPLICATIONS



Water Rescue



Technical Rescue



Window Washer



Auto Extrication



PROTECTION ON WATER OR LAND



NFPA 1951 CERTIFIED



R7H RESCUE HELMET

APPLICATIONS	Rescue / Industrial
SUSPENSION	Mesh 6-point ribbon cradle
SIZE ADJUSTMENT	Ratcheting adjustable headband with padding
SHELL MATERIAL	DuPont® Kevlar™ Composite
CHIN STRAP	3-Point Polyester with quick release buckle
SWEATBAND	Merino Leather
ACCESSORIES INCLUDED	ESS goggle mounts
OPTIONAL ACCESSORIES (SEE PAGE 13)	Internal eye protector, single-layer Nomex neck protector, proban neck protector, ear muff mounting clip, easy on/off torch-mounting kit (base & holder), 4AA Xenon torch
CERTIFIED	NFPA 1951, EN 397
COMPLIANT	ANSI/ISEA Z89.1

STYLE NUMBER	COLOR
815-3240	■ Blue
815-3290	□ White
815-3280	■ Black

WATER RELEASE HOLES



WR5 WATER RESCUE HELMET

APPLICATIONS	Rescue / Industrial
SUSPENSION	Mesh 6-point ribbon cradle
SIZE ADJUSTMENT	Ratcheting adjustable headband with padding
SHELL MATERIAL	DuPont® Kevlar™ Composite
CHIN STRAP	3-Point Polyester with quick release buckle
SWEATBAND	Merino Leather
ACCESSORIES INCLUDED	-
OPTIONAL ACCESSORIES (SEE PAGE 13)	-
CERTIFIED	EN 397
COMPLIANT	ANSI/ISEA Z89.1

STYLE NUMBER	COLOR
812-6040	■ Red
812-6041	■ Yellow
812-6042	■ Blue
812-6043	□ White
812-6044	■ Black

INTERNAL EYE PROTECTOR



WR7H WATER RESCUE HELMET

APPLICATIONS	Rescue / Industrial
SUSPENSION	Mesh 6-point ribbon cradle
SIZE ADJUSTMENT	Ratcheting adjustable headband with padding
SHELL MATERIAL	DuPont® Kevlar™ Composite
CHIN STRAP	3-Point Polyester with quick release buckle
SWEATBAND	Merino Leather
ACCESSORIES INCLUDED	Internal eye protector (2 mm)
OPTIONAL ACCESSORIES (SEE PAGE 13)	-
CERTIFIED	EN 397, EN 12492
COMPLIANT	ANSI/ISEA Z89.1

STYLE NUMBER	COLOR
818-3063	■ Red
818-3064	■ Yellow
818-3083	■ Blue
818-3065	□ White
818-3082	■ Black

PACIFIC® RESCUE HELMETS

R6 RESCUE SERIES

R6 RESCUE SERIES

Dynamic Sealed Ventilation System (DSVS™) open/close vent for maximum helmet ventilation and user comfort (R6 Dominator only)

Fiberglass composite shell provides integral strength and excellent penetration protection

Unique PU cap provides excellent shock impact absorption and a thermal barrier

Goggle straps or mounts to secure goggles

Easy on/off base

Internal eye protector



▲ SHOWN:
805-3455
R6 DOMINATOR

FEATURES & BENEFITS

- The latest utility rescue helmet, featuring the open-close Pacific DSVS™ Dynamic Sealed Ventilation System
- Lightweight fiberglass reinforced composite shell
- Composite construction means that shells outlast thermoplastic helmets
- Nape strap with ratchet size adjustment between hat size 6 3/4 - 8
- Headband with removable leather for cleaning and replacement
- Nylon webbing cradle system for optimal comfort
- Meets EN 12492 Mountaineering standard

INTERNAL FEATURES

- 1 Low-profile buckle can be easily secured, released, & adjusted
- 2 6-point clip in ribbon cradle harness, fully modular for easy decontamination and replacement without special tools
- 3 Ratchet adjustable headband



APPLICATIONS

 Ambulance

 Cave Rescue

 Window Washer

 Water Rescue

 Windfield

 Auto Extrication

 Arborists

 Wildland

 Technical Rescue

 EMT



DOMINATE THE RESCUE



DYNAMIC SEALED
VENTILATION SYSTEM



NFPA 1951 CERTIFIED



R6 DOMINATOR RESCUE HELMET

APPLICATIONS	Rescue / Industrial
SUSPENSION	6-point ribbon cradle
SIZE ADJUSTMENT	Ratcheting adjustable headband with padding
SHELL MATERIAL	FiberTuff® Reinforced Fiberglass Composite
CHIN STRAP	4-Point Polyester with quick-release buckle
SWEATBAND	Merino Leather
ACCESSORIES INCLUDED	Internal eye protector, goggle strap, ESS goggle mounts, easy on/off flashlight mount (base only)
OPTIONAL ACCESSORIES (SEE PAGE 13)	Ear muff mounting clip, 4AA Xenon torch
CERTIFIED	EN 12492
COMPLIANT	ANSI/ISEA Z89.1
STYLE NUMBER	COLOR
805-3479	■ Red
805-3455	□ White

R6C RESCUE HELMET

APPLICATIONS	Rescue / Industrial
SUSPENSION	6-point ribbon cradle
SIZE ADJUSTMENT	Ratcheting adjustable headband with padding
SHELL MATERIAL	FiberTuff® Reinforced Fiberglass Composite
CHIN STRAP	4-Point Polyester with quick-release buckle
SWEATBAND	Merino Leather
ACCESSORIES INCLUDED	Internal eye protector, goggle strap, ESS goggle mounts, easy on/off flashlight mount (base only)
OPTIONAL ACCESSORIES (SEE PAGE 13)	Ear muff mounting clip, 4AA Xenon torch
CERTIFIED	NFPA 1951
COMPLIANT	ANSI/ISEA Z89.1
STYLE NUMBER	COLOR
805-3504	■ Red
805-3503	□ White

STRUCTURAL & WILDLAND FIRE SERIES

Reinforced Kevlar® composite shell provides integral strength and excellent penetration protection

Internal One-Touch™ eye protector

Clear polycarbonate bubble face shield provides high speed particle impact protection, with heat and flame resistance

Premium reflective trim with high retro-reflectivity for increased visibility

Flame Resistant Neck Protector

◀ SHOWN:
841-0399
F10 MKV

FEATURES & BENEFITS

- Lightweight Dupont™ Kevlar® composite resin shell for superior strength & durability
- Composite resins offer higher temperature resistance (up to 500°F) without distorting or melting
- Shell weighs less than Thermoplastic equivalent models
- Headband with removable padding for cleaning or replacement
- Ratcheting adjustable headband with merino padding for fit and comfort (6 ¾ – 8 hat size)

INTERNAL FEATURES

- 1** Quick release buckle can be easily secured, released, and adjusted with a gloved hand
- 2** 6-point clip in ribbon cradle harness, fully modular for easy decontamination and replacement without special tools
- 3** Ratchet adjustable headband

APPLICATIONS



Fire



Collapse Rescue



Helicopter Rescue



Wildland



Auto Extrication



BRING THE HEAT



INTERNAL EYE PROTECTOR



**F10 MKV JET-STYLE STRUCTURAL
FIRE HELMET**



**F6 METRO STYLE STRUCTURAL
FIRE HELMET**



**BR5 BRUSH
FIRE HELMET**

APPLICATIONS	Fire & Rescue
SUSPENSION	6-pt Ribbon Cradle
SIZE ADJUSTMENT	Ratcheting adjustable headband with padding
SHELL MATERIAL	DuPont® Kevlar™ Composite
CHIN STRAP	3-Point Nomex
SWEATBAND	Leather
ACCESSORIES INCLUDED	Internal bubble face shield & OneTouch™ eye protector, double-layer Nomex neck protector, reflective trim
OPTIONAL ACCESSORIES (SEE PAGE 13)	Easy on/off torch-mounting kit (base & holder), 4AA Xenon torch
CERTIFIED	NFPA 1951, NFPA 1971, EN 443
COMPLIANT	ANSI/ISEA Z89.1

STYLE NUMBER	COLOR
841-0398	■ Red
841-0399	■ Yellow
841-0401	□ White
841-0400	■ Black

APPLICATIONS	Fire & Rescue
SUSPENSION	6-pt Ribbon Cradle
SIZE ADJUSTMENT	Ratcheting adjustable headband with padding
SHELL MATERIAL	FiberTuff® Reinforced Fiberglass
CHIN STRAP	2-Point Nomex
SWEATBAND	Leather
ACCESSORIES INCLUDED	Internal eye protector, double-layer Nomex neck protector, reflective trim
OPTIONAL ACCESSORIES (SEE PAGE 13)	External face shield, easy on/off torch-mounting kit (base & holder), 4AA Xenon torch
CERTIFIED	NFPA 1971
COMPLIANT	ANSI/ISEA Z89.1, EN 166

STYLE NUMBER	COLOR
828-0379	■ Red
828-0380	■ Yellow
828-0378	□ White
828-0382	■ Black

APPLICATIONS	Fire & Rescue
SUSPENSION	6-pt Ribbon Cradle
SIZE ADJUSTMENT	Ratcheting adjustable headband with padding
SHELL MATERIAL	DuPont® Kevlar™ / Fiberglass Reinforced Composite
CHIN STRAP	2-Point Nomex
SWEATBAND	Leather
ACCESSORIES INCLUDED	ESS goggle mounts, reflective trim, proban neck protector
OPTIONAL ACCESSORIES (SEE PAGE 13)	Double-layer Nomex neck protector, easy on/off torch-mounting kit (base & holder), 4AA Xenon torch
CERTIFIED	NFPA 1977, EN 397
COMPLIANT	ANSI/ISEA Z89.1

STYLE NUMBER	COLOR
869-6080	■ Red
869-6081	■ Yellow
869-6078	□ White

POLICE & PARAMEDIC HELMETS

FEATURES & BENEFITS

- Light weight Kevlar® fiberglass reinforced composite shell
- UV-resistant hi-gloss paint finish
- Polyurethane impact liner for increased mechanical/thermal protection
- Headband with removable leather for cleaning and replacement
- Nape strap with ratchet size adjustment
- Nylon webbing cradle system for optimal comfort
- Internally retractable eye protector

APPLICATIONS

-  Ambulance
-  Police
-  EMT
-  Helicopter Rescue

¾ FACE SHIELD



A7A POLICCE & PARAMEDIC HELMET

APPLICATIONS	Rescue
SUSPENSION	4-point nylon webbing cradle
SIZE ADJUSTMENT	Ratcheting adjustable headband with padding
SHELL MATERIAL	DuPont® Kevlar™ Composite
CHIN STRAP	3-Point Polyester with quick-release buckle
SWEATBAND	Leather
ACCESSORIES INCLUDED	Easy on/off light-mounting kit (base only), ¾ Faceshield
OPTIONAL ACCESSORIES (SEE PAGE 13)	Easy on/off light-mounting kit (holder only), 4AA Xenon torch
CERTIFIED	NFPA 1951, EN 443, CE PARAMEDIC
COMPLIANT	--

STYLE NUMBER	COLOR
846-3281	<input checked="" type="checkbox"/> Blue
846-3068	<input type="checkbox"/> White

A10 AMBULANCE & PARAMEDIC HELMET

APPLICATIONS	Rescue
SUSPENSION	4-point nylon webbing cradle
SIZE ADJUSTMENT	Ratcheting adjustable headband with padding
SHELL MATERIAL	DuPont® Kevlar™ Composite
CHIN STRAP	3-Point Nomex with quick-release buckle
SWEATBAND	Leather
ACCESSORIES INCLUDED	Easy on/off light-mounting kit (base only), internal eye protector
OPTIONAL ACCESSORIES (SEE PAGE 13)	Easy on/off light-mounting kit (holder only), 4AA Xenon torch, external face shield, Nomex neck protector, Proban neck protector
CERTIFIED	NFPA 1951, EN 443, CE PARAMEDIC
COMPLIANT	ANSI/ISEA Z89.1

STYLE NUMBER	COLOR
813-3263	<input checked="" type="checkbox"/> Blue
813-3260	<input type="checkbox"/> White
813-3279	<input checked="" type="checkbox"/> Black



HELMET ACCESSORIES

FOR OPTIONAL PART NUMBERS, SEE PRICE LIST

	A7A	A10	BR5	F6	F10	R3	R3 USAR	R3T	R3 V4	R5	R5 SL	R5T	R6	R6C	R7H	WR5	WR 7H
INTERNAL EYE PROTECTOR	●	●		●	●				●				●	●	●		●
EXTERNAL FACE SHIELD	●		●		●				●	●		●					
NOMEX NECK PROTECTOR - SINGLE LAYER						●	●		●	●	●	●			●		
NOMEX NECK PROTECTOR - DOUBLE LAYER					●	●	●		●								
PROBAN NECK PROTECTOR		●	●				●			●	●	●					
ESS GOGGLE MOUNTS			●			●	●	●	●	●	●	●	●	●	●		●
EAR MUFF MOUNTING CLIP						●	●	●	●	●	●	●	●	●	●		
BUILT IN LIGHT HOLDER								●				●					
EASY ON/OFF TORCH MOUNTING KIT	●	●	●	●	●	●	●		●	●	●				●		
EASY ON/OFF TORCH MOUNTING BASE													●	●			
4AA XENON TORCH LIGHT	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
FRONT BUNGY LAMP ATTACHMENT													●	●			
DECALS	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

● Included with this product ● Optional for this product ● Customizable on this product



Internal Eye Protector



Face Shield



Nomex Neck Protector
(Single or Double Layer)



Proban Neck Protector



ESS Goggle Mounts



Built in light holder



Easy on/off light
mounting kit



4AA Xenon Flashlight,
UK, Four "AA" Batteries



Decals



Ear Muff Mounting
Clip Set

COLOR GUIDE

Helmets are listed with available stock colors, but are also available in the custom color of your choice. If the color you require is not shown above please contact us with the relevant Pantone number of the color you require. Minimum order quantity for special color runs is 100 units.

The color range will vary from screen to screen, and therefore is intended as a guide only.

STOCK COLORS (Varies by style)



HEAD PROTECTION

FIRE RESISTANT HOODS & GEAR BAGS

FIRE-RESISTANT HOODS



TRI-CUT

▲ 906-100NOM7



▲ 906-2080NOL7



STRAIGHT CUT

▲ 906-8416CBX

NFPA 1971 CERTIFIED HOODS

906-100NOM7

- Excellent for flash protection along with superior wear and durability
- Protective properties will not wash out

906-2080NOL7

- Fabric combination provides comfort and breathability

906-8416CBX

- Carbon fiber is lightweight and provides excellent fire resistance
- Technora® adds strength, durability, and helps hood retain its shape when laundered

NFPA 1971 CERTIFIED HOODS

STYLE NUMBER	TPP RATING	MATERIAL	CUT	COVERAGE	LAYER	BIB	COLOR	SIZES
906-100NOM7	20-23	100% Nomex®	Tri-Cut	Full Face	Double	With	☐ White	OSFM
906-100NOM7B	20-23	100% Nomex®	Straight Cut	Full Face	Double	With	☐ White	OSFM
906-100NOM7BLKB	20-23	100% Nomex®	Straight Cut	Full Face	Double	With	■ Black	OSFM
906-2080NOL7	17	20% Nomex® / 80% Lenzing FR®	Tri-Cut	Full Face	Single	With	☐ White	OSFM
906-2080NOL7B	17	20% Nomex® / 80% Lenzing FR®	Straight Cut	Full Face	Single	With	☐ White	OSFM
906-2080NOL7BLK	23	20% Nomex® / 80% Lenzing FR®	Tri-Cut	Full Face	Single	With	■ Black	OSFM
906-2080NOL7BLKB	23	20% Nomex® / 80% Lenzing FR®	Straight Cut	Full Face	Single	With	■ Black	OSFM
906-8416CBX	28	84% Carbon® / 16% Technora®	Straight Cut	Full Face	Single	With	■ Black	OSFM
906-8416CT	28	84% Carbon® / 16% Technora®	Tri-Cut	Full Face	Single	With	■ Black	OSFM

GEAR BAGS

- “U-shaped” metal stays on the top of the bag help keep the bag open for quick and easy donning and doffing of turn out gear
- Extra-heavy tarp-style bottom with 5 raised cleats provide superior abrasion resistance to prolong bag life and help keep gear dry
- Adjustable contoured padded shoulder strap provides comfort and keeps bag in position when carried

STYLE NUMBER	DESCRIPTION
903-GB651	Red Polyester
903-GB652	Blue Polyester
903-GB653	Red Polyester with Wheels



JSP® HARD HATS

OXFORD, ENGLAND



MK8 EVOLUTION®

KEY FEATURE	Type II Offering Side Impact & Penetration Protection		
APPLICATIONS	Construction / Oil & Gas / Demolition		
SUSPENSION	Polyester Textile Straps w/ crown pad webbing		
IMPACT LINER	Expanded Polystyrene (EPS)		
SIZE ADJUSTMENT	Wheel Ratchet		
SHELL MATERIAL	High-Density Polyethylene (HDPE)		
SWEATBAND	Microfiber		
STANDARDS MET	ANSI Z89.1		
IMPACT TYPE	Type II		
ELECTRICAL CLASS	Class E		
STYLE NUMBER	COLOR	BRIM	SHELL
280-AHS150-10	White	Cap	Non-Vented
280-AHS150-20	Yellow	Cap	Non-Vented
280-AHS150-50	Blue	Cap	Non-Vented
280-AHS150V-10	White	Cap	Vented



MK8 EVOLUTION® LINESMAN HARD HAT

KEY FEATURE	Includes a Mounted 4-Point Chin Strap Harness		
APPLICATIONS	Linesman / Construction / Offshore Marine		
SUSPENSION	Polyester Textile Straps w/ crown pad webbing		
IMPACT LINER	Expanded Polystyrene (EPS)		
SIZE ADJUSTMENT	Wheel Ratchet		
SHELL MATERIAL	High-Density Polyethylene (HDPE)		
SWEATBAND	Microfiber		
STANDARDS MET	ANSI Z89.1		
IMPACT TYPE	Type II		
ELECTRICAL CLASS	Class E		
STYLE NUMBER	COLOR	BRIM	SHELL
280-AHS240-10	White	Cap	Non-Vented
280-AHS240-20	Yellow	Cap	Non-Vented
280-AHS240-50	Blue	Cap	Non-Vented
280-AHS240V-10	White	Cap	Vented



DESIGNED FOR HIGH-ALTITUDE WORKERS



EVOLITE® SKYWORKER™

KEY FEATURE	The Best Features from the Evolution Series combined with the aspects required for high altitude workers		
APPLICATIONS	Industrial/ Mountaineering/ Rescue		
SUSPENSION	6-Point Polyester Textile		
SIZE ADJUSTMENT	Wheel Ratchet		
SHELL MATERIAL	Lightweight ABS Plastic		
IMPACT LINER	Expanded Polystyrene (EPS)		
CHIN STRAP	4-Point Cross-Over with quick release buckle		
SWEATBAND	Chamlon™ with PU Coating		
STANDARDS MET	ANSI Z89.1	EN 12492 Mountaineering	
IMPACT TYPE	Type I		
ELECTRICAL CLASS	Class C (Vented)		
STYLE NUMBER	COLOR	BRIM	SHELL
280-AJS260-10	White	Short	Vented

WARNING BEACONS

E-FLARE™

Patented fresnel lens and high-luminosity LEDs allow beam to be visible for ¾ mile

Reflective strip and fluorescent body for maximum visibility

High-strength clips with added holes for versatility of attachment

Impact resistant ABS body and shatterproof polycarbonate lens

Compact and lightweight, weighs under 2/3 lb. with 4 "AA" batteries

IDEAL FOR POLICE,
FIRE, UTILITIES,
RAIL & PORT,
WAREHOUSE
& FACTORY

E-FLARE™ BEACONS



- **Intensely Bright:** Can be seen for ¾ mile without the night vision, point fixation, and distance judgment problems associated with strobe and incandescent lights.
- **Lightweight & Simple To Use:** Beacons now weigh under 2/3 lb. with batteries. An improved switching mechanism involves a simple twist of the lens to the desired function. Place unit(s) to create a highly visible warning and safety zone for people, work areas, hazards and accidents.
- **Durable:** E-Flare™ beacons are waterproof (up to 100 feet) and dustproof. Plus they will survive a 3-foot drop onto a concrete surface.
- **Double the Safety:** Beacons provide safety by ensuring maximum 360° visibility, but, unlike pyrotechnic flares, there is no risk of fire or explosion, and no toxic fumes or residue.
- **Infinitely versatile:** Unit easily attaches to belts, clothing, vehicles, traffic cones or signs. Be seen and safe in almost any situation.
- **HAZMAT Accreditation:** e-Flare is designed for use in Class 1, Division 2 / Zone 2 hazardous areas.

E-FLARE™ SAFETY & EMERGENCY BEACONS (8")

STYLE NUMBER	BEACON COLOR	LIGHT INTENSITY	OPERATION
939-AT290-R	Red	8 LED	Flash or Steady-On 1-Color
939-AT290-A	Amber	8 LED	Flash or Steady-On 1-Color
939-AT290-B	Blue	8 LED	Flash or Steady-On 1-Color
939-AT290-G	Green	8 LED	Flash or Steady-On 1-Color
939-AT290-W	White	8 LED	Flash or Steady-On 1-Color
939-AT293-R/B	Red & Blue	4 + 4 LED	Dual Flash 2-Color
939-AT293-A/W	Amber/White	4 + 4 LED	Dual Flash 2-Color
939-AT293-B/W	Blue/White	4 + 4 LED	Dual Flash 2-Color
939-AT293-R/A	Red/Amber	4 + 4 LED	Dual Flash 2-Color
939-AT293-R/W	Red/White	4 + 4 LED	Dual Flash 2-Color

Batteries not included

E-FLARE™ ACCESSORIES



RUBBER BASE MOUNT 939-EFBASE

- General purpose base fits all E-Flare™ beacons



AVIATION RUBBER BASE MOUNT 939-EFAVBASE

- Secure base for special purposes



MAGNETIC BASE MOUNT 939-EFMAGBASE

- Combined magnetic base and cap
- Fits all E-Flare™ beacons.
- Rated to 50 MPH when securely mounted on vehicle



MAGNETIC MOUNTING CLIP 939-EFMAGCLIP

- Attaches to any E-Flare™ beacon
- Not suitable for moving vehicles



CONE MOUNTING CLIP 939-EFCLIP

- Attaches to any E-Flare™ beacon
- Enables vertical positioning on most types of cones



FLOTATION COLLAR 939-EFFCOL/L

- Provides reliable self-righting buoyancy for marine use
- Includes lanyard
- Can be used with AT290/AT293 beacons



STORAGE BAG - SMALL 939-EFBAG-2

- Carry bag for 2 to 3 beacons plus accessories



STORAGE BAG - LARGE 939-EFBAG-4

- Carry bag for 4 to 6 beacons plus accessories

WARNING BEACONS

ACCESSORIES & MORE



HELICOPTER LANDING ZONE KITS

- 360 degrees high visibility beacons - flashing or steady-on 1-color
- Visible for over ¾ mile at night
- Kit includes 5 beacons, 5 rubber base mounts, instruction card, and storage bag

STYLE NUMBER	BEACON KIT COLORS
939-AT290-05-A/B	4 Amber Units, 1 Blue Unit
939-AT290-05-R/B	4 Red Units, 1 Blue Unit



ORANGE TRIANGLE NOT INCLUDED

E-FLARE™ BEACON FOR SAFETY TRIANGLE

- Maximize the safety of the road triangle
- Visible for over ½ mile at night
- Runs on a single AA battery for 20+ hours
- Mounts inside most road triangles at 4" in height

STYLE NUMBER	BEACON COLOR	LIGHT INTENSITY	OPERATION
939-TB10-R	■ Red	3 LED	Flash 1-Color



▲ 939-AT280-A



▲ 939-EF350-R

COMPACT E-FLARE™ ONLY 6" HIGH

E-FLARE™ COMPACT SAFETY & EMERGENCY BEACONS


STYLE NUMBER	BEACON COLOR	LIGHT INTENSITY	OPERATION	FLASH RATE	BATTERIES	HEIGHT	WEIGHT
939-AT280-R	■ Red	8 LED	Flash or Steady-On 1-Color	165-185 fpm	Four "AA" Alkaline	6"	0.55 lbs with batteries
939-AT280-A	■ Amber	8 LED	Flash or Steady-On 1-Color	165-185 fpm	Four "AA" Alkaline	6"	0.55 lbs with batteries
939-EF350-R	■ Red	4 LED	Flash 1-Color	165-185 fpm	Four "AA" Alkaline	6"	0.55 lbs with batteries
939-EF350-A	■ Amber	4 LED	Flash 1-Color	165-185 fpm	Four "AA" Alkaline	6"	0.55 lbs with batteries

HAND PROTECTION

EMERGENCY RESPONDER GLOVES

EXTRICATION GLOVES

WITH MELT-RESISTANT FINGERTIPS



AUTOX™

- Polyurethane/synthetic finger tips won't melt and will withstand contact with hot materials up to 212°F (100°C)
- Reinforced with Kevlar® stitching
- Puncture-resistant palm pads

AUTOX™ PLUS

- Includes a breathable vapor barrier, making the gloves bloodborne pathogen resistant

▲ 910-P735

AUTO X™ EXTRICATION GLOVE

STYLE NUMBER	PALM	BARRIER	COLOR	SIZES
911-AX9 - AutoX™	Polyurethane & Synthetic	None	<input checked="" type="checkbox"/> Orange / Black	S - XL
911-AX9P - AutoX™ Plus	Polyurethane & Synthetic	PTFE Breathable Vapor Barrier	<input checked="" type="checkbox"/> Orange / Black	S - XL

FIREFIGHTING GLOVES

WITH SUPERIOR PROTECTION & THERMAL RESISTANCE



Fire

SMOKESCREEN™

- Meets NFPA 1971 requirements
- Proven Performance
- PYROTECT® insert provides breathability
- Elk skin back with split cowhide palm
- Formed knuckle guard for protection

▲ 910-P735



Fire

SMOKE SHOW™

- Meets NFPA 1971 requirements
- Ergonomically designed structural fire glove
- Nomex® / Kevlar® thermal lining
- Radiant heat protection on back of hand
- PYROTECT® insert provides breathability

▲ 910-P775

STRUCTURAL FIREFIGHTING GLOVES

STYLE NUMBER	NFPA 1971	BACK	PALM	INSIDE	OUTSIDE	INSERT	STITCHING	COLOR	SIZES
910-P735	Yes	Elk Skin	Split Cowhide	100% Kanecaron Fleece	50% Kanecaron 50% Cotton Scrim	PYROTECT®	Kevlar®	<input checked="" type="checkbox"/> Gold / Black	S - XL
910-P775	Yes	Elk Skin	Eversoft Split Cowhide	35% Kevlar® / 65% Nomex®	--	PYRO-PRO™	Kevlar®	<input type="checkbox"/> Black	S - XL

Ambi-dex

MEDICAL GRADE GLOVES

PERFORMANCE
YOU CAN TRUST



▲ 62-327PF



Ambulance



EMT

**EXTRA-THICK DISPOSABLE
MEDICAL GRADE GLOVES**

- Textured fingertips
- Powder free latex, ambidextrous
- 13 mil. thickness, 12" length
- Meets requirements of NFPA 1999, standard on protective clothing for emergency medical operations

AMBI-THIX® - EXTRA-THICK LATEX

STYLE NUMBER	21 CFR	CFIA	COLOR	APPLICATION	THICKNESS	GRIP PATTERN	POWDER	BOX COUNT	SIZES
62-327PF	No	No	■ Dark Blue	Medical/Exam	13 Mil	Textured	Powder Free	50 pieces	S - XL

AMBI-DEX® - MEDICAL GRADE DISPOSABLE NITRILE GLOVE

63-331	Yes	No	■ Blue	Medical	5 Mil	Textured	Powdered	100 pieces	S - XL
63-331PF	Yes	No	■ Blue	Medical	5 Mil	Textured	Powder Free	100 pieces	S - XL

AMBI-DEX® - MEDICAL GRADE DISPOSABLE LATEX GLOVE

62-321	Yes	No	■ Natural	Medical	5 Mil	Textured	Powdered	100 pieces	S - XL
62-321PF	Yes	No	■ Natural	Medical	5 Mil	Textured	Powder Free	100 pieces	S - XL

HAND PROTECTION

NOVAX® INSULATING GLOVES



STRONG, FLEXIBLE, DURABLE,
AND DIELECTRIC

RUBBER INSULATING GLOVES



STRAIGHT CUFF

NOVAX® RUBBER INSULATING GLOVES

- Perfect for hybrid car extrication
- Maximum use volt 500 V AC – 750 V DC
- Certification ASTM D 120-08

▲ 150-00-11

NOVAX® RUBBER INSULATING GLOVES - STRAIGHT CUFF

STYLE NUMBER	CLASS	LENGTH	SIZES	COLOR
150-00-11	00	11"	7 - 12	■ Black



LEATHER PROTECTOR GLOVE COVERS

- For use with Class 00-0 rubber insulating Novax® gloves
- Top Grain Goatskin leather construction is the softest, most abrasion-resistant leather and is highly recommended for applications requiring tactile sensitivity

▲ 48-1000

STYLE NUMBER	CLASS	LENGTH	SIZES	MATERIAL	CUFF
148-1000	00-0	10"	7-12	Goatskin	Driver

A leather protector is only to be used for mechanical protection for rubber insulating gloves. Not to be used for electrical protection per ASTM F696-06.



GLOVES FOR UTILITY & CONSTRUCTION

WITH LIGHT HEAT AND CUT PROTECTION



▲ 120-4100

MAXIMUM SAFETY™ LEATHER GLOVE

- Genuine goatskin leather palm
- Split goatskin leather reinforced fingertips
- Thermo Plastic Rubber molded finger guards
- Reflective knuckle tape
- Kevlar® Liner



▲ 73-1703

MAXIMUM SAFETY™ UTILITY GLOVE

- FR treated synthetic leather provides heat protection
- Kevlar® lined and stitched for light heat and cut protection
- Double palm enhances comfort & protection
- Reinforced thumb joint provides added durability

MAXIMUM SAFETY™ UTILITY GLOVES

STYLE NUMBER	EN 388	FLAME RESISTANT	LINED	CUFF	COLOR	SIZES
73-1703	3342	Yes	Kevlar®	Slip on	<input type="checkbox"/> Black	S - XXL

MAXIMUM SAFETY™

STYLE NUMBER	EN 388	GRIP	BACK	CUFF	COLOR	SIZES
120-4100	2332	Goatskin Leather	Reinforced Goatskin Leather	Slip on	<input checked="" type="checkbox"/> Brown/Black	S - XXL

PARADE & UNIFORM



▲ 130-600WM

100% STRETCH NYLON DRESS GLOVE

- Constructed in full fashion pattern with fourchettes and set-in thumbs for tailored fit
- Three lines of raised stitching on the back
- White, open cuff



▲ 130-100WMNZ

100% COTTON DRESS GLOVE - OPEN CUFF

- Constructed in full fashion pattern with fourchettes and set-in thumbs for tailored fit
- No raised stitching on back
- Open cuff allows for easy on and off

CABARET™ - 100% STRETCH NYLON DRESS GLOVE

STYLE NUMBER	COLOR	CUFF STYLE	SIZES
130-600WM	<input checked="" type="checkbox"/> White	Open Cuff	Men's
130-600WL	<input checked="" type="checkbox"/> White	Open Cuff	Ladies'

CABARET™ - 100% COTTON DRESS GLOVE

STYLE NUMBER	COLOR	PALM	CUFF STYLE	RAISED STITCHING	SIZES
130-100WMNZ	<input checked="" type="checkbox"/> White	Standard	Open Cuff	Without	XS - XL

SAFETY EYEWEAR

BOUTON® OPTICAL

SAFETY EYEWEAR

MEETS ANSI Z87.1+



VARIETY OF LENS TREATMENTS

SECURE FIT TEMPLE

FULL FRAME DESIGN

FULL-FRAME
**RUGGED DESIGN
& STYLE**
FOR ALL-DAY
COMFORT



SUNBURST

KEY FEATURE Sunglass Style is Perfect for Working Outdoors

FIT Universal

BRIDGE Rubber

TEMPLE Bayonet, Co-molded

BASE CURVE 8

STANDARDS MET ANSI Z87.1+

STYLE NUMBER	LENS	COATING	FRAME
250-47-0004	Red Mirror Plus	Anti-Scratch/Anti-Fog	Black
250-47-0005	Silver Mirror Plus	Anti-Scratch/Anti-Fog	Black
250-47-0006	Blue Mirror Plus	Anti-Scratch/Anti-Fog	Black
250-47-0041	Polarized Gray	Anti-Scratch/Anti-Fog	Black
250-47-1042	Polarized Brown	Anti-Scratch/Anti-Fog	Black

bouton
OPTICAL




EVA® IS DESIGNED
TO FIT WOMEN



EVA®

KEY FEATURE	Safety eyewear designed specifically for women		
FIT	Women		
BRIDGE	Molded		
TEMPLE	Rubber Tips		
BASE CURVE	10		
STANDARDS MET	ANSI Z87.1+	CSA Z94.3	
STYLE NUMBER	LENS	COATING	FRAME
250-10-5501	■ Gray	Anti-Scratch	■ Gray/Pink
250-10-0900	□ Clear	Anti-Scratch	□ Clear/Pink



SEMI-RIMLESS
COMMAND
ATTENTION



COMMANDER

KEY FEATURE	Comfortable with a Variety of Technical Treatments		
FIT	Universal		
BRIDGE	Rubber		
TEMPLE	Bayonet, Rubber Tips		
BASE CURVE	9.5		
STANDARDS MET	ANSI Z87.1+	CSA Z94.3	
STYLE NUMBER	LENS	COATING	FRAME
250-33-0020	□ Clear	Anti-Scratch/Anti-Fog	■ Black
250-33-0021	■ Gray	Anti-Scratch/Anti-Fog	■ Black
250-33-0041	■ Polarized Gray	Anti-Scratch	■ Black
250-33-1226	□ I/O Blue	Anti-Scratch/Anti-Fog	■ Bronze
250-33-1010	□ Clear	Anti-Reflective/ Anti-Scratch	■ Bronze
250-33-1020	□ Clear	Anti-Scratch/Anti-Fog	■ Bronze
250-33-1042	■ Polarized Brown	Anti-Scratch	■ Bronze

SAFETY EYEWEAR

BOUTON® OPTICAL / ESS® GOGGLES

HYBRID DESIGN
ADAPTS
 TO ALL
 CONDITIONS



FOAM LINED

REMOVABLE
 TEMPLERES

FUSELAGE

KEY FEATURE	Adapts to Any Working Condition with Dust Goggle Conversion		
FIT	Universal		
BRIDGE	Rubber		
TEMPLE	Bayonet, Rubber Tips		
BASE CURVE	8		
STANDARDS MET	ANSI Z87.1+	CSA Z94.3 - <i>Styles Indicated Below</i>	
STYLE NUMBER	LENS	COATING	FRAME
250-50-0420	Clear	Anti-Scratch/Anti-Fog	<input type="checkbox"/> Black
250-50-0421	Gray	Anti-Scratch/Anti-Fog	<input type="checkbox"/> Black
250-50-0422	In/Outdoor	Anti-Scratch/Anti-Fog	<input type="checkbox"/> Black
250-50-0425	Silver Mirror	Anti-Scratch/Anti-Fog	<input type="checkbox"/> Black
250-50-0426	Blue Mirror	Anti-Scratch/Anti-Fog	<input type="checkbox"/> Black

ESS GOGGLES

CERTIFIED TO NFPA 1500



X-TRICATOR™ MULTI-PURPOSE GOGGLE

KEY FEATURE	All components are heat & flame resistant		
APPLICATIONS	Rescue, wildland firefighters, EMS		
FIT	Fits over most prescription eyewear		
STANDARDS MET	NFPA 1500-2007 EDITION, ANSI Z87.1-2010, CE EN 166 B, U.S. FEDERAL OSHA		
STYLE NUMBER	LENS	COATING	FRAME
937-ESS01CB-EXS	<input type="checkbox"/> Clear	Anti-Scratch/Anti-Fog	<input checked="" type="checkbox"/> Gray



STRIKETEAM™ MULTI-PURPOSE GOGGLE

KEY FEATURE	All components are heat & flame resistant		
APPLICATIONS	Rescue, wildland firefighters, EMS		
FIT	Fits over most prescription eyewear		
STANDARDS MET	NFPA 1500-2007 EDITION, ANSI Z87.1-2010, CE EN 166 B, U.S. FEDERAL OSHA		
STYLE NUMBER	LENS	COATING	FRAME
937-ESS01CB-WFB	<input type="checkbox"/> Clear	Anti-Scratch/Anti-Fog	<input checked="" type="checkbox"/> Gray

PUBLIC SAFETY VESTS



ANSI/ISEA 207 PUBLIC SAFETY VESTS

STYLE NUMBER	LOGO	COLOR	FABRIC	CLOSURE	POCKETS	REFLECTIVE	SIZE
302-PSV-RED-NL 302-PSV-RED	No Logo "FIRE" Logo	Red	Mesh/ Solid	Zipper	2	Split Trim	M/XL, 2X/5X
302-PSV-BLU-NL 302-PSV-BLU	No Logo "POLICE" Logo	Blue	Mesh/ Solid	Zipper	2	Split Trim	M/XL, 2X/5X
302-PSV-BLK-NL 302-PSV-BLK	No Logo "SECURITY" Logo	Black	Mesh/ Solid	Zipper	2	Split Trim	M/XL, 2X/5X
302-PSV-GRN	No Logo	Green	Mesh/ Solid	Zipper	4	Split Trim	M/XL, 2X/5X



▼ 300-1000-RD

▼ 300-1504



NON-ANSI INCIDENT COMMAND VESTS

CLOSURE	POCKETS	REFLECTIVE
Hook and loop	1 external upper & 1 internal lower pocket, 1 front & 1 back clear ID pocket	1" white gloss reflective tape (white vest has yellow tape)

100% POLYESTER BLEND		COTTON / POLYESTER BLEND	
Dual Sizes - M/XL, 2X/3X		Dual Sizes - M/XL, 2X/3X, 4X/5X	
STYLE NUMBER	COLOR	STYLE NUMBER	COLOR
300-1502	Black	300-2501	Purple
300-1504	Royal Blue	300-2502	Black
300-1505	Kelly Green	300-2503	Dark Blue
300-1507	Orange	300-2504	Royal Blue
300-1508	Red	300-2505	Kelly Green
300-1510	Yellow	300-2506	Tan
	White	300-2507	Orange
300-2516	Pink	300-2508	Red
		300-2509	Light Blue
		300-2510	Yellow
		300-2511	White
		300-2512	Fluorescent Orange*
		300-2513	Fluorescent Yellow*
		300-2514	Forest Green
		300-2515	Gray



* Fluorescent styles are 100% Polyester

NON-ANSI SURVEYOR'S STYLE SAFETY VESTS

STYLE NUMBER	COLOR	REFLECTIVE
300-1000-RD	Red	Split trim 1" prismatic tape
300-1000-BL	Blue	Split trim 1" prismatic tape

PROTECTIVE CLOTHING

VESTS

SAFETY VESTS

FOR ADDITIONAL SAFETY AROUND
EXTREME TRAFFIC HAZARDS,
MOVING MACHINERY OR
EQUIPMENT

CLASS 2 FIVE-POINT BREAKAWAY VESTS

STYLE NUMBER	HI-VIS COLOR	REFLECTIVE	SIZE
302-5PMV LY	■ Lime Yellow	2" Silver Tape	S-5X
302-5PMV OR	■ Orange	2" Silver Tape	S-5X
302-0212 LY	■ Lime Yellow	2" Two-Tone Tape	S-5X
302-0212 OR	■ Orange	2" Two-Tone Tape	S-5X



ANSI COMPLIANT
CONTRASTING TRIM

2" REFLECTIVE
MATERIAL

TWO-TONE VESTS FOR IMPROVED DAYTIME VISIBILITY



CLASS 2 TWO-TONE 10-POCKET SURVEYOR'S TECH VEST

STYLE NUMBER	HI-VIS COLOR	SIZE
302-0700 LY	■ Lime Yellow	S-5X
302-0700 OR	■ Orange	S-5X

CLASS 2 MESH D-RING ACCESS VEST

STYLE NUMBER	HI-VIS COLOR	SIZE
302-0600D LY	■ Lime Yellow	S-5X
302-0600D OR	■ Orange	S-5X

T-SHIRTS

WITH HI-VISIBILITY

UV PROTECTION



CLASS 2 T-SHIRTS

STYLE NUMBER	HI-VIS COLOR	REFLECTIVE	SIZE
312-1250B LY	☐ Lime Yellow with black front	2" silver reflective tape	S-5X
312-1250B OR	☐ Orange with black front	2" silver reflective tape	S-5X
312-1200 LY	☐ Lime Yellow	2" silver reflective tape	S-5X
312-1200 OR	☐ Orange	2" silver reflective tape	S-5X



LIGHTWEIGHT & DURABLE
PERFORMANCE WICKING MATERIAL

CLASS 3 T-SHIRTS

STYLE NUMBER	HI-VIS COLOR	SLEEVE STYLE	SIZE
313-1300 LY	☐ Lime Yellow	Long	S-5X
313-1300 OR	☐ Orange	Long	S-5X
313-CNTSE LY	☐ Lime Yellow	Short	S-5X
313-CNTSE OR	☐ Orange	Short	S-5X

NON-ANSI SAFETY T-SHIRTS MADE WITH
ANSI-COMPLIANT MATERIAL

NON-ANSI T-SHIRTS

STYLE NUMBER	HI-VIS COLOR	SLEEVE STYLE	SIZE
310-CNTSN LY	☐ Lime Yellow	Short	S-5X
310-CNTSN OR	☐ Orange	Short	S-5X
310-1100 LY	☐ Lime Yellow	Long	S-5X
310-1100 OR	☐ Orange	Long	S-5X



PROTECTIVE CLOTHING

JACKETS & PANTS

JACKETS & PANTS.

WITH HI-VISIBILITY



333-1770



D-RING
ACCESS



333-1766



333-1740

PAIR WITH RIPSTOP BOMBER



318-1771



318-1757

HI-VIS BOMBER JACKET WITH REMOVABLE INSULATION

PIP	ITEM NUMBER	HI-VIS COLOR	ANSI 107	FABRIC	CLOSURE	POCKETS	REFLECTIVE	SIZE
	333-1770-LY	 Lime Yellow	Class 3	300 D Ripstop Polyester Shell	Zipper	9	Level 2 2" Silver	S-5X
	333-1770-OR	 Orange						
	333-1766-LY	 Lime Yellow	Class 3	300 D Polyester Shell	Zipper	8	Level 2 2" Silver	S-6X
	333-1766-OR	 Orange						
	333-1762-LY	 Lime Yellow	Class 3	300 D Polyester Shell	Zipper	8	Level 2 2" Silver	S-6X
	333-1762-OR	 Orange						

HI-VIS COAT WITH BUILT-IN INSULATION

	333-1740-LY	 Lime Yellow	Class 3	300 D Polyester Shell	Zipper	8	Level 2 2" Silver	S-5X
	333-1740-OR	 Orange						

HI-VIS OVERPANTS

	318-1771-LY	 Lime Yellow	Class E	300 D Ripstop Polyester Shell	Drawstring Elastic	5	Level 2 2" Silver	S-5X
	318-1771-OR	 Orange						
	318-1757-LY	 Lime Yellow	Class E	300 D Polyester Shell	Elastic	2	Level 2 2" Silver	S-5X
	318-1757-OR	 Orange						



HI-VISIBILITY PROTECTIVE RAINWEAR

LIGHTWEIGHT & BREATHABLE



D-RING ACCESS

ANSI 107 CLASS **E**

OVERALLS
353-2001



POCKETS **5**

ANSI 107 TYPE/CLASS **R3**

JACKET
353-2000



POCKETS **2**

ANSI 107 TYPE/CLASS **R3**

48" COAT
353-1000



POCKETS **2**

ANSI 107 TYPE/CLASS **R3**

JACKET & PANTS
353-1048

▲ HEAVY DUTY, DURABLE, BREATHABLE SHELL ▲

▲ LIGHTWEIGHT WATERPROOF SHELL ▲

FALCON™ VIS

STYLE NUMBER	HI-VIS COLOR	GARMENT	ANSI 107	FABRIC	CLOSURE	POCKETS	REFLECTIVE	SIZE
353-2001 / YEL	■ Lime Yellow	Overalls	Class E	300 D Polyester	Zipper	1	2" Silver	M-5X
353-2000 / YEL	■ Lime Yellow	Jacket	Class 3	300 D Polyester	Zipper	5	2" Silver	M-5X
353-1000 / LY	■ Lime Yellow	48" LongCoat	Class 3	150 D Polyester	Zipper	2	2" Silver	Dual S-5X
353-1048 / LY	■ Lime Yellow	Jacket & Pant Set	Class 3	150 D Polyester	Zipper	2	2" Silver	S-5X

3M and Thinsulate are trademarks of 3M

PROTECTIVE CLOTHING

FALCON® RAINWEAR



FALCON
CHEMFR

HI-PERFORMANCE PROTECTIVE CLOTHING

LIQUID SPLASH PROTECTION



JACKET
205-420JH



BIB OVERALLS
205-420B



COVERALLS
205-420CV




SNAP
ADJUSTMENTS



REINFORCED
WEAR POINTS



WELDED
SEAMS



PVC
NYLON
PVC

0.42 mm

FALCON™ CHEMFR

STYLE NUMBER	DESCRIPTION	FABRIC	THICKNESS	COLOR	POCKETS	SIZES
205-420JH	Jacket	PVC / Nylon / PVC	0.42mm	Green	0	S - 5X
205-420B	Bib Overalls	PVC / Nylon / PVC	0.42mm	Green	0	S - 5X
205-420CV	Coveralls	PVC / Nylon / PVC	0.42mm	Green	0	S - 5X

PROTECTION AGAINST VARIOUS
LIQUID SPLASHES AND
INCIDENTAL CONTACT

LIMITED FLAMMABILITY

TEST METHOD ASTM D6413



PROTECTIVE RAINWEAR

DURABLE & COMFORTABLE
WITH ADDED FLEXIBILITY



JACKET
201-650J



BIB OVERALLS
201-650B



48" COAT
201-650C




SNAP
ADJUSTMENTS



REINFORCED
WEAR POINTS



NON-WOVEN
LINING



RIBBED PVC
POLYESTER

0.65 mm

WATERPROOF
RESISTS RIPS AND TEARS,
PROVIDING DURABLE PROTECTION


FALCON™ FLEX

STYLE NUMBER	DESCRIPTION	FABRIC	THICKNESS	COLOR	POCKETS	SIZES
201-650J	Jacket	PVC / Polyester	0.65mm	Yellow	2	S - 5X
201-650B	Bib Overalls	PVC / Polyester	0.65mm	Yellow	0	S - 5X
201-650C	48" Coat	PVC / Polyester	0.65mm	Yellow	2	S - 5X

HEARING PROTECTION

HELLBERG® EAR MUFFS / SINGLE-USE EAR PLUGS

SECURE™ PASSIVE EAR MUFFS



NRR
27



NRR
25



NRR
23



SECURE™ PASSIVE NECKBAND EARMUFFS

STYLE NUMBERS 263-43003
NRR 27 dB - Secure 3 - Orange

263-43002
NRR 25 dB - Secure 2 - Yellow

263-43001
NRR 23 dB - Secure 1 - Green

KEY FEATURE Can be worn with full brim hard hats and other specialty headgear

APPLICATIONS Manufacturing, Construction, and Industrial

SIZE ADJUSTMENT Head Support Velcro Strap

CUSHIONS Snap-In Ear Cushions

DIELECTRIC Yes

PACKAGING Boxed

SINGLE-USE EAR PLUGS



NRR
32

X-EMBOSS

STYLE NUMBERS 267-HPF200 - 200 pair uncorded
267-HPF200C - 100 pair corded

KEY FEATURE X-Embossed on End, Reduces Pressure at Ear Canal Opening

MATERIAL Polyurethane Foam (PU)

SHAPE Tapered w/ X-Emboss

CORD TYPE Uncorded or Black PVC Cord

COLOR Lime

PACKAGING Individual Poly Bagged Pairs in Dispenser Box



NRR
30

COMPACT X-EMBOSS

STYLE NUMBERS 267-HPF300 - 200 pair uncorded
267-HPF300C - 100 pair corded

KEY FEATURE Smaller contoured design for narrower ear canals

MATERIAL Polyurethane Foam (PU)

SHAPE Tapered w/ X-Emboss

CORD TYPE Uncorded or Black PVC Cord

COLOR Magenta

PACKAGING Individual Poly Bagged Pairs in Dispenser Box

WRIST & ELBOW SUPPORTS

REDUCE STRESS, PROVIDE STABILITY
& ARE MACHINE WASHABLE



	WRIST WRAP	WRIST WRAP WITH THUMB LOOP	WRIST SUPPORT WITH STAYS	NEOPRENE WRIST WRAP	ELBOW SUPPORT WRAP	ELBOW SLEEVE
STYLE NUMBERS	290-9010BLK ■ Black - One Size 290-9010BGE ■ Beige - One Size	290-9011BLK ■ Black - One Size	290-9013S ■ Black - 5.375" - 6.125" 290-9013M ■ Black - 6.125" - 6.875" 290-9013L ■ Black - 6.875" - 7.625" 290-9013XL ■ Black - 7.625" - 8.375"	290-9015 ■ Black - One Size	290-9000S ■ Black - 8.5" - 10" 290-9000M ■ Black - 10" - 11" 290-9000L ■ Black - 11" - 12" 290-9000XL ■ Black - 12" - 13.5"	290-9001S ■ Black - 8.5" - 10" 290-9001M ■ Black - 10" - 11" 290-9001L ■ Black - 11" - 12" 290-9001XL ■ Black - 12" - 13.5"
KEY FEATURE	Stretchable Elastic Fabric	Thumb Loop Holds Support in Place	Helps Maintain a Neutral Wrist Position	Light Neoprene Body Provides Soothing Warmth	Provides Relief from Stress and Pressure Caused by Repetitive Motion	Provides therapeutic warming to relieve stress and comfort muscles
APPLICATIONS	Office / Retail / Light Industrial	Office / Retail / Light Industrial	Office / Retail / Light Industrial	Office / Retail / Light Industrial	Office / Retail / Light Industrial	Office / Retail / Light Industrial
FABRIC	Nylon & Spandex	Polyester & Spandex	Neoprene & Nylon	Neoprene & Nylon	Neoprene & Nylon	Neoprene & Nylon
THUMB LOOP	No	Yes	Yes	Yes	N/A	N/A
CLOSURE	Hook & Loop	Hook & Loop	Hook & Loop	Hook & Loop	Hook & Loop	Sleeve
SUPPORT STAYS	No	No	Top & Bottom	No	N/A	N/A
FIT	Ambidextrous	Ambidextrous	Ambidextrous	Ambidextrous	Ambidextrous	Ambidextrous
COLOR	■ Black or ■ Beige	■ Black	■ Black	■ Black	■ Black	■ Black
SIZES	OSFA	OSFA	S - XL	OSFA	S - XL	S - XL
PACKAGING	1 per Poly Bag	1 per Poly Bag	1 per Poly Bag	1 per Poly Bag	1 per Poly Bag	1 per Poly Bag

BACK SUPPORTS



BLACK MESH

KEY FEATURE	Popular and Economic Design	
APPLICATIONS	Warehouse / Construction	
BELT MATERIAL	9" Wide Nylon Mesh	
BACK STAYS	5	
FASTENER	Hook & Loop Closure on Front Panels	
SUSPENDERS	Adjustable & Detachable	
PACKAGING	1 per Poly Bag	
STYLE NUMBER	COLOR	SIZE
290-440S	■ Black	32" - 36"
290-440M	■ Black	36" - 40"
290-440L	■ Black	40" - 44"
290-440XL	■ Black	44" - 48"
290-440XXL	■ Black	48" - 54"

HI-VIS LIME YELLOW SOLID

KEY FEATURE	Bright Hi-Vis Side Bands & Suspenders	
APPLICATIONS	Warehouse / Construction	
BELT MATERIAL	8" Wide Nylon Elastic	
BACK STAYS	5	
FASTENER	Hook & Loop Closure on Front Panels	
SUSPENDERS	Adjustable & Detachable	
PACKAGING	1 per Poly Bag	
STYLE NUMBER	COLOR	SIZE
290-550M	■ Hi-Vis Lime Yellow	36" - 40"
290-550L	■ Hi-Vis Lime Yellow	40" - 44"
290-550XL	■ Hi-Vis Lime Yellow	44" - 48"
290-550XXL	■ Hi-Vis Lime Yellow	48" - 54"

KNEE PADS & SUPPORT



HARD PLASTIC CAP



NON-MARRING



CLEAR FLAT-CAP GEL


STYLE NUMBER	291-100	291-110	291-130
KEY FEATURE	Economical, with Abrasion Resistance & Great for Pivoting	PVC Cap Won't Mar, Scratch or Scuff Surfaces	Air-Injected Gel Pads are Ideal for Hard Surfaces
APPLICATIONS	Industrial / Construction	Industrial / Construction	Industrial / Construction
KNEE CAP	Polyethylene	Extended PVC	PVC with Flat Surface
ANTI-SLIP RIDGES	No	Yes	Yes
CLOSURE	Two Hook & Loop Closure Straps	Two Hook & Loop Closure Straps	One Wide Hook & Loop Closure Strap
COLOR	■ Gray Cap on ■ Black	□ White Cap on ■ Black	□ Clear Cap on ■ Black
SIZES	OSFM	OSFM	OSFM
PACKAGING	1 per Poly Bag	1 per Poly Bag	1 per Poly Bag



SUPPORTS MUSCLES AND TISSUES AFTER SUFFERING MINOR STRAINS, SPRAINS, INJURIES AND ARTHRITIS

KNEE SLEEVES

STYLE NUMBER	COLOR	DIMENSIONS
290-9020S	■ Black	13"-14"
290-9020M	■ Black	14"-15"
290-9020L	■ Black	15"-17"
290-9020XL	■ Black	17"-18"



N95 RESPIRATORS

- N95 Masks provide 95% filtration efficiency against airborne particles (not resistant to oil)
- NO STAPLES - cone style features ultrasonic welding of straps on wings.
- Adjustable outside aluminum nosepiece (with inside foam padding) provides a proper fit



N95 CONE



**N95 CONE WITH
EXHALATION VALVE**



N95 FLAT FOLDED



**N95 FLAT FOLDED WITH
EXHALATION VALVE**

PIP ITEM	270-2000	270-2050	270-3000	270-3050
KEY FEATURE	Flanged Mask Edge For a Better Fit & Seal	Easier Breathing... Especially in Hot & Humid Conditions	Fits Inside Pockets... Individually Poly-Bagged	Easier Breathing... Especially in Hot & Humid Conditions
APPLICATIONS	Manufacturing / Construction / Industrial	Manufacturing / Construction / Industrial	Manufacturing / Construction / Industrial	Manufacturing / Construction / Industrial
EXHALATION VALVE	No	Yes	No	Yes
NOSEPIECE	Adjustable Aluminum	Adjustable Aluminum	Adjustable Aluminum	Adjustable Aluminum
HEAD STRAP	Latex-Free Braided	Latex-Free Braided	Latex-Free Rubber	Latex-Free Rubber
STRAP ATTACHMENT	Ultrasonic Welded	Ultrasonic Welded	Single Looped Strap	Single Looped Strap
APPROVALS	NIOSH Certified	NIOSH Certified	NIOSH Certified	NIOSH Certified
PACKAGING	20 Masks per Box; 12 Boxes per Case	10 Masks per Box; 12 Boxes per Case	20 Poly Bagged Masks per Box; 12 Boxes per Case	10 Poly Bagged Masks per Box; 12 Boxes per Case

The PIP products in this section of the catalog must be used in accordance with OSHA regulations, user instructions, warnings and limitations accompanying each product.

FIRST AID KITS



FIRST AID KIT CONTENTS

STYLE	PERSONAL			CONTRACTOR		
	10	25	50	10	25	50
ABDOMINAL PAD (5" x 9")	1	1	1	1	1	1
ALCOHOL PREP PADS	-	6	20*	20*	20*	6
ANTISEPTIC TOWELETTES	12*	20*	20*	-	-	20*
HAND SANITIZER	1	1	2	-	-	-
COLD INSANT PACK (4" x 5")	1	1	1	-	1	1
CONFORMING GAUZE ROLL (2")	-	1	1	-	1	2
COTTON TIP APPLICATORS (3")	-	-	12	-	-	-
CPR DEVICE (DISPOSABLE)	-	-	1	-	-	-
FLEXIBLE FABRIC STRIPS	6	12*	12*	-	-	6
OVAL EYE PADS	-	-	2	-	-	-
EYE WASH (1 OZ)	-	1	1	1	1	1
FLEXIBLE FABRIC FINGERTIP	2	4	12*	-	-	2
FLEXIBLE FABRIC KNUCKLE	2	4	12*	-	-	2
FIRST AID & BURN CREAM	8*	8*	12*	8*	8*	8*
GAUZE PADS (3" x 3")	4	4	12	-	-	2
MICROBIAL TOWELETTES	1	1	3	-	-	-
MEDICAL EXAM GLOVES	2	2	4	1	1	2
CLEAR ADHESIVE STRIPS	16*	25*	25*	16*	100*	16*
ELASTIC BANDAGE (2")	1	1	1	-	-	1
ASSORTED SAFETY PINS	4	4	8	-	-	4
SCISSORS (4")	1	1	-	1	1	1
BANDAGE SCISSORS (5.5")	-	-	1	-	-	-
SPLINTER FORCEPS	1	1	1	1	1	1
SPLINTER OUT	-	2	-	-	-	-
STING RELIEF PADS	-	6	-	-	-	1
ADHESIVE TAPE (1/2")	1	1	1	1	1	1
TRIANGLE BANDAGE	1	1	1	1	1	1
CLEANSING TOWELETTES	6	6	12	-	-	-

PERSONAL FIRST AID KIT

CONTRACTOR FIRST AID KIT

STYLE NUMBERS	299-13210 - 10 Person Kit 299-13225 - 25 Person Kit 299-13255 - 50 Person Kit	299-13285 - 10 Person Kit 299-13290 - 25 Person Kit 299-13293 - 50 Person Kit
KEY FEATURE	Variety of different items to treat minor injuries	Fewer items in bulk quantities to treat minor injuries
APPLICATIONS	Job Site / Office / Vehicle	Job Site / Office / Vehicle
STANDARDS MET	ANSI Z308.1-2009	ANSI Z308.1-2009
PACKAGING	Weatherproof Plastic Box	Weatherproof Plastic Box
MOUNT	Wall mountable via slots in carrying handle	Wall mountable via slots in carrying handle



BURN KIT

PIP ITEM NUMBER	299-13295
KEY FEATURE	Basic Necessities for Burn Care
APPLICATIONS	Job Site / Office / Vehicle
PACKAGING	Weatherproof Plastic Box
MOUNT	Wall mountable via slots in carrying handle

SUPPLIES INCLUDED

STERILE BURN DRESSING	1 (4" x 4")
STERILE BURN DRESSING	2 (8" x 8")
CO-WRAP	1 (2" x 5 yds)
MEDICAL EXAM GLOVES	2
SCISSORS	1 (4")

EXCELLENT FOR TREATING BURNS



BLOODBORNE PATHOGENS KIT

PIP ITEM NUMBER	299-13215
KEY FEATURE	Bio hazard kit for bodily fluid cleanup
APPLICATIONS	Job Site / Office / Vehicle
STANDARDS MET	OSHA 1910.103
PACKAGING	Weatherproof Plastic Box
MOUNT	Wall mountable via slots in carrying handle

SUPPLIES INCLUDED

FACE SHIELD & VISOR	1
ABSORBENT TOWELS	3
APRON	1
ANTI-MICROBIAL TOWLETTE	1
MEDICAL EXAM GLOVES	2
BIO SCOOP & SCRAPER	1
BIOHAZARD WASTE BAGS	2
RED SUPER ABSORB FOAM (10G)	1
ANTISEPTIC TOWELETTES (XL)	2
INCIDENT REPORT	1 Exposure Control Report Form

COOLING PRODUCTS

PHASE CHANGE & EVAPORATIVE

HIGH-PERFORMANCE COOLING GEAR



 **EVAPORATIVE**
COOLING TECHNOLOGY

**WEAR OVER
OTHER PPE GARMENTS**



▲ 390-EZ202

COOLING VESTS

STYLE NUMBER	COOLING TYPE	DESCRIPTION	ACTIVATION TIME	OUTER FABRIC	INNER FABRIC	WEIGHT	CLOSURE	COLOR	SIZE
390-EZSPC	Phase Change	Active Fit Vest with re-chargeable cooling packs	45 Minutes	100% Cotton	Nylon	6.0 lbs	Zipper with Side & Shoulder Adjustments	Blue	M/L (100-175 lbs), L/XL (175-250 lbs), 2X/3X (250-300 lbs)
390-EZFRPC	Phase Change	Active Fit FR Vest with re-chargeable cooling packs	45 Minutes	Banwear FR Cotton	100% Cotton	6.0 lbs	Zipper with Side & Shoulder Adjustments	Navy	M/L (100-175 lbs), L/XL (175-250 lbs), 2X/3X (250-300 lbs)
390-PC099	Phase Change	Re-usable Phase Change Pack Set for Slim Fit Design	45 Minutes	PU	TechKewl™	5.0 lbs	N/A	White	N/A
390-PCVKT1	Phase Change	Vest with re-chargeable cooling packs that fit inside a vest	45 Minutes	Polyester	Nylon	6.5 lbs	Pullover with Side & Shoulder Adjustments	Navy	One Size
390-PCVCP1	Phase Change	Re-usable Phase Change Pack Set for Classic Design	45 Minutes	PU	Alkane Blend	5.5 lbs	N/A	White	N/A
390-EZ202	Evaporative	ANSI Class 2 Cooling Vest with 4 pockets	1-2 Minutes	Polyester	HyperKewl™	1.5 lbs	Hook & Loop	Hi-Vis Yellow	S/M, L/XL, 2X/3X, 4X/5X

* Includes cooler bag

COOLING PRODUCTS

EVAPORATIVE



SUPER
ABSORBENT
& SUPER
COOL



EZ-COOL® COOLING NECK BAND

COOLING TYPE	Evaporative
ACTIVATION TIME	30 Seconds
OUTER	PVA
COLOR	Blue
CLOSURE	Snap
ITEM NUMBER	393-600



EZ-COOL® COOLING TOWEL

COOLING TYPE	Evaporative
ACTIVATION TIME	30 Seconds
OUTER	PVA
COLOR	Blue
ITEM NUMBER	396-602-B



EZ-COOL® COOLING TIE HAT

COOLING TYPE	Evaporative
ACTIVATION TIME	1-2 Minutes
OUTER	Polyester Mesh
INNER	HyperKewl™
COLOR	Blue
CLOSURE	Tie
ITEM NUMBER	396-EZ205



EZ-COOL® VALUE COOLING TIE HAT

COOLING TYPE	Evaporative
ACTIVATION TIME	20-30 Minutes
OUTER	Poly Cotton
INNER	Cooling Crystals
CLOSURE	Tie
ITEM NUMBER	COLOR
396-300-CBL	Cowboy Blue
396-300-NAV	Navy
396-300-PAT	Patriotic Flag



EZ-COOL® COOLING BANDANA

COOLING TYPE	Evaporative
ACTIVATION TIME	1-2 Minutes
OUTER	Polyester Mesh
INNER	HyperKewl™
CLOSURE	Tie
ITEM NUMBER	COLOR
396-EZ201-BLU	Blue
396-EZ201-KHK	Khaki
396-EZ201-PAT	Patriotic Flag



VALUE COOLING BANDANA

COOLING TYPE	Evaporative
ACTIVATION TIME	20-30 Minutes
OUTER	Poly Cotton
INNER	Cooling Crystals
CLOSURE	Tie
ITEM NUMBER	COLOR
393-100-BLU	Blue
393-100-CBL	Cowboy Blue
393-100-CRD	Cowboy Red
393-100-DGC	Digital Camo
393-100-KHK	Khaki
393-100-NAVY	Navy
393-100-PAT	Patriotic Flag

EXTENDED
COOLING COMFORT

COOLING PRODUCTS

EVAPORATIVE, ABSORPTIVE, AND SHADING



EVAPORATIVE
COOLING TECHNOLOGY



**EZ-COOL® COOLING
HARD HAT NECK SHADE**

COOLING TYPE	Evaporative
ACTIVATION TIME	1-2 Minutes
OUTER	Polyester
INNER	HyperKewl™
CLOSURE	Hook & Loop
STYLE NUMBER	HI-VIS COLOR
396-EZ810-LY	Lime Yellow

**EZ-COOL® COOLING FR
HARD HAT NECK SHADE**

COOLING TYPE	Evaporative
ACTIVATION TIME	1-2 Minutes
OUTER	FR Cotton Banox
INNER	HyperKewl™
CLOSURE	Hook & Loop
STYLE NUMBER	COLOR
396-EZFR811	Navy

**VALUE COOLING HARD HAT
PAD WITH NECK SHADE**

COOLING TYPE	Evaporative
ACTIVATION TIME	20-30 Minutes
OUTER	Poly Cotton
INNER	Cooling Crystals
CLOSURE	Hook & Loop
STYLE NUMBER	COLOR
396-405	Blue

**VALUE COOLING
HARD HAT PAD**

COOLING TYPE	Evaporative
ACTIVATION TIME	20-30 Minutes
OUTER	Poly Cotton
INNER	Cooling Crystals
CLOSURE	Hook & Loop
STYLE NUMBER	COLOR
396-400-BLU	Blue

COOLING COMFORT UNDER HARD HATS



**ABSORPTIVE
COOLING TECHNOLOGY**

Absorptive materials help to keep the sweat and the sting out of workers' eyes while trapping and moving sweat for a safer, more comfortable job with fewer distractions.



**HARD HAT TERRY
SWEATBAND**

COOLING TYPE	Absorptive
OUTER	Cotton Terry Cloth
CLOSURE	Snaps
COLOR	Navy
PIP STYLE	396-20870-NAV



**SHADING
COOLING TECHNOLOGY**

Shading products include hats and visors with neck shades that will help to screen workers from the sun, to alleviate the toll it takes on productivity, skin and the ability to keep hydrated.



HI VISIBILITY RANGER HAT

COOLING TYPE	Shading
OUTER	ANSI compliant Polyester Hi Vis with Reflective Tape
CLOSURE	Drawcord
STYLE NUMBER	350-RANGER
HI-VIS COLOR	Lime Yellow



PROTECTIVE INDUSTRIAL PRODUCTS

BRINGING THE BEST OF THE WORLD TO YOU®

www.pipusa.com

TRADEMARKS

Cabaret®, Ambi-dex®, Ambi-Thix®, FingerNails®, Maximum Safety®, Falcon, Fuselage, Adversary, Mag Readers, Eva®, Eva Petite®, Lady Eva, Bouton® Optical, EZ-COOL™, ESP® and, Bringing the Best of the World to You® are registered trademarks or trademarks pending registration of Protective Industrial Products, Inc.

Nomex®, Lycra® and Kevlar® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company.

Velcro® is a registered trademark of Velcro Industries B.V.

3M™ and Thinsulate™ are trademarks of 3M™.

MKB Evolution™ are registered trademarks or trademarks pending registration of JSP®.

MaxiSoft is a registered trademark or trademark pending registration of FlameSafe.

Novax® is a registered trade mark of GB Industries.

LIMITED WARRANTY

Protective Industrial Products, Inc.® (PIP) warrants only that PIP products will be free from defects in materials and workmanship at the time of sale. Upon receipt of each shipment, the customer must examine the products for defect or shortage and notify PIP in writing within thirty (30) days after such receipt of any claims reasonably discernible within such thirty (30) day period. All claims not reasonably discernible within thirty (30) days must be made in writing within one (1) year after receipt of shipment. Any claim not timely made shall be waived. This limited warranty is exclusive and in lieu of all other warranties, express, implied or statutory. PIP's entire obligation and the exclusive remedy to any party for breach of this limited warranty shall be limited to replacement of the defective product or refund of the original purchase price of the product, at PIP's option. PIP's limited warranty shall not apply to PIP products that have been subject to misuse, accident, negligence, handling, storage, or use.

DISCLAIMER OF IMPLIED WARRANTIES

All implied warranties which may arise by implication of law or application, course of dealing, usage of trade, including, but not limited to, implied warranties of merchantability, fitness for a particular purpose title, and non-infringement are expressly excluded. The user is solely responsible for the suitability of the product selected for a particular application. This catalog is the exclusive property of Protective Industrial Products, Inc.® It may not be copied, duplicated or reproduced in whole or in part by any means without the written permission of Protective Industrial Products, Inc.®



PROTECTIVE INDUSTRIAL PRODUCTS, INC.

968 Albany Shaker Road | Latham, NY 12110

518-861-0133 | 800-262-5755

sales@pipusa.com | www.pipusa.com

UPC
PLACEHOLDER
616314206344