



SPECIFICATION SHEET

77-289TL

SPLIT COWHIDE LEATHER GLOVE WITH 3M™ THINSULATE™ LINING - KEYSTONE THUMB

- Split Cowhide leather construction provides comfort, durability, excellent abrasion resistance, and breathability
- Split leather is economical and has a visible texture
- 3M™ Thinsulate™ lining provides superior insulation without the bulk of fleece
- Drivers gloves feature slip-on styling to provide good fit and comfort
- Keystone thumb is ergonomic, reduces hand fatigue, offers superior dexterity and durability
- Elastic closure sewn inside glove for safety and comfort
- Cotton color binding denotes sizing

APPLICATIONS

- Farming
- Construction
- Machine operation
- Refrigeration
- Other cold weather applications

TECHNICAL DATA

MATERIAL	Cowhide leather, Thinsulate				
COLOR	Natural				
CUFF STYLE	Slip on				
SIZES	S - XXL				
PACKAGING	12 pairs per dozen, 6 dozen per case				
CASE (in/cm)	(S) 19.9 x 12.4 x 16.9 / 50.5 x 31.5 x 43 (M) 19.9 x 12.4 x 17.3 / 50.5 x 31.5 x 44 (L) 19.9 x 12.4 x 17.5 / 50.5 x 31.5 x 44.5 (XL) 19.9 x 12.4 x 17.7 / 50.5 x 31.5 x 45 (XXL) 19.9 x 12.4 x 18.3 / 50.5 x 31.5 x 46.5				
CASE WEIGHT	S	M	L	XL	XXL
	25.4 lbs / 11.5 kg	26.5 lbs / 12 kg	26.5 lbs / 12 kg	27.6 lbs / 12.5 kg	28.7 lbs / 13 kg
COO	China				

BARCODES


ITEM	BAG	DOZEN	CASE
77-289TL/S	---	01616314009723	02616314009723
77-289TL/M	---	01616314009730	02616314009730
77-289TL/L	---	01616314009747	02616314009747
77-289TL/XL	---	01616314009754	02616314009754
77-289TL/XXL	---	01616314009761	02616314009761



DIMENSIONS (in/cm)

	S	M	L	XL	XXL
A	9.6 / 24.5	10.2 / 26	10.4 / 26.5	10.6 / 27	11 / 28
B	5.1 / 13	5.3 / 13.5	5.5 / 14	5.7 / 14.5	5.7 / 14.5

Leather thickness: 0.9 (+/- 0.1) mm
Tolerance: +/- 0.5 cm



PROTECTIVE INDUSTRIAL PRODUCTS, INC. | BRINGING THE BEST OF THE WORLD TO YOU®

AMERICAS: (800) 262-5755 • (518) 861-0133 | EUROPE: +34-96182-41-48 | AMEA: (ASIA, MIDDLE EAST, AFRICA) 852-2475-9228 | www.pipglobal.com

This document and the information contained herein is the property of Protective Industrial Products, Inc. (PIP) and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of PIP products for a particular purpose or use within a particular environment. PIP DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED.