



G-Tek® X-Treme™

X-Treme™ 15G seamless knitted glove XREY™ fiber blended liner with foam nitrile coating on palm and fingers - with dots, cut D.

- No fiberglass or steel, which eliminates irritation and reduces CO2 emissions.
- Durable micro-foam palm and finger coating that excels in dry, wet or oily conditions.
- Exceptional dexterity
- Gauge : 15
- XREY™ fiber has been specially developed to provide a product that is lighter, more comfortable and cut resistant product by removing the need for steel or fiberglass while delivering ultra-high levels of performance levels
- Dermatest® guarantee label, which guarantees, via a third-party that the glove is 'compatible with the skin', that it does not cause irritation or discomfort to the skin.



Technical Data

| | |
|----------------------|----------------|
| Color | -- |
| Sizes Available | -- |
| Packaging | Bulk Pack |
| Packed | -- |
| Case Dimensions (cm) | -- |
| Case Weight (kg) | 0.00 |
| Country of Origin | -- |
| Liner Material | -- |
| Coating | Nitrile |
| Coating Color | Black |
| Coating Coverage | Palm & Fingers |
| Grip | Dot |
| Gauge | 15 |
| Cuff | Knit Wrist |
| Impact Protection | -- |
| Construction | -- |
| Certifications | TAA Compliant |
| Product Circularity | -- |

Performance Data

| | |
|---------------------------------|--------|
| ANSI Cut Level | -- |
| ANSI Abrasion Level | -- |
| ANSI Puncture Level | -- |
| ANSI Impact Level | -- |
| ANSI Contact Heat Level | -- |
| EN 388 | 4X42D |
| ASTM F1358 Vertical Flame Level | -- |
| EN 407 | X1XXXX |