



### Vesuvio™

#### Cap Style Smooth Dome Hard Hat with Nylon/Fiber Resin Shell, 4-Point Textile Suspension and Wheel-Ratchet Adjustment

- Heat Resistant Nylon / Fiber Resin Matte Shell Material Rated for High Heat  $\leq 400^{\circ}\text{F}$  ( $200^{\circ}\text{C}$ )
- 4-Point quick release suspension with strong textile straps and crown comfort pad provides a comfortable and secure fit
- Non-chaffing, replaceable foam sweatband for maximum sweat absorption
- SURE LOCK wheel adjustment system for one hand size adjustments
- Precise height adjustment settings to ensure proper depth
- Universal accessory slots accommodate a variety of eye, face and hearing protection products

### Applications

- Mining
- Tunneling
- Demolition
- Utility Work
- Metalworking

### Technical Data

Color	Steel Blue, Yellow, Gray, Dark Gray, Black, Red, Orange, White
Sizes Available	OS
Packaging	Bagged Each
Packed	12/Case
Case Dimensions (cm)	62.23 x 44.45 x 31.75
Case Weight (kg)	5.20
Country of Origin	Canada
Shell Material	Nylon Resin
Shell	Non-Vented
Brim Style	Cap Style
Brim Length	Standard
Size Adjustment	Wheel Ratchet
Suspension	4 Point Nylon Webbing Cradle
Chin Strap	--
Sweatband	Felt Lined Foam
Size Range	53cm-63cm
Construction	--
Certifications	TAA Compliant
Product Circularity	Recycled via Terracycle

### Performance Data

ANSI Type	Type I
CSA Type	--
Electrical Class	Class E

### Care Instructions

The unit may be cleaned with soap and warm water and dried with a soft cloth. The helmet should not be cleaned with chemical or abrasive cleaners. The helmet should be stored out of direct sunlight, away from chemicals and not exposed to extremes of temperature.

KEY:  Made from recycled or bio-based  Launderable  Recyclable via TerraCycle®

**PROTECTIVE INDUSTRIAL PRODUCTS, INC. | BRINGING THE BEST OF THE WORLD TO YOU®**

AMERICAS: +1 (800) 262-5755 | EUROPE: +34-96182-41-48 | AMEA: (ASIA, MIDDLE EAST, AFRICA) 852-2475-9228 | [www.pipglobalsafety.com](http://www.pipglobalsafety.com)

This document and the information contained herein is the property of Protective Industrial Products, Inc. (PIP) and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of PIP products for a particular purpose or use within a particular environment. PIP DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED. 2025-03-31