



## Boss® Footwear

### 16" Black PVC Steel Toe Boot

- 100% waterproof protection
- Lightweight and durable / up to 25% lighter than classic PVC boots
- Energy-absorbing tread adds all day comfort
- Less toe spring allows for more surface contact for improved channeling of water for better traction, slip resistance and comfort
- Tougher outsole for good abrasion resistance
- Flexible upper material stays supple in cold temperatures to make walking easier
- Pre-formed insole is removable and wicks perspiration to keep feet dry and comfortable
- Mid-Sole is designed to utilize additional material in the standard area of the shank providing increased support and comfort
- Low profile "kick off" ledge on back of boots
- Meets ASTM F3445-21 for Slip Resistance
- Meets ASTM F2413-18 M/I/C Impact and Compression
- Made in the USA
- Prop 65 Compliant
- Resistant to certain acids and alkalis, fats, oils hydrocarbons and other chemicals

## Applications

- Construction Applications
- Remediation
- Environmental Clean Up
- Forestry
- Concrete Work
- Municipal

## Technical Data

|                      |                              |
|----------------------|------------------------------|
| Color                | Black                        |
| Sizes Available      | 6-14                         |
| Packaging            | Bagged Pair                  |
| Packed               | 6/Case                       |
| Case Dimensions (cm) | 46.00 x 46.00 x 33.00        |
| Case Weight (kg)     | 11.70                        |
| Country of Origin    | United States                |
| Material             | PVC                          |
| Outsole              | PVC                          |
| Toe Type             | Steel Toe                    |
| Tread Pattern        | Cleated                      |
| Height               | 16"                          |
| Closure              | Slip On                      |
| Construction         | Injection Molded, Waterproof |
| Certifications       | TAA Compliant                |
| Product Circularity  | --                           |

## Performance Data

|                        |   |
|------------------------|---|
| ASTM F2413 Requirement | --Impact Resistance--<br>Compression Resistance-- |
|------------------------|---|

## Care Instructions



Hand Wash