PIP

SPECIFICATION SHEET STYLE: 50G



QRP® Qualatherm® Heat & Cold Resistant Electrostatic Dissipative (ESD) Glove with PBI® Outer Shell and Nylon /

Wool Lining - 14"

- Dry contact temperatures for -210F to 1400F (-134C to 760C) with no charring, ash or residue
- Ambidextrous pattern permits glove to be worn on either hand, extending wear and reducing costs
- No PCB, asbestos or fiberglass
- ESD protection Static Dissipative 10(9)
- ESD safe compliance to ANSI/ESD S20.20-2014
- RoHS compliant ٠

Technical Data

| Color | Brown |
|----------------------|--------------------------------------|
| Sizes Available | M, L, XL |
| Packaging | Case |
| Packed | 1/Case |
| Case Dimensions (cm) | 40.64 x 17.78 x 10.16 |
| Case Weight (kg) | 0.91 |
| Country of Origin | United States |
| Liner Material | PBI |
| Coating | |
| Coating Coverage | |
| Coating Color | |
| Grip | |
| Gauge | |
| Lining | Nylon Wool |
| Weight | |
| Cuff | Straight |
| Hem | Hemmed |
| Construction | Cut-and-Sewn, ESD Safe, Supported |
| Certifications | TAA Compliant |
| Product Circularity | Reusable / Launderable |

Performance Data

ISO Cleanroom Temperature Resistant Static Control Property

Extreme Heat Static Dissipative

KEY: 🚺 Made from recycled or bio-based 🛛 Launderable 🗳 Recyclable via TerraCycle®

PROTECTIVE INDUSTRIAL PRODUCTS, INC. | BRINGING THE BEST OF THE WORLD TO YOU®

AMERICAS: +1 (800) 262-5755 | EUROPE: +34-96182-41-48 | AMEA: (ASIA, MIDDLE EAST, AFRICA) 852-2475-9228 | www.pipglobalsafety.com

This document and the information contained herein is the property of Protective Industrial Products, Inc. (PIP) and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of PIP products for a particular purpose or use within a particular environment. PIP DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED. 2025-07-01