

STYLE: GP16354



G-Tek® PolyKor®

Seamless Knit PolyKor® Blended Glove with Nitrile Coated Foam Grip on Palm & Fingers

- Seamless construction offers increased comfort and breathability
- PolyKor™ shell is lightweight and provides excellent dexterity, tactile sensitivity and cut resistance
- Nitrile is a synthetic rubber compound that offers excellent puncture, tear and abrasion resistance
- Foam Nitrile coatings are breathable and durable, designed with a cell structure that disperse fluids on contact for an improved grip
- Knit wrist helps prevent dirt and debris from entering the glove
- Color coded hems for easy size identification

Applications

- · Secure Dry Grip and Oil Resistant
- Handling and Assembly of Medium to Large Parts and Materials
- Metal Fabrication
- Mechanical Equipment Maintenance and Repair
- Heavy to Medium Fastening and Anchoring













Technical Data

| Color | Black |
|----------------------|---|
| Sizes Available | XS-2XL |
| Packaging | Bulk Pack |
| Packed | 6 Dozen/Case |
| Case Dimensions (cm) | 28.00 x 26.00 x 40.00 |
| Case Weight (kg) | 5.54 |
| Country of Origin | China |
| Liner Material | PolyKor |
| Coating | Nitrile |
| Coating Color | Black |
| Coating Coverage | Palm & Fingers |
| Grip | Foam |
| Gauge | 13 |
| Cuff | Knit Wrist |
| Impact Protection | |
| Construction | Coated Seamless Knit, ESD Safe |
| Certifications | |
| Product Circularity | Reusable / Launderable Recycled via Terracycle |

Performance Data

| Cut Level | A5 |
|---------------------------------|-------|
| ANSI Abrasion Level | 3 |
| ANSI Puncture Level | 4 |
| ANSI Impact Level | |
| ANSI Contact Heat Level | |
| EN 388 | 4X43E |
| ASTM F1358 Vertical Flame Level | |
| EN 407 | |

Care Instructions











