SPECIFICATION SHEET STYLE: S10HTP/2BK-NW-ES6-T



Kut Gard® Single-Ply ATA® / High Tenacity Polyester Blended Sleeve - Narrow Width

- Prioprietary ATA® Technology provides ANSI A2 cut protection and outstanding wearer comfort
- Three widths are available, narrow, standard and wide for a personalized fit; great for workers with thin to bulky arms
- Color-coded overedge indicates width of sleeve, red indicates narrow, yellow indicates standard and green indicates wide, for ease in sortina
- · No-Slip elastic at the top of the sleeve helps to keep sleeves in place
- Knit wrist stays in place and is less binding than elastic wrist, offering cut protection from the top to bottom
- ASTM D3884-09 Level 2 abrasion resistance

Applications

- High Cut Protection and Performance
- Machine Operations ٠
- ٠ Metal Fabrication
- Plastic Molding ٠



Technical Data

Color	Black
Sizes Available	12, 18, 22
Packaging	Bulk Banded
Packed	72/Case
Case Dimensions (cm)	50.80 x 35.56 x 27.94
Case Weight (kg)	11.28
Country of Origin	United States
Liner Material	High-Tenacity Polyester, ATA Fiber Technology
Top of Arm	Non-Slip
Finger & Thumb	Thumb Hole
Ply	Single-Ply
Lining	
Construction	Machine Knit
Certifications	TAA Compliant
Product Circularity	Recycled via Terracycle Reusable / Launderable

Performance Data

ANSI Puncture Level	Cut Level	A2
	ANSI Puncture Level	
ANSI Contact Heat Level	ANSI Contact Heat Level	
ASTM F1358 Vertical Flame Level	ASTM F1358 Vertical Flame Level	

Care Instructions





Bleach

 \odot Low Heat

KEY: 🚺 Made from recycled or bio-based 🛛 Launderable 🚯 Recyclable via TerraCycle®

PROTECTIVE INDUSTRIAL PRODUCTS, INC. | BRINGING THE BEST OF THE WORLD TO YOU*

AMERICAS: +1 (800) 262-5755 | EUROPE: +34-96182-41-48 | AMEA: (ASIA, MIDDLE EAST, AFRICA) 852-2475-9228 | www.pipglobalsafety.com

This document and the information contained herein is the property of Protective Industrial Products, Inc. (PIP) and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of PIP products for a particular purpose or use within a particular environment. PIP DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED. 2025-07-04