



### G-Tek® VR-X™

Seamless Knit Nylon Glove with Polyurethane Advanced Barrier Protection Coating on Full Hand – Touchscreen

- Seamless construction offers increased comfort and breathability
- Nylon blended shell, featuring an ultra-thin 18 gauge liner for exceptional dexterity
- VR-X Polyurethane coatings provide advanced barrier protection, the treated coating takes on the surface properties of the glove liner providing a tactile grip in wet, dry and slightly oily conditions, ideal for applications that require dexterity for precise handling
- Liquid proof, air leak tested - EN374-2
- Antibacterial and antiviral barrier protection per ISO 20743:2013 test method & EN374-5
- ESD Safe, Surface Resistance per ESD S11.11 Static dissipative range at 10<sup>8</sup> ohms, 12%RH, 48hrs @100Volts

### Applications

- Thin Coating, Good Grip for High Dexterity Handling
- Small Parts Handling
- Maintenance and Repair Operations
- Quality Control and Inspection



### Technical Data

Color	Black
Sizes Available	XS-2XL
Packaging	Pair Bagged Retail Ready
Packed	12 Dozen/Case
Case Dimensions (cm)	48.00 x 31.00 x 29.00
Case Weight (kg)	5.40
Country of Origin	China
Liner Material	Nylon
Coating	Polyurethane
Coating Color	Black
Coating Coverage	Full Hand
Grip	Foam
Gauge	18
Cuff	Knit Wrist
Impact Protection	--
Construction	Coated Seamless Knit, Touchscreen Compatible, ESD Safe
Certifications	Silicone Free, ANSI/ESD S11.11, Fentanyl Protection
Product Circularity	Reusable / Launderable Recycled via Terracycle

### Performance Data

ANSI Abrasion Level	3
ANSI Puncture Level	2
ANSI Impact Level	--
EN 388	3111XX
EN 407	--

### Care Instructions



KEY: Made from recycled or bio-based Launderable Recyclable via TerraCycle®

**PROTECTIVE INDUSTRIAL PRODUCTS, INC. | BRINGING THE BEST OF THE WORLD TO YOU®**

AMERICAS: +1 (800) 262-5755 | EUROPE: +34-96182-41-48 | AMEA: (ASIA, MIDDLE EAST, AFRICA) 852-2475-9228 | [www.pipglobalsafety.com](http://www.pipglobalsafety.com)

This document and the information contained herein is the property of Protective Industrial Products, Inc. (PIP) and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of PIP products for a particular purpose or use within a particular environment. PIP DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED. 2025-05-15