PIP

SPECIFICATION SHEET STYLE: BR8-42NB



Uniform Technology[™] Short ESD Sheer Labcoat

- ESD Sheer Fabric 91% Polyester / 9% Carbon
- V-Neck collar
- Three patch pockets
- Snaps at front opening
- Grounding snap on waist pocket
- Snap wrist closure
- ESD tab at chest pocket
- ESD safe compliance to ANSI/ESD S20.20-2014 Groundable Static Control Garment



Technical Data

Color	Blue
Sizes Available	XS-5XL
Packaging	Case
Packed	1/Case
Case Dimensions (cm)	61.00 x 40.60 x 30.50
Case Weight (kg)	0.91
Country of Origin	Mexico
Clothing Type	Lab Coats
Fabric	ESD Sheer
Closure	Snap
Construction	ESD Safe
Certifications	TAA Compliant
Product Circularity	Reusable / Launderable

Performance Data

ISO Cleanroom	
ANSI/ESD S20.20	Groundable Static Control Garment < 1x10⁰Ω Point to groundable point
Temperature Resistant	
Static Control Property	Static Dissipative

Care Instructions

Our garments do not come wearer ready meaning they need to be laundered before an employee wears them in an ISO class cleanroom. Average wear and tear lifespan is 50-100 washes. Make sure all zippers and snaps are closed. Use less harsh soap (milk alkaline or neutral soaps) or detergents. Wash at 120°F for colors and 140°F for whites. Rinse cold. No bleach. Tumble dry moderate (140°F). After drying tumble dry cold for 5 minutes. No iron.

KEY: 🚺 Made from recycled or bio-based 🛛 Launderable 🖏 Recyclable via TerraCycle®

PROTECTIVE INDUSTRIAL PRODUCTS, INC. | BRINGING THE BEST OF THE WORLD TO YOU® AMERICAS: +1 (800) 262-5755 | EUROPE: +34-96182-41-48 | AMEA: (ASIA, MIDDLE EAST, AFRICA) 852-2475-9228 | www.pipglobalsafety.com

This document and the information contained herein is the property of Protective Industrial Products, Inc. (PIP) and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of PIP products for a particular purpose or use within a particular environment. PIP DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED. 2025-07-01