



G-Tek® PolyKor®

AR Seamless Knit PolyKor®/Aramid Blend Glove with Neoprene Foam Coated Grip on Palm & Fingers

- Seamless knit construction provides comfort without sacrificing dexterity
- PolyKor® blended shell with Aramid is lightweight and provides excellent dexterity, tactile sensitivity, and cut resistance while providing protection in heat resistant applications, where sparks and heat are present
- Black FR neoprene foam coating provides a secure grip in dry, wet and oily conditions, infused with thousands of tiny suction cup pockets that create a vacuum effect that dispenses fluids away on contact
- ARC Rating: ATPV 13 cal/cm²
- EN 407 tested Limited Flame Spread Level 4
- ASTM F1060-08 tested Contact Heat Resistance Level 2

Applications

- Handling and Moving Heavy Materials
- Maintenance and Repair Operations
- Operating Heavy Duty Machinery and Tools



Technical Data

| | |
|----------------------|-----------------------|
| Color | Green |
| Sizes Available | S-XXL |
| Packaging | Bulk Pack |
| Packed | 6/Case |
| Case Dimensions (cm) | 31.00 x 38.00 x 43.00 |
| Case Weight (kg) | 9.90 |
| Country of Origin | China |
| Liner Material | PolyKor, Aramid |
| Coating | Neoprene |
| Coating Color | Black |
| Coating Coverage | Palm & Fingers |
| Grip | Foam |
| Gauge | 13 |
| Palm | -- |
| Back | -- |
| Cuff | Knit Wrist |
| Impact Protection | -- |
| Construction | Coated Seamless Knit |
| Certifications | -- |
| Product Circularity | -- |

Performance Data

| | |
|-------------------------|-------|
| Cut Level | A4 |
| ANSI Abrasion Level | 3 |
| ANSI Puncture Level | 3 |
| ANSI Impact Level | -- |
| PPE Category | 2 |
| ANSI Contact Heat Level | 2 |
| EN 388 | 3X42D |

Care Instructions

