



G-Tek® CoreShield®

Seamless Knit Engineered Yarn Glove with Foam Nitrile Coated Grip on Palm & Fingers - Touchscreen - ESD Safe

- Seamless construction offers increased comfort and breathability
- Lightweight 18-gauge fibreglass-free liner provides soft and comfortable dexterity, tactile sensitivity, and cut resistance
- Foam Nitrile coatings are breathable and durable, designed with a cell structure that disperse fluids on contact for an improved grip
- Reinforcement - between the thumb and forefinger, improves cut resistance and extends glove life in an inherently weak area.
- Touchscreen compatible, allowing users to operate a touch screen device without removing gloves
- ESD safe construction makes these gloves safe for use with static sensitive materials



Technical Data

| | |
|----------------------|---|
| Color | Black |
| Sizes Available | XS-2XL |
| Packaging | Bulk Banded |
| Packed | 120 Pair/Case |
| Case Dimensions (cm) | -- |
| Case Weight (kg) | 0.00 |
| Liner Material | HPPE |
| Coating | Nitrile |
| Coating Color | Black |
| Coating Coverage | Palm & Fingers |
| Grip | Foam |
| Gauge | 18 |
| Cuff | Knit Wrist |
| Impact Protection | -- |
| Construction | Coated Seamless Knit, Touchscreen Compatible, ESD Safe, Reinforced Thumb Crotch |
| Certifications | 21CFR, Silicone Free, ISO 14644, EN 16350 |
| Product Circularity | Reusable / Launderable |

Performance Data

| | |
|---------------------------------|-------|
| Cut Level | A2 |
| ANSI Abrasion Level | 3 |
| ANSI Puncture Level | 3 |
| ANSI Impact Level | -- |
| ANSI Contact Heat Level | -- |
| EN 388 | 4X42B |
| ASTM F1358 Vertical Flame Level | -- |
| EN 407 | -- |

Care Instructions

