





AR/FR Single-Ply ACP / DuPont™ Kevlar® Blended Sleeve with Thumb Hole

- Proprietary ACP / Kevlar® blended sleeves have a Heat Attenuation Factor (HAF) of 73%
- Offers twice the cut resistance compared with traditional Para-Aramid sleeves
- Excellent heat and flame resistance to protect the arm from heat and burn injuries
- Protection against dangerous electric ARC flashes
- Excellent cut resistance protects against minor cuts and scrapes
- Abrasion resistant & shrink resistant

Applications

- · Cut Resistance with Light Heat Protection
- Automotive Applications
- Glass Operations
- Light Heat Applications



Technical Data

Color	Yellow
Sizes Available	20"
Packaging	Bulk Banded
Packed	144/Case
Case Dimensions (cm)	45.70 x 30.48 x 20.30
Case Weight (kg)	6.66
Country of Origin	United States
Liner Material	ACP, Kevlar
Top of Arm	Elastic Cuff
Finger & Thumb	Thumb Hole
Ply	Single-Ply
Lining	
Construction	2x1 Knit
Certifications	TAA Compliant
Product Circularity	Reusable / Launderable

Performance Data

Cut Level	A5
ANSI Puncture Level	
ANSI Contact Heat Level	
ASTM F1358 Vertical Flame Level	

Care Instructions











