

# SPECIFICATION SHEET STYLE: 10-KASCTOT





#### Single-Ply ACP / DuPont™ Kevlar® Blended Sleeve

- The proprietary ACP / Kevlar® blend is exceptionally comfortable and offers twice the cut resistance compared with traditional Para-Aramid sleeves
- Heat resistant up to 400°F to protect arms from minor heat and burn injuries
- 100% silicone-free so it can be used in applications requiring a silicone free environment
- 100% Latex free
- Good washability, can be washed in soap and water and can be drycleaned
- Do not use near open flame

## **Applications**

- Cut Resistance with Light Heat Protection
- **Automotive Applications**
- Glass Operations
- **Light Heat Applications**



#### **Technical Data**

| Color                | Green   |
|----------------------|---|
| Sizes Available      | 24"   |
| Packaging            | Bulk Pack   |
| Packed               | 144/Case  |
| Case Dimensions (cm) | 45.70 x 30.50 x 30.50                             |
| Case Weight (kg)     | 6.00  |
| Country of Origin    | United States                                     |
| Liner Material       | ACP, Kevlar                                       |
| Top of Arm           | Elastic Cuff                                      |
| Finger & Thumb       | Thumb Hole  |
| Ply                  | Single-Ply  |
| Lining               |   |
| Construction         | Seamless Knit                                     |
| Certifications       | Silicone Free, TAA Compliant                      |
| Product Circularity  | Reusable / Launderable<br>Recycled via Terracycle |

### **Performance Data**

| Cut Level                       | A3 |
|---------------------------------|----|
| ANSI Puncture Level             |    |
| ANSI Contact Heat Level         |    |
| ASTM F1358 Vertical Flame Level |    |

#### **Care Instructions**









