



SPECIFICATION SHEET

STYLE: 10-KVSDGH



Technical Data

Color	Gray
Sizes Available	--
Packaging	Bulk Banded
Packed	--
Case Dimensions (cm)	45.70 x 30.48 x 22.86
Case Weight (kg)	9.13
Country of Origin	United States
Liner Material	Kevlar
Top of Arm	Elastic Cuff
Ply	Single-Ply
Lining	--
Construction	Blousy
Certifications	TAA Compliant
Product Circularity	--

Kut Gard®

Single-Ply DuPont™ Kevlar® Armor Blended Blousy Sleeve

- Blousy construction offers a loose fit to reduce fatigue
- Kevlar® fiber provides high tensile strength relative to its weight, is inherently cut resistant and will not melt, ignite or conduct electricity
- Knit wrist offers cut and heat resistance and prevent debris from entering the sleeve
- Launderable for extended life and to reduce replacement costs

Applications

- Cut Resistance with Light Heat Protection
- Automotive Applications
- Glass Operations
- Light Heat Applications

Performance Data

Cut Level	A6
ANSI Puncture Level	--
ANSI Contact Heat Level	--
ASTM F1358 Vertical Flame Level	--

PROTECTIVE INDUSTRIAL PRODUCTS, INC. | BRINGING THE BEST OF THE WORLD TO YOU®

AMERICAS: +1 (800) 262-5755 | EUROPE: +34-96182-41-48 | AMEA: (ASIA, MIDDLE EAST, AFRICA) 852-2475-9228 | www.pipglobalsafety.com

This document and the information contained herein is the property of Protective Industrial Products, Inc. (PIP) and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of PIP products for a particular purpose or use within a particular environment. PIP DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED. 2025-07-14