



### G-Tek® PolyKor® X7™

G-Tek® Polykor® X7™ Seamless Knit Polykor® X7™ Blended Glove With Neofoam® Micro-Surface Coated Palm & Fingers Touchscreen Compatible - 18 Gauge

- Seamless construction offers increased comfort and breathability
- PolyKor® blended shell with X7™ technology offers high cut resistance and durability with ultra-thin liners
- NeoFoam® Micro-Surface coated palm and fingertips offers great abrasion resistance and outstanding wet/dry grip
- Reinforced thumb crotch for extended glove life, enhanced comfort, increased abrasion resistance and added durability in a high-wear area
- Touchscreen compatible to allow the user to operate a phone or device without removing gloves
- Knit Wrist helps prevent dirt and debris from entering the glove



4X41D

### Technical Data

|                      |                          |
|----------------------|--------------------------|
| Color                | Gray                     |
| Sizes Available      | --                       |
| Packaging            | Pair Bagged Retail Ready |
| Packed               | --                       |
| Case Dimensions (cm) | --                       |
| Case Weight (kg)     | 0.00                     |
| Country of Origin    | China                    |
| Liner Material       | PolyKor X7               |
| Coating              | Neofoam                  |
| Coating Color        | Gray                     |
| Coating Coverage     | Palm & Fingers           |
| Grip                 | MicroSurface             |
| Gauge                | 18                       |
| Cuff                 | Knit Wrist               |
| Impact Protection    | --                       |
| Construction         | Coated Seamless Knit     |
| Certifications       | --                       |
| Product Circularity  | --                       |

### Performance Data

|                                 |       |
|---------------------------------|-------|
| Cut Level                       | A4    |
| ANSI Abrasion Level             | --    |
| ANSI Puncture Level             | --    |
| ANSI Impact Level               | --    |
| ANSI Contact Heat Level         | --    |
| EN 388                          | 4X41D |
| ASTM F1358 Vertical Flame Level | --    |
| EN 407                          | --    |

### Care Instructions



Machine Wash



Water Temp 40°C



Do Not Bleach



Tumble Dry



Low Heat