



G-Tek® X-Treme

15 Gauge seamless knit X-treme blended glove with nitrile microfoam coated on palm & fingers with dots - cut D

- X-REY™ technology has been developed to meet the demands of people doing precision work with a high risk of cuts. Our X-REY™ fiber is 9X stronger than HPPE at the same weight. Fine and soft, it is 25% lighter than other fibers. •NO STEEL • NO GLASS FIBER • NO TUNGSTEN • NO BASALT
- R-Espir Coating Technology™ : COMFORTABLE AND BREATHABLE - Our gloves are designed with breathability and comfort in mind. Extended breathability works in conjunction with the Sanitized® hygiene function to prolong freshness, protection and outstanding wearer comfort even after over heavily extended uses. It was designed and developed to enhance comfort by eliminating heat build up inside a glove : Enables 360°full hand breathability.
- X-TEND Wear Technology™ : DURABLE FOR LONG LIFE USE - Integrates high abrasion resistance and great comfortability into one pair of gloves. Level 4 Abrasion resistance.
- F-LEX Feel Technology™ : SOFT, THIN & DEXTEROUS - With the lightweight liner and Microfoam coating technology, the glove is extremely thin, providing unrivalled dexterity without compromising on durability making it perfect for use in the automotive industry, engineering, building and construction or aerospace industries.
- S-Ecure Grip Technology™ : STRONG GRIP- Special coating treatment that minimizes the force required to grip dry and oily tools or materials relieving hand strength caused by poor grip. Provides excellent dexterity and flexibility.
- Sanitized -The anti-bacterial effect of the Sanitized® process deprives bacteria of a nourishing environment, thereby preventing their formation and development. The Sanitized® treatment is effective against bacteria, fungi, rust, stains and algae by preventing these micro-organisms from having a chance to start growing.



Technical Data

Color	Grey
Sizes Available	--
Packaging	Bulk Pack
Packed	--
Case Dimensions (cm)	--
Case Weight (kg)	0.00
Liner Material	Engineered Yarn, Nylon, Spandex
Coating	Nitrile
Coating Color	Black
Coating Coverage	Palm & Fingers
Grip	Dot
Gauge	15
Cuff	Knit Wrist
Impact Protection	--
Construction	Coated Seamless Knit, Antimicrobial, Reinforced Thumb Crotch, Touchscreen Compatible
Certifications	TAA Compliant
Product Circularity	--

Performance Data

Cut Level	--
ANSI Abrasion Level	--
ANSI Puncture Level	--
ANSI Impact Level	--
ANSI Contact Heat Level	--
EN 388	4X42D
ASTM F1358 Vertical Flame Level	--
EN 407	X1XXXX

Care Instructions

The gloves can be machine washed at 40°C with a standard detergent (3 wash cycles). Air dry. This helps extend the glove's lifespan and reduce costs and waste.