SPECIFICATION SHEET STYLE: 9100-FRBO4



Bisley® AR/FR Dual-Certified Insulated Bib Overall - 33.3 cal/cm2

- ARC Rating: PPE 3 ATPV 33.3 cal/cm2
- Shell: 88% Cotton 12% Nylon
- 14oz FR modacrylic/cotton insulation, for extra warmth in extreme . cold conditions
- High tenacity Aramid thread to withstand stress during fire exposure and high temperatures
- 4 in FR reflective tape for optimal visibility
- CSA Z96-22 Class 2 Level 2 and FR
- Dual-certified to NFPA 70E (ASTM F1506) and NFPA 2112-2023 standards
- **OEKO-TEX®** Standard 100
- Two-way heavy duty brass zipper on aramid tape
- Elasticized shoulder straps with adjustable buckles
- Storm guard over zipper with snap closure
- 2 chest patch pockets
- 2 slanted pockets at waist
- 2 patch rear hip pockets



Technical Data

Color	Hi-Vis Orange
Sizes Available	XS-5XL
Packaging	Bagged Each
Packed	
Case Dimensions (cm)	
Case Weight (kg)	0.00
Country of Origin	China
Fabric	Cotton, Nylon, Modacrylic
Weight	
Closure	Zipper
Total Pockets	6
Pocket Type	Chest Pocket, Waist Pocket, Mic Tab
Construction	Adjustable Straps, X-Back
Certifications	NFPA 70E, UL Certified, ASTM F1506, NFPA 2112, CSA Z96 Compliant
Product Circularity	Reusable / Launderable

Performance Data

PPE Category	3
ANSI Type/Class	
CSA Class	Class 2
CSA Level	Level 2/FR

Care Instructions





 \odot Low Heat

 \bigotimes Do Not Dry-

clean

Only synthetic detergents should be used on this AR/FR garment. Do not use bleach, starch, fabric softeners or detergents containing hydrogen peroxide on this garment as they could negatively affect the protective properties.

KEY: 🚺 Made from recycled or bio-based 🛛 Launderable 🗳 Recyclable via TerraCycle®

PROTECTIVE INDUSTRIAL PRODUCTS, INC. | BRINGING THE BEST OF THE WORLD TO YOU®

AMERICAS: +1 (800) 262-5755 | EUROPE: +34-96182-41-48 | AMEA: (ASIA, MIDDLE EAST, AFRICA) 852-2475-9228 | www.pipglobalsafety.com

This document and the information contained herein is the property of Protective Industrial Products, Inc. (PIP) and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of PIP products for a particular purpose or use within a particular environment. PIP DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED. 2025-08-20